

Hanover Lantern
helps you enhance
style and character
to the entrance
and surroundings
you call home.

CLASSIC EXTERIOR ACCENTS

Discriminating Outdoor Lighting and Accessories to Last a Lifetime.





Handcrafted in the USA





Finishing Touches with Lasting Quality





Designed to bring a consistent appearance to your home.

Wall Lighting

With numerous designs to choose from, Hanover Lantern has a style to compliment any architecture. Each series has multiple sizes and mounting options, so you can find the appropriate fixture for your application. With over 20 finishes to select from, we can beautifully integrate your exterior color scheme.

Post Lighting

Hanover Lantern offers an expansive line of posts and designer base wraps to compliment all of our lighting fixtures. Whether you use a single post outside your front entrance, or multiple posts to line your driveway, you will provide security as well as beauty to your property.

Landscape Lighting

Enhance the beauty of your property after dark with Hanover Lantern's landscape lighting. Welcome your guests by painting your walks, steps and garden pathways with the radiant shimmer of our landscape fixtures. Create a focal point by uplighting an ornamental tree or wash a wall with the soft glow from a low voltage spotlight.

Pier Lighting

Create a dramatic entrance to your property with the use of our pier mounted fixtures. Hanover Lantern manufactures a wide range of models and sizes for any application.

Mailboxes & Signs

Add a totally integrated look to your property with the addition of a sign or mailbox. We offer many standard cast aluminum signs in a variety of shapes and sizes. Our upscale mailboxes, available in your choice of any of our elegant hand applied finishes, are manufactured in a variety of configurations and sizes.





Choose the correct size POST MOUNT Jamestown Series










Most home centers offer only smaller sized outdoor lighting fixtures. The photographs above clearly illustrate the need for larger scale lighting fixtures. A small size lantern is not recommended for use on a 6' residential post, which looks best with a lantern 20" high or larger. Shown in Black Cherry finish.

Choose the correct size PIER MOUNT Manor Series









Manor Series is just one of many styles offered by Hanover Lantern in 4 different sizes. Shown here in a pier mount configuration on a 30" square pier, size and scale of the fixture to its environment is crucial. If you still have doubts or questions, your local lighting showroom can help. Photographed in Ironstone.

Choose the correct size WALL MOUNT South Bend Series










Consumers often make the mistake of selecting outdoor lighting fixtures that are too small. The photos above show different size fixtures of the same design in the identical installation. Let your eyes be the judge. One size does not fit all! Photographed in Verde Copper.



NORTH HILLS Page 51

33600



Page 49

17300

17500

GROSSE POINTE Page 50

25200

8500

SALEM Page 48


8900

REVERE Page 44


8200 8300 - REVERE SIGNATURE Page 45

28400 28600 — INDIAN WELLS — Pages 46 and 47





ORDER INFORMATION



Each Hanover Lantern lighting fixture and accessory is made to order. Since we offer so many variations in styles, colors, and accessories, please take special care when ordering, as **there** is a 50% restocking charge on all returned items. Please follow the sequence listed below to ensure your order is processed promptly and accurately.



Please double check your orders and use COMPLETE model numbers. Lantern accessories must follow lantern order, post accessories must follow post order. If you have any questions or problems, please call our Customer Service department at the factory.


All Hanover Lantern fixtures are now finished with painted candle clusters and socket sleeves:


Fixture Finish/Color	Cluster & Sleeve Color
Black Cherry, Forest Green, Shadow Green, Architectural Bronze Landscape Brown, Dark Bronze, Black & Brown	Matte Black finish
Shadow Rust, Vintage Copper, Rustic Bronze & Ironstone	Terracotta finish
All Antique Finishes	Antique finish to match
Granite, White and Almond	Matching finish color

All fasteners are brass with a Black oxide coating except White and Almond finishes; supplied with Brass fasteners.

HELPFUL SIZING FOR AN OUTDOOR LANTERN

Selecting the correct size lantern can somestimes pose a challenge.
Use the following guidelines to help determine what's best for your application.








ARTISAN 56400 Medium

ARTISAN 56600 Large

Standard - Porcelain medium base socket with painted socket cover - (B56400) 100w max. (B56600) 150w max. • Cast aluminum construction • Panel options available - see page 75 for selection • All finishes available - see page 75 for selection.






BRIDGEWATER 8600 Small

BRIDGEWATER 9000 Large

Standard - Porcelain medium base socket with painted socket cover - (8600) 60w max. (9000) 100w max. • Clear seeded glass globe only • Cast aluminum construction • All finishes available - see page 75 for selection.






AERIAL 55200 Small

AERIAL 55400 Medium

Standard - Porcelain medium base socket with painted socket cover - (B55200) 60w max. (B55400) 150w max. • Cast aluminum construction • Opal acrylic globe • All finishes available - see page 75 for selection.






MILANO 54400 Medium

MILANO 54600 Large


Standard - 3-light candelabra candle cluster - 25w max. per socket • Painted cluster and candle covers - (B54400) 75w max 3-light candel. base (B54600) 100w max 4-light candel. base • Cast aluminum construction • Glass globe only - see page 75 for selection • All finishes available - see page 75 for selection.





STOCKHOLM 53200/53300 *Small*

Stockholm Small 3-light painted candelabra candle cluster - 25 w. max. per socket • Painted candle cluster and candle covers.



B532FSM H 26 x W 10 ³/₄ EXT 15 ³/₈, T/O 16

B533FSM w/Crown H 26 x W 11 ¹/₄ EXT 15 ³/₈, T/O 16 **B532FRM** H 26 ⁷/₈ x W 10 ³/₄ EXT 15³/₈, T/O 10

B533FRM w/Crown H 26 ⁷/₈ x W 11 ¹/₄ EXT 15 ³/₈, T/O 10 **B53221** H 24 ³/₄ x W 10 ³/₄

B53321 w/Crown H 24 ³/₄ x W 11 ¹/₄ **B53220** H 23 ³/₈ x W 10 ³/₄ H 37 ¹/₄ OA 12 inch Chain

B53320 w/Crown H 37 ¹/₄ x W 11 ¹/₄ 12 inch Chain **B53260** H 24 x W 10 ³/₄

B53360 w/Crown H 24 x W 11 ¹/₄ **B53230** H 24 ½ x W 10 ¾ Post not Included

B53330 w/Crown H 24 ¹/₂ x W 11 ¹/₄ Post not Included



STOCKHOLM 53500/53400 Medium

STOCKHOLM 53700/53600 Large

Stockholm Medium 4-light candelabra candle cluster - 25 w. max. per socket • Painted candle cluster and candle covers. ■ Stockholm Large 4-light candelabra candle cluster - 60 w. max. per socket • Painted candle cluster and candle covers.







Standard - Porcelain medium base socket with painted socket covers - 60 w. max. • Painted finials and spindles.



AUGUSTA 13400 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted finials, spindles and candle cluster (B13422 has brass socket covers).



B13410 B13470 B13415 B13475 H 301/4 x W 101/8 H 347/8 x W 101/8 EXT 121/2 EXT 121/2 T/O 251/4 T/0 251/4

B13412 B13472 H 223/4 x W 101/8 EXT 121/2 T/O 71/8

B134FSM H 27¹/8 x W 10¹/8 EXT 141/2 T/O 171/8

B134FRM H 203/4 x W 101/8 EXT 141/2 T/0 10

B13420 B13421 H 181/8 x W 101/8 H 195/8 H 31 O/A W 101/8 Chain 12

B13430 H 251/2 x W 101/8 Post not included

B13450 B13422 H 301/4 x W 281/2 H 8³/₈ EXT 10¹/₈ EXT 121/2 T/0 251/4

AUGUSTA 13600 Large

Standard - 4-candelabra sockets (B13612, B13672, B13620, B13621, B136FRM 3-candelabra) - 25 w. max. per socket • Painted finials, spindles and candle cluster (B13622 has brass socket covers).



B13610 B13670 H 373/8 x W 133/8 EXT 14 T/0 321/4

B13615 B13675 H 413/4 x W 133/8 EXT 14 T/0 321/4

B13612 H 281/2 x W 133/8 H 291/2 x W 133/8 EXT 14 T/O 71/8

B13672 EXT 14 T/O 71/8

B136FSM H 341/8 x W 133/8 EXT 157/8 T/0 241/8

B136FRM H 261/2 x W 133/8 H 247/8 x W 133/8 EXT 157/8 T/0 10

B13620 H 403/8 O/A Chain 12

B13621 B13630 H 297/8 H 321/2 x W 133/8 W 133/8 Post not included

B13650 H 373/8 x W 133/8 EXT 14 T/0 321/4

B13622 H 97/8 x W 133/8





Standard - Porcelain medium base socket with painted socket covers - 60 w. max. • Painted finials and spindles.



STURBRIDGE 12400 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted finials, spindles and candle cluster.



STURBRIDGE 12600 Large

Standard - 4-candelabra sockets (B12612, B12620, B12621, B12672, B126FRM 3-candelabra sockets) - 25 w. max. per socket

• Painted finials, spindles and candle cluster.



B12610 B12670 B12615 B12675 B12612 B12672 B126FSM B126FRM B12620 B12621 B12630 B12650 H 381/2 x W 133/8 H 213/8 x W 133/8 H 263/8 H 291/8 x W 133/8 H 337/8 x W 281/2 H 337/8 x W 133/8 H 25 x W 133/8 H 257/8 x W 133/8 H 305/8 x W 133/8 H 231/8 x W 133/8 EXT 14 EXT 14 EXT 157/8 EXT 157/8 EXT 14 EXT 14 H 367/8 O/A W 133/8 Post not EXT 14 T/O 283/4 T/O 283/4 T/O 283/4 T/0 71/8 T/0 71/8 T/O 205/8 T/0 10 Chain 12 included





Standard - Porcelain medium base socket with painted socket covers - 60 w. max.



Specify Clear-CP or Opal-OP Fluted Polycarbonate Dome. MERION 15400 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted candle cluster (B15422 has a medium base socket).



Specify Clear-CP or Opal-OP Fluted Polycarbonate Dome. MERION 15600 Large

Standard - 4-candelabra sockets (B15612, B15620, B15621, B156FRM 3-candelabra sockets) - 25 w. max. per socket • Painted candle cluster (B15622 has a medium base socket).



B15612 H 31¹/₈ x W 14⁷/₈ EXT 15¹/₂, T/O 7¹/₈ **B156FSM** H 35¹/₈ x W 14⁷/₈ EXT 17¹/₂, T/O 25¹/₈

B156FRM H 28¹/₄ x W 14⁷/₈ /₈ EXT 17¹/₂, T/O 10 **B15620** H 27¹/₈ x W 14⁷/₈ H 42¹/₂ O/A, Chain 12

B15621 H 32 W 14⁷/₈ **B15630** H 33¹/₂ x W 14⁷/₈ Post not included **B15650** H 38⁵/8 x W 28¹/₂ EXT 15¹/₂. T/O 33¹/₄ B15622 H 111/8 W 147/8



SUFFOLK 52200 Small

Specify Spun Copper Dome with CP

SUFFOLK 52400 Medium

Standard - ★ Suffolk Small Single candelabra socket - 25 w. max. • Painted socket cover ■ Suffolk Medium 3-light candelabra candle cluster - 25 w. max. per socket • Painted candle cluster.



★ **B522FSM** H 17¹/8 x W 8³/8 EXT 10⁷/8

T/0 11

★ **B522FRM** H 153/8 x W 83/8 EXT 107/8 T/O 61/4 ★ **B52220**H 143/8 x W 83/8
H 285/8 O/A
Chain 12

★ **B52221** B H 16¹/8 x W 8³/8 ■ **B524FSM**H 23 ⁷/₈ x W 11
EXT 15 ⁵/₈
T/O 14

■ **B524FRM**H 21³/₈ x W 11
EXT 15⁵/₈
T/O 10

■ **B52430**H 22³/₈ x W 11
Post not included

■ **B52420** H 18³/₄ x W 11 H 32⁵/₈ O/A Chain 12 **■ B52421** H 20¹/₄ x W 11



Specify Spun Copper Dome with CP

SUFFOLK 52600 Large

Standard - ▲Suffolk Large 4-light candelabra candle cluster - 25 w. max. per socket (models B526FRM, B52620, B52621 - 3-light cluster)
• Painted candle cluster • Photographed above in Verde Copper.





SOUTH BEND 51200 Small

H 163/8 x W 83/8

T/O 10 1/4

H 133/4 x W 83/8

EXT 107/8

T/0 61/4

H 13 x W 83/8

H 27 O/A

Chain 12

H 141/4 x W 83/8

SOUTH BEND 51400 *Medium*

H 173/8 x W 117/8

H 311/4 O/A

Chain 12

H 187/8 x W 117/8

Standard – ★ South Bend Small Single candelabra socket - 25 w. max. • Painted socket cover.

■South Bend Medium 3-light candelabra candle cluster - 25 w. max. per socket • Painted finials and candle clusters.



Standard on all fixtures above • All aluminum construction • Clear beveled glass panels • Painted spun aluminum dome • Spun copper dome optional • All panels and finishes available - see page 75 for selection. (Copper dome has brushed finish with clear coat. Copper will age naturally to a patina finish.) Higher wattages may be used *only* with glass panels installed.

H 233/4 x W 117/8

T/O 133/4


H 20 x W 117/8

EXT 16

T/0 10

H 221/4 x W 117/8

Post not included



SOUTH BEND 51600 Large

Standard – ▲ **South Bend Large** 4-light candelabra candle cluster - 25 w. max. per socket • Painted finials and candle clusters. Photographed in Verde Copper.







Standard - Porcelain medium base socket with painted socket cover - 60 w. max. • Clear beveled glass panels • Painted finials and spindles.



JAMESTOWN 9300 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Clear beveled glass panels • Painted finials and spindles • Painted candle cluster.




JAMESTOWN 9400 Large

Standard – 4-candelabra sockets (B9420, B9421, B94FRM 3-candelabra sockets) - 25 w. max. per socket • Clear beveled glass panels • Painted finials and spindles • Painted candle cluster.



GRANDE JAMESTOWN 30800 X-Large

Standard - 4-light painted candelabra candle cluster - 25 w. max. per socket (3-candelabra sockets B308FRM, B30820) • Clear acrylic panels.







EXT 111/4

T/O 105/8

EXT 121/2

T/0 121/4

EXT 121/2

T/0 121/4

Standard – Porcelain medium base socket with painted socket cover - 60 w. max. • Clear acrylic panels ★ Clear beveled glass panels • Painted finials and spindles.



MANOR 4100 Medium

Standard – Porcelain medium base with painted socket cover - 100 w. max. • Clear acrylic panels Options – 3-light painted candle cluster 25 w. max. per socket ★ 3-light painted candle cluster - 25 w. max. per socket • Clear beveled glass panels • Painted finials and spindles.



MANOR 5500 Large

EXT 121/4

T/0 121/8

Standard – Porcelain medium base socket - 100 w. max. • Clear acrylic panels and frosted chimney Optional - 3 or 4 light painted candle cluster - 25 w. max. per socket. * 4-light painted candle cluster - 25 w. max. per socket (3-light for model B55FRM) • Clear beveled glass panels • Painted finials and spindles.

EXT 151/8

T/0 10

EXT 151/8

T/0 10

Post not

included

H 423/4 O/A

Chain 24



GRANDE MANOR 6100 X-Large

Standard – 4-light painted candelabra candle cluster - 25 w. max. per socket (3-light B6120, B61FRM). Optional – Porcelain medium base socket - 200 w. max. • Clear acrylic panels and frosted chimney • Clear beveled glass not available (acrylic panels only).







Standard - Porcelain medium base socket with painted socket covers - 60 w. max. • Painted finials and spindles.



WESTMINSTER LE 19400 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted finials, spindles and candle cluster.



EXT 241/8, T/O 16

T/0 321/4

T/0 321/4

H 433/8 OA Chain 24

W 12

T/0 321/4

EXT 241/8, T/O 16

WESTMINSTER LE 19600 Large

Standard - 4-candelabra sockets - 25 w. max. per socket (B19612, B19620, B19621, B196FRM 3-candelabra sockets) • Painted finials, spindles and candle cluster.



T/0 241/4

T/0 71/8

T/0 10





T/0 7

Standard - Porcelain medium base socket with painted socket cover - 60 w. max. • Clear seeded acrylic panels.



T/O 111/4

T/0 6 1/4

included

ST. AUGUSTINE 22400 Medium

Chain 12

T/0 17

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted candle cluster.

T/0 17

T/O 43/4

T/0 17



ST. AUGUSTINE 22600 Large

Standard – 4-candelabra sockets - 25 w. max. per socket • ■ Models B22612, B226FRM, B22620 and B22621 have 3 sockets • Painted candle cluster.



B22610 H 36 x W 141/2

B22615 H 453/8 x W 141/2 EXT 143/8, T/O 303/4 EXT 143/8, T/O 303/4

■B22612 H 271/8 x W 141/2 EXT 143/8, T/O 61/2

B226FSM H 323/4 x W 141/2 EXT 163/8, T/O 223/4

■B226FRM H 25³/₄ x W 14¹/₂

B22630 H 31 x W 141/2 EXT 163/8, T/O 10 Post not included

■B22620 H 311/2×W 141/2 H 585/8 O/A Chain 24


■ B22621 H 367/8 W 141/2

B22650 H 36 x W 28 1/2 EXT 143/8, T/O 303/4





Standard - Porcelain medium base socket with painted socket cover - 60 w. max. • Painted finials and spindles.



PLYMOUTH 9500 Medium

Standard - 3-candelabra sockets - 25 w. max. per socket • Painted candle cluster • Painted finials and spindles.



PLYMOUTH 9600 Large

Standard – 4-candelabra sockets (B9620, B9621, B96FRM 3 candelabra sockets) - 25 w. max. per socket • Painted candle cluster • Painted finials and spindles.



GRANDE PLYMOUTH 31800 X-Large

Standard - 4 light painted candelabra candle cluster - 40 w. max. per socket (3 light B31820, B318FRM) • Clear acrylic panels (acrylic panels only).







Standard – Porcelain medium base socket with painted socket cover - 60 w. max. • Clear beveled panels • Painted finials and spindles.



JEFFERSON 5800 Medium

Standard - 3-light painted candelabra candle cluster - 25 w. max. per socket • Clear beveled glass panels • Painted finials and spindles.




JEFFERSON 5700 Large

Standard – 4-light painted candelabra candle cluster - 25 w. max. per socket. (B5720, B5721, B5772, B57FRM 3-light) • Clear beveled glass panels • Painted finials and spindles • Painted candle cluster. • **Optional** – frosted chimney, brass holder.



GRANDE JEFFERSON 8400

Standard - 4-light painted candelabra candle cluster - 25 w. max. per socket (3-light B8420-1) • Clear acrylic panels. Optional - frosted chimney, brass holder.






Standard - Porcelain medium base socket with painted socket cover - 60 w. max. • Clear beveled panels.




JEFFERSON SIGNATURE 5800 Medium

Standard – 3-light painted candelabra candle cluster - 25 w. max. per socket • Clear beveled glass panels.




JEFFERSON SIGNATURE 5700 Large

Standard - 4-light painted candelabra candle cluster - 25 w. max. per socket - painted candle cluster • Clear beveled glass panels.



GRANDE JEFFERSON SIGNATURE 8400

Standard – 4-light painted candelabra candle cluster - 25 w. max. per socket - painted candle cluster • Clear acrylic panels.





NANTUCKET 18200 Small

NANTUCKET 18400 Large

Standard – Nantucket Small Porcelain medium base socket with painted socket cover - 60 w. max. • Painted finials, balls and spindles. Nantucket Large 4 - candelabra sockets - 25 w. max. per socket (models B18412, B18420 and B18421 have 3 - candelabra sockets.) • Painted finials, balls, spindles and socket covers. Photographed in Shadow Green.



B18210	B18215	B18212	B18220	B18221	B18230	B18260	B18409	B18410	B18415	B18412	B18420	B18421	B18430	B18460
H 231/2	H 255/8	H 207/8	H 191/8	H 205/8	H 201/4	H 193/4	H 29 ⁵ /8	H 341/2	H 391/8	H 32	H 295/8	H 341/2	H 301/4	H 30
W 61/8	W 61/8	W 61/8	W 61/8	W 61/8	W 61/8	W 75/8	W 10 ¹ / ₄	W 101/4	W 10 ¹ / ₄	W 10 ¹ / ₄	W 101/4	W 101/4	W 101/4	W 101/4
EXT 91/2	EXT 91/2	EXT 91/2	H 33 O/A		Post not		EXT 131/4	EXT 131/4	EXT 131/4	EXT 131/4	H 571/8 O/A		Post not	
T/O 191/8	T/O 191/8	T/O 41/8	Chain 12		inc l uded		T/O 16 ¹ / ₂	T/O 293/8	T/O 293/8	T/O 57/8	Chain 24		included	



MANOR SIGNATURE 4100 Medium

MANOR SIGNATURE 5500 Large

Standard – 4100 - 3 candelabra sockets - 25w. max per socket - painted candle cluster • 5500 - 4 candelabra sockets - 25w. max per socket painted candle cluster • Clear acrylic panels. Model B4129 shown in Black, B4109 photographed in Weathered Bronze.







ABINGTON 8000 Small


ABINGTON 8100 Large

Standard - Abington Small B8001-Single candelabra socket - 40 w. max. • B8012RM, B8020-Porcelain medium base socket with painted socket cover - 40 w. max. Abington Large 3-candelabra sockets - 25 w. max. per socket • Painted candle cluster ★ Clear beveled glass panels standard. Model B8120 photographed in Antique Silver, B8012RM in Architectural Bronze, B8130 in Antique Copper and B8001 in Verde Copper.





Standard – Abington Signature Small B8001-Single candelabra socket - 40 w. max. • Abington Signature Large 3-candelabra sockets - 25 w. max. per socket (painted candle clusters). Model B8076 shown in Antique Copper, B8176 in Weathered Bronze, B8076RM in Granite, B8161 in Antique Silver, and B8176RM in Ironstone.






REVERE 8200 Small

44

REVERE 8300 Large

Standard - Revere Small B8201-Single candelabra socket - 40 w. max. • B8212RM, B8220-Porcelain medium base socket with painted socket cover - 40 w. max. Revere Large 3-candelabra sockets - 25 w. max. per socket • Painted candle cluster (two candelabra sockets B8301, B8350) ★Clear beveled glass panels standard.







REVERE SIGNATURE 8200 Small

REVERE SIGNATURE 8300 Large

Standard – Revere Signature Small Porcelain medium base socket with painted socket cover - 40 w. max.

Revere Signature Large 3-candelabra sockets - 25 w. max. per socket - painted candle cluster. Model B8376RM photographed in Antique Copper, B8276RM in Granite, B8376 in Weathered Bronze, B8261 in Antique Brass, and B8276 in Ironstone.






INDIAN WELLS 28300 Medium


INDIAN WELLS 28400 Medium

Standard - Porcelain medium base sockets - (28300 and 28400) 40w max. per socket • Opalescent honey glass or white iridescent glass panels • Cast aluminum construction • All finishes and panels available (beveled glass not available) see page 75 for selection.



B28361 B28320 B28330 B28461 B28412 B28430 H 133/8 x W 91/8 H 113/4 x W 91/8 H 111/4 x W 91/8 H 131/2 x W 91/8 H 133/8 x W 91/8 H 113/4 x W 91/8 H 111/4 x W 91/8 H 131/2 x W 91/8 EXT 95/8, T/O 11 EXT 95/8, T/O 21/4 H 241/4 O/A W 91/8 Post not included EXT 95/8, T/O 11 EXT 95/8, T/O 21/4 H 241/4 O/A W 9 1/8 Post not included Chain 12 Chain 12


Indian Wells



INDIAN WELLS 28500 Large

INDIAN WELLS 28600 Large

Standard - Porcelain medium base sockets - (28500 and 28600) 75w max. per socket • Opalescent honey glass or white iridescent glass panels • Cast aluminum construction • All finishes and panels available (beveled glass not available) see page 75 for selection.






SALEM 8900 Small

SALEM 8500 Large

Standard - Candelabra socket - 25w max. per socket • B8501, B8502, B8901, B8902 - painted socket arms with painted covers and clear acrylic panels • B8503, B8538, B8903 - socket arms and covers painted to match fixture with clear seeded acrylic panels. • Cast aluminum construction • All finishes and acrylic panels available - see page 75 for selection.




B8901 H 17³/₄ x W 6⁵/₈ EXT 7¹/₄, T/O 11 **B8902** H 201/8 x W 65/8 EXT 71/4, T/O 11 **B8903** H 13 ¹/₄ x W 6 ⁵/₈ EXT 6 ¹/₂, T/O 6 ⁵/₈ **B8501** H 18⁷/₈ x W 9 EXT 7, T/O 12 **B8502** H 25 x W 9 EXT 7, T/O 12 **B8503** H 14³/₄ x W 7 ³/₄ EXT 6 ¹/₂, T/O 8 B8538 H 193/4 x W 11 Post not included




CAPE COD 25200 Medium

CAPE COD 25400 Large

Standard - Candelabra socket - 25w max. per socket • Painted socket arms and socket covers • B25230 and B25430 - 4 light candle cluster Clear seeded acrylic panels • Cast aluminum construction • All finishes and acrylic panels available - see page 75 for selection.




B25209 H 17¹/₈ x W 7³/₄ EXT 6⁷/₈, T/O 12 **B25230** H 21³/₈ x W 8⁵/₈ Post not included **B25409** H 23 x W 10¹/₄ EXT 9¹/₄, T/O 16 **B25430** H 26 x W 10³/₄ Post not included **B25420** H 23³/₈ x W 10⁷/₈ H 49³/₄ OA Chain 24




GROSSE POINTE 17300 Small

GROSSE POINTE 17500 Medium


Standard – Grosse Point Small Porcelain medium base socket - (17300 - 95/s" dia.,-60 w. max., 17500 - 13" dia., 100 w. max.). Model B175FSM shown in Vintage Copper, B173FSM in Verde Copper and Vintage Copper, and B17530 in Black.



B17360	B17370	B17375	B173FSM	B17330	B17320	B17560	B17570	B17575	B175FSM	B17530	B17520
H 221/8	H 26	H 311/8	H 221/8	H 221/2	H 20 ³ / ₈	H 28	H 32 1/2	H 36 ³ / ₄	H 291/2	H 273/4	H 263/8
W 95/8	W 95/8	W 95/8	W 95/8	W 95/8	W 95/8	W 10 ¹ / ₄	W 13	W 13	W 13	W 13	W 13
	EXT 111/4	EXT 111/4	EXT 111/2	Post not	H 343/8 O/A		EXT 14 1/2	EXT 14 1/2	EXT 163/4	Post not	H 417/8 O/A
	T/O 215/8	T/O 215/8	T/O 16	included	Chain 12		T/O 27 1/2	T/0 271/2	T/O 193/8	included	Chain 24



Standard – Porcelain medium base socket - (33600 - 10" dia.-60 w. max., 33000-13⁵/₈" dia.-100 w. max.) Model B33082FSM shown in Verde Copper, B33031 in Black, B33671 Verde Copper, and B33071 in Granite.



B33661 H 211/2 x W 10

B33671 H 25³/₈ x W 10 H 30⁵/₈ x W 10 EXT 11¹/₂ EXT 11¹/₂ T/0 21

B33676 T/0 21

B33682FSM H 215/8 x W 10 EXT 113/4 T/O 153/8

B33631 H 22 x W 10 Post not

B33061 H 253/4 x W 135/8

B33071 H 31 x W 13⁵/8 EXT 14⁷/8 T/O 257/8


B33076 H 35¹/₄ x W 13⁵/₈ EXT 14⁷/₈ T/0 257/8

B33082FSM H 27³/₄ x W 13⁵/₈ EXT 16⁷/₈ T/0 173/4

B33031 H 261/4 x W 135/8 Post not




Standard - Porcelain medium base socket - (17200 - 8" dia. - 60w max., 17400 - 11" dia. - 100w max.). Photographed in Verde.



Avalon







AVALON 8600 Small

(3)

NA

included

(4)


Quantity
 Model Number
 Finish Code
 Panel Code
 Wattage, Lamping or Other Options

B8609

(1)

AVALON 9000 Large

Standard - Porcelain medium base socket - 8600 60w max., 9000 100w max. • Clear polycarbonate fresnel lens only - 8600 series, Clear glass fresnel lens only - 9000 series • Cast aluminum construction • All finishes available - see page 75 for selection. Photographed in Shadow Rust (B8620 and B8609) and Antique Brass (B8646).



Anchor base with 14' dia. bolt circle. (Four bolts supplied) Post not included



OMNI 16200 Small

OMNI 16300 Medium

OMNI 16400 Large

Standard – Porcelain medium base sockets - (16200 - 40 w. max., 16300 - 60 w. max., 16400 - 75 w. max.) • Opal acrylic globe (16200 - 8" dia., 16300, 10" dia., 16400 - 12" dia.) • Photographed above in Black.



B16214	B16213	B162FSM	B162FRM	B16314	B16313	B163FSM	B163FRM	B16330	B16414	B16413	B164FSM	B164FRM	B16430
H 137/8	H 137/8	H 131/2	H 131/2	H 16	H 16	H 16	H 16 ⁷ /8	H 15 ¹ /8	H 19 ⁷ /8	H 19 ⁷ /8	H 20 ³ /8	H 20 ³ /8	H 17 1/4
W 8	W 8	W 8	W 8	W 10	W 10	W 10	W 10	W 10	W 12	W 12	W 12	W 12	W 12
EXT 97/8	EXT 97/8	EXT 103/4	EXT 103/4	EXT 107/8	EXT 107/8	EXT 107/8	EXT 151/8	Post not	EXT 13 1/2	EXT 131/2	EXT 161/8	EXT 161/8	Post not
T/O 7 3/8	T/O 61/2	T/O 71/4	T/O 61/4	T/O 91/2	T/O 61/2	T/O 91/2	T/O 10	included	T/O 111/8	T/O 83/4	T/O 103/8	T/0 10	included




GEMINI 7999 Small

GEMINI 7900 Medium

GEMINI 7800 Large

Standard - 7800 and 7900 - Two porcelain medium base sockets per fixture - 75w max. per socket • B7999 single candelabra socket 25w max. • Opal acrylic panels • Cast aluminum construction • All acrylic panels and finishes available - see page 75 fro selection. Model B7999 photographed in White and models B7922, B7909 and B7830 in Black.





SIX SIDED SERIES 9900

Standard - Porcelain medium base socket with painted socket cover - 100 w. max. (except B9922, B9923 and B9924 - 60 w. max.) • Clear acrylic panel





FOUR SIDED SERIES 9900

Standard - Value Line Porcelain medium base socket with painted socket cover - 100w max. (except B9942, B9943 and B9944 - 60w max.)




B9942	B9944	B9943	B9952	B9954	B9953	B9956	B9955	B9972	B9974	B9973	B9976	B9977	B9975
H 163/8	H 24	H 163/8	H 245/8	H 36 ⁷ /8	H 245/8	H 21	H 22	H 281/8	H 393/8	H 281/8	H 251/2	H 261/8 O/A	H 25 1/2
W 63/8	W 63/8	W 63/8	W 9 1/4	W 9 1/4	W 9 1/4	W 9 1/4	W 9 1/4	W 111/4	W 111/4	W 111/4	W 111/4	W 111/4	W 111/4
EXT 9	EXT 9	EXT 9	EXT 12	EXT 12	EXT 12	H 475/8 O/A	Post not	EXT 13	EXT 13	EXT 13	H 525/8 O/A		Post not
T/O 101/4	T/0 101/4	T/0 61/8	T/O 15 7/8	T/O 15 7/8	T/O 8 3/4	Chain 24	Included	T/O 191/2	T/0 191/2	T/O 83/4	Chain 24		Included






34 H 19 W 19 7/6 35 H 6 3/4 W 16 7/4 W 15 7/8 W 26 7/6 MOUNTING STYLES 40 H 11 3/4 W 27 7/4 H 172 Max W 5

SHADE STYLES





WIRE GUARDS



ORDER INFORMATION

To ensure prompt and efficient processing of your order, please follow the sequence in the example shown below.

37441	ABS	07-439-00
(1) (2)	(3)	(4)

- 1 MODEL NO. (Mounting Style) 37 - Mounting Bracket Arm
- (2) MODEL NO. (Spun Shade Style) 481 - Spun Aluminum Shade
- (3) FINISH (See Page 3 for Selection)
 ABS Antique Brass
 RED is also available for RLM shades only.
- 4 WIRE GUARD (Only If Applicable) 07-439-00 - Only for shade no. 441

ENERGY STAR

WHY BUY ENERGY STAR?



THE **ENERGY STAR** SOLUTION

- Use 1/4 the energy of traditional lighting.
- Long lamp life. 10,000 hours as compared to typical incandescent lamp life of 1,500 hours (requiring less maintenance).
- Simple plug in lamp.
- Convenient features such as photo controls for automatic daylight shut-off.
- Self ballasted socket is easily replaced without the use of tools.
- ETL listed.
- ENERGY STAR requires a one year warranty... Hanover Lantern offers a three year warranty, three times the industry standard.




	ELECTR	RONIC FLU	JORESCENT	STANDARD INCANDESCENT							
	WATTS	AVG LUMEN	AVG LAMP LIFE	WATTS	AVG LUMEN	AVG LAMP LIFE					
	13w	900	10,000 hrs	60w	890	1,000 hrs					
ı	18w	1,200	10,000 hrs	75w	1,220	750 hrs					
	26w	1,800	10,000 hrs	100w	1,600	750 hrs					
	32w	2,400	10,000 hrs	150w	2,850	750 hrs					
	42w	3,200	10,000 hrs	200w	3,800	750 hrs					

B55410ES OA 26w


1 - Quantity 2 - Model Number 3 - Finish Code 4 - Panel Code 5 - Wattage, Lamping or Other Options








MILANO Energy Star compliant



INDIAN WELLS Energy Star compliant





DIRECT BURIAL POSTS shown with Optional Wrap Bases

All posts are high quality aluminum and accommodate lanterns with a 3" post fitter. All finishes are available, see page 75. Posts above are shown in 7' length, finished in Antique Copper, and shown with optional wrap bases (must be ordered separately). Pease order posts by length (ie: 350-7).

350 Smooth Aluminum Post

.125" wall / 3" O.D. 5' thru 10' available

Smooth Aluminum Post

.065" wall / 3" O.D. 7' std thru 10' available

Smooth Aluminum Post with ladder rest .065" wall / 3" O.D. 7' length

353 Round Flute Aluminum Post

340 Flat Flute Aluminum Post


.125" wall / 3" O.D. .125" wall / 3" O.D. 5' thru 9' available 5' thru 9' available

355 Fine Flute Aluminum Post with ladder rest .070" wall / 3" O.D. 7' length

356Fine Flute
Aluminum Post

.070" wall / 3" O.D. 5' thru 10' available







ANCHOR BASE POSTS

All posts and bases are manufactured using our high quality aluminum and accommodate lanterns with a 3" post fitter. All finishes are available, see page 75. 383 & 380 are 6'7" height. All other posts are shown in 7' height. Photographed in Antique Copper. Anchor bolts and templates included.

383	380	344	342	394	354
Square Cast	Fluted Cast	Round Flute	Flat Flute	Smooth	Fine Flute
Aluminum Post	Aluminum Post	Aluminum Post	Aluminum Post	Aluminum Post	Aluminum Post
5" sq. bottom	5 " sq. bottom $12^{1/2}$ " sq. base	8 ¹ /2" dia. base			
121/2" sq. base		18 ¹ /4" high			
.187" wall / 3" O.D.	.187" wall / 3" O.D.	.125" wall / 3" O.D.	.125" wall / 3" O.D.	.125" wall / 3" O.D.	.070" wall / 3" O.D
6' 7" height	6' 7" height	7' thru 10' available	7' thru 10' available	5' thru 10' available	5' thru 8' available

Base Template: Anchor bolts and templates included with Anchor Bases.

12½" sq. base















140-3 2-PC Wrap Around Base H 25 x W 11 ¹/₂ Shown in Weathered Bronze



142-3 2-PC Wrap Around Base H 14 ¹/₄ x W 12 Shown in Granite



135-3 2-PC Wrap Around Base H 19 x W 8 Shown in Verde Copper



139-3 2-PC Wrap Around Base H 18 x W 8 Shown in Vintage Copper



136-3 2-PC Wrap Around Base H 16 x W 10 1/2 Shown in Antique Brass



30 Slip-Over Base H 18 x W 10 Shown in Rustic Bronze



Pier Bases Shown in Verde



Shown in Rustic Bronze

All Pier Bases are designed for our 3" O.D. post. 400 - $7^{1/2}$ " square base, 455 - $7^{1/2}$ " square base, 450 - $6^{1/2}$ " round base, 451 - $3^{3/4}$ " round base, 5P412, SP424, SP436 - $7^{1/2}$ " square base with welded cast aluminum post to desired height (contact factory for other heights).

CANDLE CLUSTERS - ALUMINUM KNOBS - PHOTO OPTICS



CANDLE CLUSTERS (lamps not included) Candelabra Sockets - 25w max. per socket Refer to individual catalog pages to check on availability of 4-light clusters.



ALUMINUM KNOBS Tapped 1/8 -27 NPSM



ELECTRONIC ACCESSORIES For use with 3" O.D. posts.



Ladder Rests


223-3 vinyl numbers

R223-3 cast numbers shown in Weathered Bronze with gold cast numbers

222-3 vinyl numbers shown in Granite with gold vinyl numbers R222-3 cast numbers

221-3 vinyl numbers shown in Antique Silver with white vinyl numbers

R221-3 cast numbers



26

11¹/2" width OA*
4¹/4" each side of post

17-3

6¹/2" width OA* 6³/4" each side of post

18-2

24¹/4" width OA* 10¹/8" each side of post

* includes 3" O.D. post

Hanover Lantern offers a comprehensive selection of decorative cast aluminum signs which are offered in raised cast numbers or professional grade vinyl letters or numbers. All signs come complete with a clamp on bracket for mounting to all 3" O.D. posts.

Three different sizes of through the post cast aluminum ladder rests are also offered for 3" O.D. posts.

Consult your lighting professional or our factory for more details.

225-3 vinyl numbers
R225-3 cast numbers
shown in Black Cherry
with gold cast numbers




Multiple Post Fixtures

Create your own Multiple Post Lantern
by using any family style that has
the Victorian bracket arm or models that
have a FRM or FSM included in the model.
Shown are some examples
that are available.



Please contact factory for options. Note: Posts must be ordered separate and have special machining for each application.




Custom Designs


American Made Custom Innovations

Hanover Lantern has always prided itself on offering quality decorative lighting fixtures, posts, and accessory items to meet the various styles of architecture and the demands of our customers. Specifiers and Builders sometimes look for a unique style to match the personalization of their project. Hanover Lantern utilizes durable aluminum construction, protected by our NanoCoat paint, in a variety of decorative styles that can also be specially customized to suit your project. All designs are done in-house by our experienced engineers. Over the years there have been a different variety of custom designs from mounting options to the overall look of a fixture. Some requests might have seemed odd, but we are honored to make the customer happy and giving them what they ask for in a design. This brochure shows special ways that Hanover Lantern has met the demands of the design community. Feel free to send in a design to us so we can make your idea into a reality. Look at these installations to see ways that we can help you to make your project special!

Contact your Hanover Lantern Representative today to discuss the unlimited options available to you.










This project is at Grandview Plaza which is located not far from our office in Hanover PA. These are the site lighting fixtures. Each assembly uses special twin RLM shades with ribbed glass jar style lenses. The fixtures are mounted to the post using custom bent arms and hub. The fixtures and poles are made of durable aluminum construction. The overall style blends well with the look of the shopping center where it is located.





DECORATIVE ADDRESS SIGNS

Wall Signs One piece cast aluminum construction with raised borders and numbers. NUMBERS ONLY AVAILABLE IN SIZE AND STYLE SHOWN. All finishes available, see page 75. Predrilled holes and mounting hardware included. **Standard -** borders and numbers painted gold, contact factory for other finishes.



R629 H 7 x W 12³/₄ Up to 3 numbers Photographed in Granite



H 73/4 x W 10 Up to 3 numbers Photographed in Black



R632 H 75/8 x W 10 Up to 3 numbers Photographed in Ironstone



R634 H 7 x W 10⁵/₈ Up to 3 numbers Photographed in Verde



R617 H 8 x W 16³/₄ Up to 5 numbers Photographed in Forest Green



R619 H 8³/₄ x W 15 Up to 5 numbers Photographed in Rustic Bronze



R631 H 8½ x W 15 Up to 5 numbers Photographed in Weathered Bronze



R633 H 7½ x W 15¾ Up to 5 numbers Photographed in Antique Brass




Our single sided Wall Signs are handcrafted cast aluminum signs with raised borders and come complete with pre-drilled holes and mounting hardware for flat surface mounting. Please contact factory for more information on letter size and limitations for multiple line imprints.



SIDE MOUNTED POSTS

Our Side Mounted Posts are for permanent installation. Each sign comes complete with a cast aluminum sign, machined 3"OD x .125 wall x 42" long aluminum post with post cap and finial (as shown), and all installation hardware. **NOTE:** Post should be buried with 18" in-ground and 24" above ground level.



SIGN LETTERING

Sign Lettering Raised cast aluminum lettering (**R**) in Clarendon Extra Condensed (caps only). Commercial grade vinyl lettering is offered in three styles: Helvetica, Brush Script or Clarendon Condensed. Lettering is available in three colors: Black, White or Gold. Please contact the factory for lettering.







Brush Script


Clarendon Condensed








MUIRFIELD VILLAGE 3" Round and 4" Square Post




Oakmont 3" Round Post



INVERNESS 3" Round Post

Box has cast aluminum ends and extruded middle.



Landscape Lighting Enhance the beauty of your home while providing your home while providing safety and security. Extend your living space by creating dramatic outdoor areas with our landscape lighting. Hanover Lantern offers a complete line of low voltage and line voltage landscape lighting. **WLU516** SLA126 1 - Quantity 2 - Model Number 3 - Finish Code 4 - Panel Code 72







































D40040	10	D45000	24	D10010	24	D0E4E E	20	D4404	20	DE4420EC	/1	DETECNA	27	DOEOO	40	ם הפסטים ב	/1
B12210	19 19	B15230 B15250	21	B19212 B19215	31	B2515-5	29 29	B4121 B4129	29 41	B54430ES B54460	61	B57FSM B5809	37 39	B8502 B8503	48 48	B9923ES B9924	61 56
B12212 B12215	19	B15250	21	B19220	31	B2518 B2520	29	B4127	29	B544FRM	13	B5819	39	B8538	48	B9932	56
B12213	19	B152FSM	21	B19221	31	B25209	49	B4131	29	B544FRMES		B5820	37	B8608	11	B9932ES	61
B12230	19	B15410	21	B19230	31	B25207	29	B4150	29	B544FSM	13	B5821	37	B8609	53	B9933	56
B12250	19	B15411	21	B19250	31	B25230	49	B4161	41	B544FSMES	61	B5830	37	B8619	11	B9933ES	61
B12270	19	B15412	21	B192FRM	31	B2530	29	B41FRM	29	B54620	13	B5839	39	B8620	53	B9934	56
B12272	19	B15415	21	B192FSM	31	B2531	29	B41FSM	29	B54621	13	B5851	37	B8629	11	B9935	56
B12275	19	B15420	21	B19410	31	B25409	49	B51220	25	B54630	13	B5870	37	B8630	53	B9935ES	61
B122FRM	19	B15421	21	B19412	31		49	B51221	25	B54630ES	61	B5872	37	B8645	11	B9936	56
B122FSM	19	B15422	21	B19415	31	B25430	49	B512FRM	25	B54660	13	B5875	37	B8646	53	B9942	57
B12410	19	B15430	21	B19420	31	B2550	29	B512FSM	25	B546FRM	13	B58FRM	37	B8659	11	B9943	57
B12412	19	B15450	21	B19421	31	B25FRM	29	B51420	25	B546FRMES	61	B58FSM	37	B8901	48	B9944	57
B12415	19	B154FRM	21	B19430	31	B25FSM	29	B51421	25	B546FSM	13	B6117	29	B8902	48	B9952	57
B12420	19	B154FSM	21	B19450	31	B266FRM	33	B51430	25	B5501	29	B6118	29	B8903	48	B9953	57
B12421	19	B15610	21	B194FRM	31	B28310	46	B514FRM	25	B5501-1	29	B6120	29	B9008	11	B9954	57
B12430	19	B15612	21	B194FSM	31	B28312	46	B514FSM	25	B5509	41	B6130	29	B9009	53	B9955	57
B12450	19	B15615	21	B19610	31	B28320	46	B51620	25	B5510	29	B6150	29	B9019	11	B9956	57
B12470	19	B15620	21	B19612	31	B28321	46	B51621	25	B5513	29	B6160	29	B9020	53	B9962	56
B12472	19	B15621	21	B19615	31	B28321	46	B51630	25	B5515	29	B61FRM	29	B9029	11	B9962ES	61
B12475	19	B15622	21	B19620	31	B28330	46	B516FRM	25	B5518	29	B61FSM	29	B9030	53	B9963	56
B124FRM	19	B15630	21	B19621	31	B28361	46	B516FSM	25	B5519	41	B7809	55	B9045	11	B9963ES	61
B124FSM	19	B15650	21	B19630	31	B28410	46	B52220	22	B5520	29	B7820	55	B9046	53	B9964	56
B12610	19	B156FSM	21	B19650	31		61	B52221	22	B5521	29	B7830	55	B9059	11	B9965	56
B12612	19	B156FSM	21	B196FRM	31	B28412	46	B522FRM	22	B55210	12	B7909	55	B9310	27	B9965ES	61
B12615	19	B16213	54	B196FSM	31		61	B522FSM	22	B55210ES	61	B7910	55	B9310RM	27	B9966	56
B12620	19	B16214	54	B22210	33	B28420	46	B52420	22	B55212	12	B7919	55	B9315	27	B9967	56
B12621	19	B162FRM	54	B22212	33	B28421	46	B52421	22	B55212ES	61	B7920	55	B9320	27	B9972	57
B12630	19	B162FSM	54	B22215	33	B28430	46	B52430	22	B55220	12	B7922	55	B9321	27	B9973	57
B12650	19	B16313	54	B22220	33		61	B524FRM	22	B55221	12	B7922	55	B9330	27	B9974	57
B12670	19	B16314	54	B22221	33	B28461	46	B524FSM	22	B55230	12	B7930	55	B9350	27	B9975	57
B12672	19	B16330	54	B22230	33	B28512	47	B52620	23	B55230ES B55260	61	B7999	55	B9370	27	B9976	57
B12675	19 19	B163FRM B163FSM	54 54	B22250 B222FRM	33 33	B28520 B28521	47 47	B52621 B52630	23	B5529	41	B8001 B8012RM	42 42	B9372 B9375	27 27	B9977	57
B126FRM B126FSM	19	B16413	54	B222FSM	33	B28530	47	B526FRM	23	B5530	29	B8020	42	B93FRM	27	8	64
B13210	17	B16414	54	B222F3IVI B22410	33	B28561	47	B526FSM	23	B5531	29	B8033	43	B93FSM	27	9	64
B13212	17	B16430	54	B22410	33	B28610	47	B53220	14	B55410	12	B8061	43	B9410	27	12	64
B13212	17	B164FRM	54	B22412 B22415	33		61	B53220	14	B55410ES	61	B8076	43	B9415	27	13	64
B13213	17	B164FSM	54	B22413	33	B28612	47	B53230	14	B55412	12	B8076RM	43	B9420	27	26	65
B13221	17	B17230	52	B22421	33		61	B53260	14	B55412ES	61	B8101	42	B9421	27	30	64
B13230	17	B17260	52	B22430	33	B28620	47	B532FRM	14	B55420	12	B8110	42	B9430	27	101	64
B13250	17	B17270	52	B22450	33	B28621	47	B532FSM	14	B55421	12	B8112RM	42	B9450	27	102	64
B13270	17	B17275	52	B22610	33	B28630	47	B53320	14	B55430	12	B8115	42	B9470	27	103	64
B13272	17	B172FSM	52	B22612	33		61	B53321	14	B55430ES	61	B8120	42	B9475	27	104	64
B13275	17	B17320	50	B22615	33	B28661	47	B53330	14	B55460	12	B8130	42	B94FRM	27	400	64
B132FRM	17	B17330	50	B22620	33	B30817	27	B53360	14	B5550	29	B8133	43	B94FSM	27	450	64
B132FSM	17	B17360	50	B22621	33	B30818	27	B533FRM	14	B5561	41	B8150	42	B94FSM-2	66	451	64
B13410	17	B17370	50	B22630	33	B30820	27	B533FSM	14	B55FRM	29	B8161	43	B94FSM-21	66	455	64
B13412	17	B17375	50	B22650	33	B30830	27	B533FSM-2	66	B55FSM	29	B8176	43	B94FSM-31	66	135-3	64
B13415	17	B173FSM	50	B226FSM	33	B30850	27	B533FSM-21	66	B5609	39	B8176RM	43	B9510	35	136-3	64
B13420	17	B17430	52	B2310	27	B30860	27	B533FSM-31	66	B5619	39	B8201	44	B9510RM	35	139-3	64
B13420	17	B17460	52	B2310RM	27	B308FRM	27	B53420	15	B5620	37	B8212RM	44	B9515	35	140-3	64
B13422	17	B17475	52	B2315	27	B308FSM	27	B53430	15	B5621	37	B8220	44	B9520	35	142-3	64
B13430	17	B174FSM	52	B2320	27	B31817	35	B53460	15	B5630	37	B8233	45	B9521	35	17-3	65
B13450	17	B174FSM-2		B2321	27	B31818	35	B534FSM	15	B56412	10	B8261	45	B9530	35	18-3	65
B13470	17	B174FSM-21		B2330	27	B31820	35	B53520	15	B56420	10	B8276	45	B9550	35	221-3	65
B13472	17	B174FSM-31		B2350	27	B31830	35	B53530	15	B56421	10	B8276RM	45	B9570	35	222-3	65
B13475	17	B17520	50	B2370	27		35	B53560	15	B5651	37	B8301	44	B9572	35	223-3	65
B134FRM	17	B17530	50	B2372	27		35	B535FSM	15	B56612	10	B8310	44	B9575	35	225-3	65
B134FSM	17	B17560	50	B2375	27		35	B53620	15	B56620	10	B8312RM	44	B95FRM	35	B1	64
B13610	17	B17570	50	B23FRM	27		35	B53630	15	B56621	10	B8315	44	B95FSM	35	B1-4	64
B13612	17	B17575	50	B23FSM	27	B33031	51	B53660	15	B56630-1	10	B8320	44	B9610	35	SP412	64
B13615	17	B175FSM	50	B2410	35		51	B536FSM	15	B56630-2	10	B8325	44	B9615	35	SP424	64
B13620	17	B18210	40	B2410RM	35	B33071	51	B53720	15	B5670	37	B8330	44	B9620	35	SP436	64
B13621	17	B18212	40	B2415	35		51	B53730	15	B5672	37	B8333	45	B9621	35	RLM Lighting 5	8,59
B13622	17	B18215	40	B2420	35	B33082FSM		B53760	15	B5675	37	B8350	44	B9630	35	Energy Star 6	
B13630	17	B18220	40	B2421	35		51	B537FSM	15	B56FRM	37	B8361	45	B9650	35		52,63
B13650	17	B18221	40	B2430	35	B33661	51	B54220	13	B56FSM	37	B8376	45	B9670	35 35	Bases/Access	
B13670	17	B18230	40	B244FRM	33		51	B54221 B54230	13	B5709	39	B8376RM	45	B9675	35	Ladder Rests	
B13672 B13675	17	B18260	40	B244FSM	33	B33676	51		13	B5719	39	B8409	39	B96FRM B06ESM	35	Multiple Post	
B136/5	17 17	B18409 B18410	40 40	B2450	35 35	B33682FSM	29	B54230ES B54260	61 13	B5720	37	B8417 B8418	37 37	B96FSM B96FSM-2	35 66	Custom Designs Address Signs 6	
B136FSM	17	B18410	40	B2470 B2472	35	B4101 B4109	41	B542FRM	13	B5721 B5730	37 37	B8419	39	B96FSM-21	66	Mailboxes 7	
B15210	21	B18415	40	B2472 B2475	35	B4110	29	B542FRMES		B5730	39	B8420-1	37	B96FSM-31	66	Landscape 7	
B15210	21	B18420	40	B24FSM	35	B4113	29	B542FSM	13	B5750	37	B8431	37	B9911	37	Lanuscape 7.	2,13
B15212	21	B18421	40	B24FSM	35	B4115	29	B542FSMES		B5770	37	B8439	39	B9913	33		
B15215	21	B18430	40	B2510	29	B4118	29	B54420	13	B5770	37	B8461	37	B9922	56		
B15220	21	B18460	40	B2510	29	B4119	41	B54421	13	B5775	37	B846FSMES		B9922ES	61		
B15221	21	B19210	31	B2513	29	B4120	29	B54430	13	B57FRM	37	B8501	48	B9923	56		

Panel and Finish Options





CBG Clear Beveled Glass



BTA Bronze Tone Acrylic



OIG White Iridescent Glass



OA Opal Acrylic OP Opal Polycarbonate





CTA Clear Textured Acrylic



OHG Opalescent Honey Glass




PP Prismatic Polycarbonate



FG Frosted Glass FGG Frosted Glass Globe



NANOCOAT™ COLOR PALETTE



CLASSIC EXTERIOR ACCENTS

Hanover quality that lasts

Hanover Lantern LIMITED LIFETIME WARRANTY

For Original Residential Purchaser of Residential Lighting Fixtures and Posts Only

Hanover Lantern warrants its residential lighting fixtures and residential posts (all other products have 3 year warranty listed below) are free of defects in workmanship and materials. Such warranty is in lieu of all other warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. Hanover Lantern, at its sole option, will repair or replace, F.O.B. our factory, freight prepaid, any Hanover Lantern product (other than ballasts, lamps and emergency battery packs) defective in workmanship or materials. Such repair or replacement is the sole and exclusive remedy against Hanover Lantern. Hanover Lantern product which fails under normal operating conditions within the specified warranty period from the date of invoice, provided it is returned to the factory, transportation prepaid, and our inspection determines it to be defective under terms of this warranty. Hanover Lantern reserves the right to determine whether to repair or replace. Hanover Lantern will not be responsible for any consequential or incidental damages in connection with any breach of its aforementioned warranty.

Hanover Lantern will not be responsible for any products subjected to inappropriate application or installed or modified in any way that is not in accordance with Hanover Lantern's instructions.

No agent, employee or representative of Hanover Lantern has any authority to bind Hanover Lantern to any affirmation, representation or warranty concerning goods sold by Hanover Lantern and unless affirmation, representation or warranty made by an agent, employee or representative is specifically included herein, or in Hanover Lantern's acknowledgement.

Hanover Lantern

LIMITED 3 YEAR WARRANTY

For All Hanover Lantern Products (except where noted above)

Hanover Lantern warrants that its products (other than ballasts, lamps and emergency battery packs) are free of defects in workmanship and materials. Such warranty is in lieu of all other warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. Hanover Lantern, at its sole option, will repair or replace, F.O.B. our factory, freight prepaid, any Hanover Lantern product (other than ballasts, lamps and emergency battery packs) defective in workmanship or materials. Such repair or replacement is the sole and exclusive remedy against Hanover Lantern and is limited to three years from the date of the original shipment by Hanover Lantern. Hanover Lantern product which fails under normal operating conditions within the specified warranty period from the date of invoice, provided it is returned to the factory, transportation prepaid, and our inspection determines it to be defective under terms of this warranty. Hanover Lantern reserves the right to determine whether to repair or replace. Hanover Lantern will not be responsible for any consequential or incidental damages in connection with any breach of its aforementioned warranty.

Hanover Lantern will not be responsible for any products subjected to inappropriate application or installed or modified in any way that is not in accordance with Hanover Lantern's instructions.

No agent, employee or representative of Hanover Lantern has any authority to bind Hanover Lantern to any affirmation, representation or warranty concerning goods sold by Hanover Lantern and unless affirmation, representation or warranty made by an agent, employee or representative is specifically included herein, or in Hanover Lantern's acknowledgement.



Hanover Lantern is a trademark of the Philips Group

350 Kindig Lane, Hanover, PA 17331

phone: (717) 632-6464

fax: (717) 632-5039

email: hanoverlantern.sales@philips.com web: www.hanoverlantern.com

> © 2009 Philips Group. All rights reserved. Certain products illustrated in this catalog may be protected by applicable patents and patents pending. Hanover Lantern will aggressively defend all of its intellectual property. We reserve the right to change details of design, materials and finishes.

> > Publication M9260-0609

Some luminaires use fluorescent or high intensity discharge (HID) lamps that contain small amounts of mercury. Such lamps are labeled "Contains Mercury" and/or with the symbol "Hg". Lamps that contain mercury must be disposed of in accordance with local requirements. Information regarding lamp recycling and disposal can be found at www.lamprecycle.org

Printed in the U.S.A.

