

Ceiling Fans





*Sit back and relax.
We've taken care of everything.*

With a Kichler Ceiling Fan, the beauty is in the flawless craftsmanship. From kitchen to living room... master bedroom to sunroom, you'll discover designs that match your personal taste and bring your style vision to life with ease. Look to our Décor™ Collection for transitional, traditional and contemporary favorites. Check out the functional classics in our Select™ Collection. And relax under the comfort of our all-weather Outdoor/Indoor Collection. Whatever fan you choose, you will appreciate the one-of-a-kind features designed to make life a little more... comfortable.

All the comforts of home for more than 70 years.

Since 1938, Kichler® has offered so much more than just distinctively beautiful lighting. We've also backed each style with award-winning craftsmanship, unparalleled quality and superior service. Our goal is simple: *to fill your house with the comfort of home.*



Contents


Décor™ Ceiling Fans 6	LaSalle™ 46	Richland™ 80
Aldrin™ 12	Lucia™ 56	Sterling Manor™ 104
Arius™ 70	Meredith™ 20	Sterling Manor Select™ .. 100
Bellamy™ 10	Novella™ 48	Whitmore™ 76
Cadence™ 64	Olympia™ 50	Windham™ 84
Celino™ 68	Palla™ 8	
Ceres™ 60	Rochelle™ 32	
Chicago™ 18	Roxton™ 36	Outdoor/Indoor
Circolo™ 52	Structures 66	Ceiling Fans 108
Cortez 44	Wilton™ 40	30" Canfield™ 122
Cottage Grove™ 34		52" Canfield™ Patio 120
Eva™ 62		Aldrin™ Patio 114
Golden Iridescence™ 26		Harbour Walk™ Patio 110
Hatteras Bay™ 16		Hatteras Bay™ Patio 112
Heather™ 38		Seaside™ 116
Hendrik™ 54		Windham™ 118
High Country™ 22		Sterling Manor™ Patio 124
Highland Manor™ 30		
Humboldt™ 24		Accessories 126
Keswick™ 58		
Kimberly™ 28		Specifications
Kittery Point™ 14		Chart 150
Larissa™ 42		
	Kichler Select™	
	Ceiling Fans 72	
	30" Canfield™ 94	
	44" Canfield™ 92	
	52" Canfield™ 88	
	52" Canfield™ Select 86	
	Bentzen™ 98	
	Bronson™ 82	
	Kedron™ 96	
	Monarch™ 74	
	Richland II™ 78	



Escape the everyday Before we sketch a single design, before we craft a single fan, we ask ourselves one question: how can we assure our products deliver more than you expect? The result is features that make your ceiling fan easy to choose, easy to install and easy to own. With Kichler, you're getting styles that stand the test of time and make everyday life a little more beautiful.




Carefree installation & operation

With Kichler®, you get it all: to accommodate varying ceiling heights, several models include two downrods or work with low ceilings. Motors are designed to handle total spinning weight, blade pitch and surface area. We add Loctite® adhesive on the mounting screws to prevent loosening. Plus UL certification  for U.S. and Canada, and a Limited Lifetime warranty add to the peace of mind.


Technology that does the thinking for you. Our CoolTouch™ Control System is intuitive to use and puts total control in your hands. Standard with most Décor™ Ceiling Fans.




See page 141




Oil Brushed Bronze™ (OBB)




Weathered Copper (WCP)



Midnight Chrome (MCH)



Polished Nickel Finish (PN)



Burnished Antique Brass (BAB)

Finishes that make a statement

Our latest finish choices give you the perfect palette to express your style, and they coordinate beautifully with the newest finishes found on hardware, furniture, and cabinetry.

Collections that coordinate with ease

The style you select for your fan is just the beginning of the decorating possibilities available from Kichler. Many fans offer coordinating lighting options that help you pull together a room in perfect harmony. You'll find wall sconces, island lights, chandeliers and more.

PALLA™ COLLECTION

Sconce
42009 PN



Décor Ceiling Fan
300126 PN



Chandelier
42001 PN



Semi-Flush
42008 PN



Bentzen™ Ceiling Fan, 300118 WBR

Décor™ Ceiling Fan features

- ★ Premium Finishes and Materials
- ★ Reversible Blades to Match Any Décor
- ★ CoolTouch™ Remote Control System
- ★ Coordinating Kichler Lighting Fixture Collections





Décor™

CEILING FANS

Every home has a style — and every style is beautifully brought to life in our Décor Collection. One look, and you'll love the breadth of options and the *extra details* that accompany each one — like decorator-inspired finishes and unique designs. Plus, most Décor Ceiling Fans offer an easy-to-use CoolTouch™ Control System and coordinating Kichler® Lighting fixtures for foolproof decorating.

Palla™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300126 PN
ENCLOSED HOUSING FEATURES
ADJUSTABLE ACCENT LIGHTING

Dramatic Uplighting

300126 PN
POLISHED NICKEL FINISH SHOWN
WITH MAPLE BLADES AND
WHITE ETCHED GLASS



Coordinating
Lighting
COLLECTION

See the complete Palla™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300126 MCH
MIDNIGHT CHROME FINISH SHOWN
WITH SATIN BLACK BLADES AND
WHITE ETCHED GLASS



Sconce
42009 PN



Semi-Flush
42008 PN




Chandelier
42001 PN

- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH PN:** Polished Nickel with Reversible Maple/Sapelle Blades
- MCH:** Midnight Chrome with Satin Black Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 56" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (6) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Optional Bowl Light Kit – 380108 PN/MCH
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,308 Cubic Ft. Per Minute on High • 72 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 88 Cubic Ft. Per Minute Per Watt on High




Kichler® Décor™ Reversible Blades



56"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:


WITH 6" DOWNROD
A - 16.50" B - 13.00" C - 16.00"

WITH 12" DOWNROD
A - 22.50" B - 19.00" C - 16.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



OPTIONAL LIGHT KITS, see page 127



Bowl Light Kit
380108 PN



Bowl Light Kit
380108 MCH

Bellamy[™]

CEILING FAN & LIGHTING COLLECTION

DÉCOR[™] CEILING FANS



300019 OZ
OLDE BRONZE[®] FINISH SHOWN
WITH MEDIUM CHERRY BLADES
AND LIGHT UMBER ETCHED GLASS




Coordinating
Lighting
COLLECTION

See the complete Bellamy™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300019 AP
ANTIQUPE PEWTER FINISH SHOWN
WITH DARK CHERRY BLADES AND
SATIN-ETCHED CASED OPAL GLASS



Sconce
45161 OZ



Pendant
42161 AP



Chandelier
42159 OZ

- ★ **MOTOR SIZE** 188mm x 20mm Motor
- ★ **FINISH AP:** Antique Pewter with Reversible Dark Cherry/Light Cherry Blades
OZ: Olde Bronze® with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (2) E-12, 50-W. Krypton, T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5275 Cubic Ft. Per Minute on High • 71 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 74 Cubic Ft. Per Minute Per Watt on High



AP - Dark Cherry

AP - Light Cherry


OZ - Medium Cherry

OZ - Walnut

54"

BLADE SWEEP

188 x 20mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 15.50" B - 11.25" C - 12.25"

WITH 12" DOWNROD
A - 21.50" B - 17.25" C - 12.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Aldrin[™]

CEILING FAN COLLECTION

DÉCOR[™] CEILING FANS



300014 MCH
MIDNIGHT CHROME FINISH
SHOWN WITH SATIN BLACK
BLADES AND CASED OPAL GLASS



300014 BSS
BRUSHED STAINLESS STEEL FINISH
SHOWN WITH LIGHT OAK BLADES AND
CASED OPAL GLASS





300014 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES
AND CASÉD OPAL GLASS



300014 PN
POLISHED NICKEL FINISH
SHOWN WITH SAPELLE BLADES
AND CASÉD OPAL GLASS

- ★ **MOTOR SIZE** 188mm x 15mm Motor
- ★ **FINISH OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades,
BSS: Brushed Stainless Steel with Reversible Light Oak/Medium Oak Blades,
MCH: Midnight Chrome with Satin Black Blades,
PN: Polished Nickel with Reversible Maple/Sapelle Blades

- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated Uses (2) E-12, 60-W. Krypton, T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5032 Cubic Ft. Per Minute on High • 66 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 76 Cubic Ft. Per Minute Per Watt on High




Kichler® Décor™ Reversible Blades



52"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 15.75" B - 10.25" C - 12.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kittery Point™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300020 PN
POLISHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND FRESNEL LENS GLASS



300020 OZ
OLDE BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND FRESNEL LENS GLASS



Coordinating
Lighting
COLLECTION

See the complete Kittery Point™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300020 AP
ANTIQUPE WETTER FINISH
SHOWN WITH CHERRY BLADES
AND FRESNEL LENS GLASS



Pendant
42436 OZ



Pendant
42437 AP



Pendant
42438 OZ

- ★ **MOTOR SIZE** 188mm x 15mm Motor
- ★ **FINISH AP:** Antique Pewter with Reversible Light Cherry/Dark Cherry Blades,
OZ: Olde Bronze® with Reversible Walnut/Medium Cherry Blades
PN: Polished Nickel with Reversible Maple/Sapelle Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (4) E-12, 40-W. Krypton, T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending

AIRFLOW 5054 Cubic Ft. Per Minute on High • 59 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 86 Cubic Ft. Per Minute Per Watt on High



AP - Light Cherry

AP - Dark Cherry

PN - Maple

PN - Sapelle


OZ - Walnut

OZ - Med Cherry

52"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 18.35" B - 11.75" C - 16.15"

WITH 12" DOWNROD
A - 24.35" B - 17.75" C - 16.15"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Hatteras Bay™


CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300018 BAB
BURNISHED ANTIQUE BRASS
SHOWN WITH POPLAR BURL BLADES
AND FRESNEL LENS GLASS

Flush Mount Canopy



300018 BSS
BRUSHED STAINLESS STEEL SHOWN
WITH LIGHT OAK BLADES AND
FRESNEL LENS GLASS



Coordinating
Lighting
COLLECTION

See the complete Hatteras Bay™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300018 OBB
OIL BRUSHED BRONZE™ SHOWN
WITH WALNUT BLADES AND
FRESNEL LENS GLASS




Pendant
2664 NBR



Pendant
2666 OZ




Pendant
2665 PN



- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH BAB:** Burnished Antique Brass with Reversible Elm Burl/Poplar Burl Blades,
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades,
BSS: Brushed Stainless Steel with Reversible Light Oak/Medium Oak Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 56" Blade Sweep
- ★ **DOWNRODS** Includes 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (4) E-12, 40-W. Krypton T-3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5515 Cubic Ft. Per Minute on High • 80 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 69 Cubic Ft. Per Minute Per Watt on High



BAB - Elm Burl

BAB - Poplar Burl

BSS - Light Oak

BSS - Medium Oak

OBB - Cherry


OBB - Walnut



56"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 12" DOWNROD
A - 22.50" B - 18.50" C - 15.25"

FLUSH MOUNT CANOPY
A - 11.25" B - 7.25" C - 15.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Chicago™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS




300001 AGZ
AGED BRONZE FINISH WITH
WALNUT BLADES AND TEXTURED
LINEN SEEDY GLASS

*Integrated
Downlight*




Coordinating
Lighting
COLLECTION

See the complete Chicago™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Sconce/
Outdoor Lantern
9365 AGZ



Inverted Pendant
3227 AGZ



Chandelier
2225 AGZ

- ★ **MOTOR SIZE** 172mm x 15mm Motor
- ★ **FINISH AGZ:** Aged Bronze with Reversible Cherry/Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-8 Lamps
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5790 Cubic Ft. Per Minute on High • 69 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 84 Cubic Ft. Per Minute Per Watt on High


AGZ - Cherry

AGZ - Walnut

52"

BLADE SWEEP

172 x 15mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 12.25" B - 11.25" C - 10.00"

WITH 12" DOWNROD

A - 18.25" B - 17.25" C - 10.00"

Includes our new
CoolTouch™
Control System

U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Meredith™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300004 DBK
DISTRESSED BLACK FINISH
SHOWN WITH CHERRY BLADES
AND SUNRISE MARBLE GLASS

*Removable
Downlight Included*



Coordinating
Lighting
COLLECTION

See the complete Meredith™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Wall Sconce
6335 DBK



Inverted Pendant
3334 DBK



Chandelier
1734 DBK



- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH DBK:** Distressed Black with Reversible Cherry/Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 60-W. B-10 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,351 Cubic Ft. Per Minute on High • 84 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 76 Cubic Ft. Per Minute Per Watt on High



DBK - Cherry


DBK - Walnut

Kichler® Décor™ Reversible Blades

54"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 18.00" B - 11.50" C - 9.75"

WITH 12" DOWNROD

A - 24.00" B - 17.50" C - 9.75"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



High Country™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

*Dramatic
Uplighting*

*Unique Olde
Iron Finish*

300010 OI
OLDE IRON FINISH SHOWN WITH
EIGHT CHERRY BLADES AND
UMBER ALABASTER GLASS

*Removable
Downlight Included*



Coordinating
Lighting
COLLECTION

See the complete High Country™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Sconce
6608 OI



Island
2971 OI



Chandelier
2108 OI

- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH OI:** Olde Iron with Reversible Eingt Cherry/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 56" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (6) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 40-W. B-10.5 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 5,720 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 75 Cubic Ft. Per Minute Per Watt on High

56"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 15.75" B - 12.75" C - 13.00"

WITH 12" DOWNROD
A - 21.75" B - 18.75" C - 13.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



OI - Eingt Cherry

OI - Cherry

Kichler® Décor™ Reversible Blades

Humboldt™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS



Removable
Downlight

300002 OLZ
OILED BRONZE FINISH
SHOWN WITH CHERRY BLADES
AND PINE BARK GLASS

Pine Cone Texture Detail





CANOPY FEATURES
PINE CONED TEXTURED
DESIGN DETAIL



- ★ **MOTOR SIZE** 172mm x 15mm Motor
- ★ **FINISH OLZ:** Oiled Bronze with Reversible Cherry/Mahogany Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 60-W. B-10 Lamp (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 5,947 Cubic Ft. Per Minute on High • 71 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 84 Cubic Ft. Per Minute Per Watt on High

52"

BLADE SWEEP

172 x 15mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 18.50" B - 9.50" C - 9.00"

WITH 12" DOWNROD

A - 24.50" B - 15.50" C - 9.00"



OLZ - Cherry

OLZ - Mahogany

Kichler® Décor™ Reversible Blades



Includes our new
CoolTouch™
Control System
U.S. Patent Pending

Golden Iridescence™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Integrated Uplighting Features
Golden Iridescent™ Glass



300000 OLZ
OILED BRONZE FINISH SHOWN WITH
DISTRESSED WOOD INSET WITH TEAK
BORDER BLADES AND GOLDEN
IRIDESCENT GLASS



300000 OLZ
OILED BRONZE FINISH SHOWN WITH
DISTRESSED WOOD INSET WITH TEAK
BORDER BLADES AND GOLDEN IRIDESCENT
GLASS. SHOWN WITH OPTIONAL GLASS
BOWL LIGHT KIT, 380002 OLZ



Coordinating
Lighting
COLLECTION

See the complete Golden Iridescence™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300000 OLZ
OILED BRONZE FINISH SHOWN WITH
DISTRESSED WOOD INSET WITH TEAK
BORDER BLADES AND GOLDEN IRIDESCENT
GLASS. SHOWN WITH OPTIONAL 3-LIGHT
PENDANT, 380003 OLZ



Semi Flush
3685 OLZ



Inverted
Pendant
3386 OLZ



Chandelier
1683 OLZ



OLZ - Distressed
Wood Inset with
Teak Border

OLZ - Teak

Kichler® Décor™ Reversible Blades

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH OLZ:** Oiled Bronze with Reversible Distressed Wood/Teak Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (4) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** 1 Optional Bowl Light Kit - 380002 OLZ,
1 Optional Pendant 3-Light Kit - 380003 OLZ
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 5,858 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 77 Cubic Ft. Per Minute Per Watt on High

52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD

A - 16.75" B - 12.00" C - 14.50"

WITH 12" DOWNROD

A - 22.75" B - 18.00" C - 14.50"

Includes our new
CoolTouch™
Control System

U.S. Patent Pending



OPTIONAL LIGHT KITS, see page 126-127



Bowl Light Kit
380002 OLZ



Pendant 3-Light Kit
380003 OLZ

Kimberley™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

*Timeless Beauty
Captured Through
Intricate Detailing*


*Dramatic
Uplighting*

*Solid
Wood Blades*

300008 BKZ
BERKSHIRE BRONZE™ FINISH
SHOWN WITH DARK CHERRY
SOLID WOOD BLADES AND
UMBER-ETCHED MARBLE GLASS

*Integrated
Downlight*





300008 APC
AGED PECAN FINISH SHOWN WITH
MEDIUM CHERRY SOLID WOOD
BLADES AND ETCHED GLASS WITH
ANTIQUÉ UMBER HIGHLIGHTS



- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH APC:** Aged Pecan with Medium Cherry Wood Blades,
BKZ: Berkshire Bronze™ with Dark Cherry Wood Blades
- ★ **BLADES** (5) Solid Wood Blades • 14° Blade Pitch • 60" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (6) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 6,178 Cubic Ft. Per Minute on High • 91 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 68 Cubic Ft. Per Minute Per Watt on High

60"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 19.50" B - 12.00" C - 15.25"

WITH 12" DOWNROD
A - 25.50" B - 18.00" C - 15.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



APC - Medium Cherry,
Solid Wood

BKZ - Dark Cherry,
Solid Wood

*Kichler® Grand Décor™ Solid Wood
Blades are designed to inspire.
Each fan blade is hand-stained
and finished.*

Highland Manor™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

Solid Wood Blades

Design Details
Employ Old-World
Casting Techniques

300101 OLZ
OILED BRONZE FINISH
SHOWN WITH CHERRY STAINED
SOLID WOOD BLADES AND
ANTIQUE OPAL-ETCHED GLASS

Integrated Downlight With
Handblown Antique
Opal-Etched Glass





300101 AP
 ANTIQUE PEWTER FINISH SHOWN
 WITH MILLENNIUM STAINED SOLID
 WOOD BLADES AND ANTIQUE
 OPAL-ETCHED GLASS



- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH AP:** Antique Pewter with Millennium Wood Blades,
OLZ: Oiled Bronze with Cherry Wood Blades
- ★ **BLADES** (5) Solid Wood Blades • 14° Blade Pitch • 56" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,875 Cubic Ft. Per Minute on High • 89 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 78 Cubic Ft. Per Minute Per Watt on High




OLZ - Cherry, Solid Wood

AP - Millennium, Solid Wood

56"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD

A - 20.50" B - 12.50" C - 9.50"

WITH 12" DOWNROD

A - 26.50" B - 18.50" C - 9.50"

Includes our new
CoolTouch™
 Control System
 U.S. Patent Pending



*Kichler® Grand Décor™ Solid Wood
 Blades are designed to inspire.
 Each fan blade is hand-stained
 and finished.*

Rochelle™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

*Integrated Uplighting
Accents The Details*

300007 CZ
CARRÉ BRONZE® FINISH
SHOWN WITH TEAK BLADES
AND CRÈME CARAMEL GLASS

*Removable Downlight
Features Handsome Glass
With Hand-Crimped
Edging*



Coordinating
Lighting
COLLECTION

See the complete Rochelle™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Wall Sconce
6022 CZ



Inverted
Pendant
3223 CZ



Chandelier
1820 CZ



- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH CZ:** Carré Bronze® with Reversible Teak/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 56" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (6) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 40-W. B-10.5 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 5,776 Cubic Ft. Per Minute on High • 78 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 74 Cubic Ft. Per Minute Per Watt on High

56"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 23.75" B - 12.25" C - 14.25"

WITH 12" DOWNROD
A - 29.75" B - 18.25" C - 14.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Cottage Grove™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

*Dramatic
Uplighting That
Creates A Mood*

300003 CZ
CARRÉ BRONZE FINISH
SHOWN WITH MAPLE BLADES
AND MOCHA WISP GLASS

*Integrated
Downlight*



Coordinating
Lighting
COLLECTION

See the complete Cottage Grove™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Semi Flush
3758 CZ



Island
3857 CZ



Chandelier
1855 CZ



- ★ **MOTOR SIZE** 172mm x 15mm Motor
- ★ **FINISH CZ:** Carré Bronze® with Reversible Maple/Teak Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (4) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


AIRFLOW 5,523 Cubic Ft. Per Minute on High • 27 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 82 Cubic Ft. Per Minute Per Watt on High



52"

BLADE SWEEP

172 x 15mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 22.00" B - 13.00" C - 13.25"

WITH 12" DOWNROD
A - 28.00" B - 19.00" C - 13.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Roxton™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Precise Detailing

300108 CTZ
COLTON BRONZE™ FINISH
SHOWN WITH AMERICAN WALNUT
BLADES AND CITRINE GLASS

Marble Detail

*Removable
Downlight Included*



Coordinating
Lighting
COLLECTION

See the complete Roxton™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



- ★ **MOTOR SIZE** 188mm x 15mm Motor
- ★ **FINISH CTZ:** Colton Bronze™ with Reversible Walnut/American Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 40-W. B-10 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 4860 Cubic Ft. Per Minute on High • 79 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 62 Cubic Ft. Per Minute Per Watt on High

52"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 20.75" B - 12.25" C - 12.00"

WITH 12" DOWNROD
A - 26.75" B - 18.25" C - 12.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



CTZ - Walnut


CTZ - American Walnut

Kichler® Décor™ Reversible Blades

Heather™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300115 AMS

ANTIQUE MARBLE FINISH WITH
SILVER HIGHLIGHTS SHOWN WITH
MAPLE BLADES AND DUSTY SATIN
GLASS SHOWN WITH OPTIONAL
GLASS BOWL LIGHT KIT, 380004 MUL





300115 MCO
MISSION COPPER™ FINISH SHOWN
WITH TEAK BLADES AND DUSTY
SATIN GLASS SHOWN WITH OPTIONAL
3-LIGHT PENDANT, 380005 MCO



- ★ **MOTOR SIZE** 172mm x 17mm Motor

- ★ **FINISH** **AMS:** Antique Marble with Reversible Maple/Lipple Wood Blades
MCO: Mission Copper™ with Reversible Teak/Lipple Wood Blades

- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep

- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)


- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)

- ★ **UPLIGHT** N/A

- ★ **DOWNLIGHT** 1 Optional Bowl Light Kit - 380004 MUL
1 Optional Pendant 3-Light Kit - 380005 AMS/MCO

- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending




Kichler® Décor™ Reversible Blades

AIRFLOW 5,397 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 71 Cubic Ft. Per Minute Per Watt on High

52"
BLADE SWEEP

172 x 17mm Motor




HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.25" B - 11.00" C - 11.65"
WITH 12" DOWNROD
A - 19.25" B - 17.00" C - 11.65"


Includes our new
CoolTouch™
Control System
U.S. Patent Pending



OPTIONAL LIGHT KITS, see page 126



Bowl Light Kit
380004 MUL



Pendant 3-Light Kit
380005 AMS
380005 MCO

Wilton™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Dramatic Uplighting

*Intricate Scrollwork
In Rich Carré
Bronze Finish*

300006 CZ
CARRÉ BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND ANTIQUE BARLEY GLASS


*Removable
Downlight Included*



See the complete Wilton™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Flush Mount
8089 CZ



Sconce
5987 CZ



Chandelier
2089 CZ



- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH CZ:** Carré Bronze® with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (4) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,593 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 87 Cubic Ft. Per Minute Per Watt on High




CZ - Walnut

CZ - Cherry

54"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD

A - 20.75" B - 11.50" C - 14.50"

WITH 12" DOWNROD

A - 26.75" B - 17.50" C - 14.50"

Includes our new
CoolTouch™
Control System

U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Larissa™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300012 TZG
TANNERY BRONZE® FINISH WITH
GOLD HIGHLIGHTS SHOWN WITH
WALNUT BLADES AND CITRINE GLASS

*Removable
Downlight Included*



Coordinating
Lighting
COLLECTION

See the complete Larissa™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



Adjustable
Rail Light
7713 TZG



Table Lamp
70606



Mirror
78102



Chandelier
2049 TZG

- ★ **MOTOR SIZE** 172mm x 17mm Motor
- ★ **FINISH TZG:** Tannery Bronze® with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 40-W. B-10.5 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 4,895 Cubic Ft. Per Minute on High • 61 Watts (Excludes Lights) • **AIRFLOW EFFICIENCY** 80 Cubic Ft. Per Minute Per Watt on High

TZG - Walnut


TZG - Cherry

Kichler® Décor™ Reversible Blades

52"

BLADE SWEEP

172 x 17mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 22.50" B - 13.25" C - 14.50"

WITH 12" DOWNROD
A - 28.50" B - 19.25" C - 14.50"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Cortez

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

*Integrated Uplighting
Accents Details*

300113 TZ
TANNERY BRONZE® FINISH
SHOWN WITH CHERRY BLADES





300113 TZ

TANNERY BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND SUNRISE MARBLE GLASS.
SHOWN WITH OPTIONAL GLASS
BOWL LIGHT KIT, 380007 TZ

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH TZ:** Tannery Bronze® with Reversible Cherry/Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available,
see pages 140-144
- ★ **UPLIGHT** Integrated. Uses (4) E-12, 15-W. C-7 Lamps Included
- ★ **DOWNLIGHT** Optional Bowl Light Kit - 380007 TZ.
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending



TZ - Cherry

TZ - Walnut


Kichler® Décor™ Reversible Blades

AIRFLOW 6,281 Cubic Ft. Per Minute on High • 74 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 84 Cubic Ft. Per Minute Per Watt on High

52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:


WITH 4" DOWNROD
A - 13.50" B - 11.50" C - 15.00"

WITH 12" DOWNROD
A - 19.50" B - 17.50" C - 15.00"

Pull Chain
Controls



OPTIONAL LIGHT KIT, see page 126



Bowl Light Kit
Sunrise Marble Glass
380007 TZ

LaSalle[™]

CEILING FAN COLLECTION

DÉCOR[™] CEILING FANS



300109 CTO
CANYON STONE[™] FINISH
SHOWN WITH WALNUT BLADES





300109 MDW
MEDITERRANEAN WALNUT™
FINISH SHOWN WITH DISTRESSED
WALNUT BLADES



- ★ **MOTOR SIZE** 172mm x 14mm Motor

 - ★ **FINISH** CTO: Canyon Stone™ with Walnut Blades
MDW: Mediterranean Walnut™ with Reversible Walnut/Distressed Walnut Blades

 - ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep

 - ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)

 - ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse

 - ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see pages 140-144

 - ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, See pages 128-139

 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor


 - ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending

AIRFLOW 5,005 Cubic Ft. Per Minute on High • 66 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 76 Cubic Ft. Per Minute Per Watt on High



52"
BLADE SWEEP

172 x 14mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD
A - 15.00" B - 10.50" C - 11.30"

WITH 12" DOWNROD
A - 21.00" B - 16.50" C - 11.30"

Pull Chain
Controls



Kichler® Décor™ Reversible Blades

Novella™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

Casual Wicker Pattern

300110 ALR
ANTIQUÉ LEATHER FINISH
SHOWN WITH DISTRESSED
WALNUT BLADES





300110 ALR
 ANTIQUE LEATHER FINISH
 SHOWN WITH WALNUT BLADES
 AND MOCHA WISP GLASS SHOWN
 WITH OPTIONAL GLASS BOWL
 LIGHT KIT, 380006 ALR



- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH ALR:** Antique Leather with Reversible Walnut/Distressed Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see pages 140-144
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Optional Bowl Light Kit - 380006 ALR
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,182 Cubic Ft. Per Minute on High • 75 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 83 Cubic Ft. Per Minute Per Watt on High




Kichler® Décor™ Reversible Blades



52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:


WITH 4" DOWNROD

A - 11.75" B - 9.00" C - 9.75"


WITH 12" DOWNROD

A - 17.75" B - 15.00" C - 9.75"

Pull Chain Controls



OPTIONAL LIGHT KIT, see page 126



Bowl Light Kit
 Mocha Wisp Glass
 380006 ALR

Olympia™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Clean, Casual
Contemporary Design

Dramatic Uplighting

300011 OZ
OLDE BRONZE® FINISH SHOWN WITH
DARK CHERRY BLADES AND SUNSET
MARBLE GLASS. SHOWN WITH OPTIONAL
GLASS BOWL LIGHT KIT, 380000 OZ

300011 AP
ANTIQUE PEWTER FINISH
SHOWN WITH CHERRY BLADES
AND SATIN-ETCHED WHITE GLASS



Coordinating
Lighting
COLLECTION

See the complete Olympia™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.




300011 DBK
DISTRESSED BLACK FINISH SHOWN
WITH WALNUT BLADES AND SATIN-
ETCHED CASED OPAL GLASS. SHOWN
WITH OPTIONAL 3-LIGHT PENDANT,
380001 DBK



Semi Flush
3678 AP
3678 DBK
3678 OZ



Wall Sconce
6079 AP
6079 DBK
6079 OZ



Chandelier
1679 AP
1679 DBK
1679 OZ

- ★ **MOTOR SIZE** 188mm x 25mm Motor
 - ★ **FINISH** AP: Antique Pewter with Reversible Cherry/Medium Cherry Blades
DBK: Distressed Black with Reversible Cherry/Walnut Blades,
OZ: Olde Bronze® with Reversible Cherry/Walnut Blades
 - ★ **BLADES** (5) Blades • 14° Blade Pitch • 60" Blade Sweep
 - ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
 - ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
 - ★ **UPLIGHT** Integrated. Uses (6) E-12, 15-W. C-7 Lamps (Included)
 - ★ **DOWNLIGHT** 1 Optional Bowl Light Kit - 380000 AP/DBK/OZ
1 Optional Pendant 3-Light Kit - 380001 AP/DBK/OZ
 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
 - ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending

OZ - Walnut
DBK - Walnut

OZ - Dark Cherry
DBK - Dark Cherry

AP - Medium Cherry

AP - Cherry


Kichler® Décor™ Reversible Blades

AIRFLOW 5,736 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 75 Cubic Ft. Per Minute Per Watt on High

60"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 15.00" B - 13.00" C - 13.75"

WITH 12" DOWNROD
A - 21.00" B - 19.00" C - 13.75"


Includes our new
CoolTouch™
Control System
U.S. Patent Pending



OPTIONAL LIGHT KITS, see page 126



Bowl Light Kit
380000 AP
380000 DBK
380000 OZ



Pendant 3-Light Kit
380001 AP
380001 DBK
380001 OZ

Circolo

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

*Smooth Tailored Design
Combines Contemporary
Style With European Flair*

300005 NI
BRUSHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND WITHOUT INCLUDED
LIGHT KIT

*Shown With
Downlight Removed*



Coordinating
Lighting
COLLECTION

See the complete Circolo™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300005 OZ
OLDE BRONZE® FINISH SHOWN
WITH WALNUT BLADES AND CLEAR
GLASS CYLINDERS WITH UMBER-
ETCHED CENTER CYLINDERS
SHOWN WITH INCLUDED DOWNLIGHT



Semi Flush
3743 OZ
3743 NI



Sconce
6144 OZ
6144 NI



Chandelier
2344 OZ
2344 NI

- ★ **MOTOR SIZE** 172mm x 15mm Motor
- ★ **FINISH OZ:** Olde Bronze® with Reversible Cherry/Walnut Blades
NI: Brushed Nickel with Reversible Maple/Marive Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12, 60-W. B-10 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

AIRFLOW 5,536 Cubic Ft. Per Minute on High • 67 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 82 Cubic Ft. Per Minute Per Watt on High

52"

BLADE SWEEP

172 x 15mm Motor



HANGING MEASUREMENTS:


WITH 4" DOWNROD
A - 22.50" B - 11.00" C - 11.00"

WITH 12" DOWNROD
A - 28.50" B - 17.00" C - 11.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades



Hendrik™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Streamlined Blade

300114 OZ
OLDE BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND LIGHT UMBER-ETCHED GLASS

Integrated
Downlight



Coordinating
Lighting
COLLECTION

See the complete Hendrik™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300114 NI
BRUSHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND SATIN-ETCHED CASED
OPAL GLASS



Sconce
5076 NI
5076 OZ



Inverted
Pendant
3275 NI
3275 OZ



Chandelier
1671 NI
1671 OZ

- ★ **MOTOR SIZE** 172mm x 17mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades,
OZ: Olde Bronze® with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-10 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5,022 Cubic Ft. Per Minute on High • 70 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 72 Cubic Ft. Per Minute Per Watt on High



OZ - Walnut

OZ - Cherry

NI - Marive Cherry


NI - Maple



52"

BLADE SWEEP

172 x 17mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD
A - 16.50" B - 10.50" C - 12.25"

WITH 12" DOWNROD
A - 22.50" B - 16.50" C - 12.25"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Lucia™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Suspension Design Detail

Dramatic Uplighting

300111 NI
BRUSHED NICKEL FINISH
SHOWN WITH MARIVE CHERRY
BLADES AND SATIN-ETCHED GLASS

Removable
Downlight Included



Coordinating
Lighting
COLLECTION

See the complete Lucia™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300111 OZ
OLDE BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND LIGHT UMBER GLASS



Wall Sconce
6097 NI



Mini
Pendant
3597 NI




Chandelier
1991 NI

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades
OZ: Olde Bronze® with Reversible Cherry/Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 12" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** Integrated. Uses (4) E-12, 15-W. C-7 Lamps (Included)
- ★ **DOWNLIGHT** Removable. Uses (2) 50-W. Halogen JD-E-11 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,432 Cubic Ft. Per Minute on High • 76 Watts on High (Excludes Lights) • AIRFLOW EFFICIENCY 85 Cubic Ft. Per Minute Per Watt on High



OZ - Walnut

OZ - Cherry


NI - Marive Cherry

NI - Maple

52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:

WITH 12" DOWNROD
A - 26.50" B - 19.50" C - 16.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Keswick[™]

CEILING FAN COLLECTION

DÉCOR[™] CEILING FANS



300112 PN
POLISHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND SATIN-ETCHED GLASS
WITH ONE INCH CLEAR GLASS EDGE

*Integrated
Downlight*






300112 OBB
 OIL BRUSHED BRONZE™ FINISH
 SHOWN WITH CHERRY BLADES
 AND UMBER-ETCHED GLASS WITH
 ONE INCH CLEAR GLASS EDGE

- ★ **MOTOR SIZE** 172mm x 17mm Motor
- ★ **FINISH OBB:** Oil Brushed Bronze™ with Reversible Cherry/Walnut Blades,
 PN: Polished Nickel with Reversible Marive Cherry/Maple Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 4,751 Cubic Ft. Per Minute on High • 61 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 78 Cubic Ft. Per Minute Per Watt on High



OBB - Walnut

OBB - Cherry

PN - Maple


PN - Marive Cherry



52"

BLADE SWEEP

172 x 17mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 15.00" B - 6.50" C - 13.00"

WITH 12" DOWNROD

A - 21.00" B - 12.50" C - 13.00"

Includes our new
CoolTouch™
 Control System
 U.S. Patent Pending



Kichler® Décor™ Reversible Blades

Ceres™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS



*Integrated
Downlight*

300021 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH MEDIUM CHERRY BLADES
AND CASED OPAL GLASS



300021 AP
ANTIQUE PEWTER FINISH SHOWN
WITH LIGHT CHERRY BLADES
AND CASED OPAL GLASS



300021 BSS
BRUSHED STAINLESS STEEL FINISH
SHOWN WITH LIGHT OAK BLADES
AND WHITE CASED OPAL GLASS



- ★ **MOTOR SIZE** DC Motor

- ★ **FINISH OBB:** Oil Brushed Bronze™ with Cherry Blades

- BSS:** Brushed Stainless Steel with Light Oak Blades

- AP:** Antique Pewter with Light Cherry (Screen Print) Blades

- ★ **BLADES** (6) Blades • 14° Blade Pitch • 56" Blade Sweep

- ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)

- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ II DC Control System (Included)

- Features 5 Speeds Forward & Reverse

- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. Krypton T3 Lamps (Included)


- ★ **UPLIGHT** N/A

- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

- U.S. Patent Pending


AIRFLOW 5,567 Cubic Ft. Per Minute on High • 17 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 337 Cubic Ft. Per Minute Per Watt on High



56"

BLADE SWEEP

DC Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 17.25" B - 13.25" C - 12.25"

Includes our new
CoolTouch II™
DC Control System
U.S. Patent Pending



Eva[™]

CEILING FAN COLLECTION

DÉCOR[™] CEILING FANS



300121 SBK
SATIN BLACK/POLISHED NICKEL
FINISH SHOWN WITH SATIN
BLACK BLADES AND CASED
OPAL GLASS

*Integrated
Downlight*





300121 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES
AND CASÉD OPAL GLASS



300121 BSS
BRUSHED STAINLESS STEEL FINISH
SHOWN WITH LIGHT OAK BLADES
AND CASÉD OPAL GLASS



- ★ **MOTOR SIZE** 153mm x 20mm Motor

- ★ **FINISH OBB:** Oil Brushed Bronze™ with Cherry Blades

- SBK:** Satin Black with Satin Black Blades

- BSS:** Brushed Stainless Steel with Light Oak Blades

- ★ **BLADES** (3) Blades • 14° Blade Pitch • 46" Blade Sweep

- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)

- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)

- ★ **UPLIGHT** N/A

- ★ **DOWNLIGHT** Integrated. Uses (1) 100-W. Halogen JD-E-11 Lamp (Included)

- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


AIRFLOW 3505 Cubic Ft. Per Minute on High • 35 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 100 Cubic Ft. Per Minute Per Watt on High



46"

BLADE SWEEP

153 x 20mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD

A - 17.40" B - 13.75" C - 8.25"

WITH 12" DOWNROD

A - 23.40" B - 19.75" C - 8.25"

Includes our new
CoolTouch™
Control System

U.S. Patent Pending



Cadence™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS



300125 MCH
MIDNIGHT CHROME FINISH SHOWN
WITH CLEAR BLACK BLADES
AND CASED OPAL GLASS

*Integrated
Downlight*



300125 BSS
BRUSHED STAINLESS STEEL/
POLISHED NICKEL FINISH SHOWN
WITH CLEAR CHAMPAGNE BLADES
AND CASED OPAL GLASS






300125 SBK
SATIN BLACK/POLISHED NICKEL
FINISH SHOWN WITH MATTE
SATIN BLACK BLADES AND
CASED OPAL GLASS



EACH CADENCE CEILING
FAN INCLUDES A METAL
FAN CAP FOR NON-LIGHT
USE



300125 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CLEAR OIL
BRUSHED BRONZE BLADES
AND OPTIONAL METAL FIXTURE CAP



- ★ **MOTOR SIZE** 172mm x 17mm Motor
- ★ **FINISH BSS:** Brushed Stainless Steel/Polished Nickel with Clear Champagne Blades
- MCH:** Midnight Chrome with Clear Satin Black Blades
- SBK:** Satin Black/Polished Nickel with Matte Satin Black Blades
- OBB:** Oil Brushed Bronze™ with Clear Oil Brushed Bronze Blades
- ★ **BLADES** (3) Blades • 14° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 4" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (1) 75-W. Halogen Type JD-E-11 Lamp (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime
- ★ Includes Optional Metal Fixture Cap for Non-Light Use

U.S. Patent Pending

AIRFLOW 6,387 Cubic Ft. Per Minute on High • 65 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 98 Cubic Ft. Per Minute Per Watt on High

OBB - Clear Oil Brushed Bronze™

MCH - Clear Black


BSS - Clear Champagne

SBK - Matte Satin Black

54"

BLADE SWEEP

172 x 17mm Motor



HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 16.00" B - 10.25" C - 12.00"

WITH 12" DOWNROD

A - 22.00" B - 16.25" C - 12.00"

Includes our new
CoolTouch™
Control System

U.S. Patent Pending



Structures

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Removable
Decor Rings

300009 NI
BRUSHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND SATIN-ETCHED GLASS

Integrated
Downlight



300009 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL WHITE
BLADES AND SATIN-ETCHED GLASS




Coordinating
Lighting
COLLECTION

See the complete Structures
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



300009 OZ
OLDE BRONZE® FINISH
SHOWN WITH WALNUT BLADES
AND LIGHT UMBER GLASS



EACH STRUCTURES
CEILING FAN INCLUDES
A METAL FAN CAP FOR
NON-LIGHT USE

Pendant
2652 NI
2652 OZ



Island
2955 NI
2955 OZ



Chandelier
2055 NI
2055 OZ



- ★ **MOTOR SIZE** 153mm x 18mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades
- OZ:** Olde Bronze® with Reversible Cherry/Walnut Blades
- SNW:** Satin Natural White with Satin Natural White Blades
- ★ **BLADES** (3) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (1) 100-W. Halogen type JD-E-11 Lamp (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime
- ★ Includes Optional Metal Fan Cap for Non-Light Use

U.S. Patent Pending

AIRFLOW 4,540 Cubic Ft. Per Minute on High • 54 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 84 Cubic Ft. Per Minute Per Watt on High

NI - Maple

NI - Marive Cherry

OZ - Walnut

OZ - Cherry


SNW - Satin Natural White

Kichler® Décor™ Reversible Blades

52"

BLADE SWEEP

153 x 18mm Motor



HANGING MEASUREMENTS:

WITH 6" DOWNROD

A - 17.25" B - 11.75" C - 7.75"

WITH 12" DOWNROD

A - 23.25" B - 17.75" C - 7.75"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Celino™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300017 BSS
BRUSHED STAINLESS STEEL FINISH
SHOWN WITH LIGHT OAK BLADES AND
CASED OPAL GLASS

*Integrated
Downlight*



300017 MCH
MIDNIGHT CHROME FINISH SHOWN
WITH SATIN BLACK BLADES AND
CASED OPAL GLASS



Coordinating
Lighting
COLLECTION

See the complete Celino™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.

300017 SBK
SATIN BLACK FINISH SHOWN
WITH SATIN BLACK BLADES
AND CASED OPAL GLASS



Sconce
9109 BA



300017 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES
AND CASED OPAL GLASS



Flush Mount
7002 BA


- ★ **MOTOR SIZE** 153mm x 18mm Motor
 - ★ **FINISH BSS:** Brushed Stainless Steel with Reversible Light Oak/Medium Oak Blades
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
SBK: Satin Black with Satin Black Blades
MCH: Midnight Chrome with Satin Black Blades
 - ★ **BLADES** (3) Blades • 14° Blade Pitch • 48" Blade Sweep
 - ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)
 - ★ **PRIMARY CONTROL SYSTEM** Hand Held Control System (Included) Manual Reverse
 - ★ **UPLIGHT** N/A
 - ★ **DOWNLIGHT** Integrated. Uses (2) 50-W. Halogen Type JD-E-11 Lamps (Included)
 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
 - ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending

AIRFLOW 4427 Cubic Ft. Per Minute on High • 52 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 85 Cubic Ft. Per Minute Per Watt on High

48"

BLADE SWEEP

153 x 18mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 15.25" B - 11.75" C - 7.50"

Includes our
**Hand Held
Control System**
U.S. Patent Pending



BSS - Light Oak

BSS - Medium Oak

OBB - Cherry

OBB - Walnut

SBK - MCH Satin Black

Kichler® Décor™ Reversible Blades


Arius[™]

CEILING FAN COLLECTION

DÉCOR[™] CEILING FANS

300013 PN
POLISHED NICKEL FINISH
SHOWN WITH SATIN
SMOKE BLADES





300113 MCH
MIDNIGHT CHROME FINISH SHOWN
WITH SATIN SMOKE BLADES



- ★ **MOTOR SIZE** 153mm x 18mm Motor
 - ★ **FINISH PN:** Polished Nickel with Satin Smoke Blades
 - MCH:** Midnight Chrome with Satin Smoke Blades
 - ★ **BLADES (2)** Blades • 18° Blade Pitch • 52" Blade Sweep
 - ★ **DOWNRODS** Includes 6" Downrods with 1" (O.D.)
 - ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
 - ★ **UPLIGHT** N/A
 - ★ **DOWNLIGHT** N/A
 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
 - ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending


AIRFLOW 4,748 Cubic Ft. Per Minute on High • 46 Watts on High (Excludes Lights) • **AIRFLOW EFFICIENCY** 103 Cubic Ft. Per Minute Per Watt on High

PN/MCH - Satin Smoke

52"

BLADE SWEEP

153 x 18mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 17.75" B - 16.75" C - 10.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Select™ Ceiling Fan features

- ★ Full Range of Finish Options
- ★ Reversible Blades to Match Any Décor
- ★ Optional Control Systems





Select™

CEILING FANS

Our Select Collection takes traditional ceiling fan favorites and adds a touch of modern-day refinement. You'll find multiple size options to fit any room and reversible wood tone blades to match any décor. And, as always, each is crafted using Kichler's® trademark attention to quality and comes with a Limited Lifetime Warranty.

Monarch™

CEILING FAN COLLECTION

SELECT™ CEILING FANS

70" Blade Sweep

300106 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES

300106 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES

DC
MOTOR



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods

300106 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES




300106 WBR
WISPY BRÛLÉÉ™ FINISH SHOWN WITH WALNUT
BLADES. SHOWN WITH OPTIONAL GLASS BOWL
LIGHT KIT 340002. SEE ADDITIONAL ACCESSORY
OPTIONS ON PAGES 126-147.

- ★ **MOTOR SIZE** DC Motor
- ★ **FINISH OBB:** Oil Brushed Bronze® with Reversible Cherry/Walnut Blades
- TZ:** Tannery Bronze® with Reversible Teak/Cherry Blades
- WBR:** Wispy Brûléé™ with Reversible Walnut/Cherry Blades
- WH:** White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 70" Blade Sweep
- ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch II™ Control System Included.
(Features 5 Speeds Forward & Reverse)
- ★ **OPTIONAL CONTROLS** N/A
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits available, see page 128-129
- ★ **LEAD WIRE** 78" ★ **ETL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,888 Cubic Ft. Per Minute on High • 37 Watts on High • **AIRFLOW EFFICIENCY** 186 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



70"

BLADE SWEEP

DC Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 16.50" B - 14.50" C - 15.00"

Includes our new
CoolTouch II™
Control System
U.S. Patent Pending



Whitmore™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300105 CTO
CANYON STONE™ FINISH
SHOWN WITH WALNUT BLADES



300105 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES



300105 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300105 TZ
TANNERY BRONZE® FINISH
SHOWN WITH CHERRY BLADES

- ★ **MOTOR SIZE** 212mm x 35mm Motor
 - ★ **FINISH** CTO: Canyon Stone™ with Walnut Blades
OBB: Oil Brushed Bronze™ with Reversible Cherry/Walnut Blades
TZ: Tannery Bronze® with Reversible Cherry/Teak Blades
WH: White Powder Coat with White Blades
 - ★ **BLADES** (5) Blades • 17.5° Blade Pitch • 60" Blade Sweep
 - ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
 - ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
 - ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are Available, see pages 140-144
 - ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits available, see page 128-139
 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
 - ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending

AIRFLOW 5,931 Cubic Ft. Per Minute on High • 65 Watts on High • AIRFLOW EFFICIENCY 91 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



60"


BLADE SWEEP

212 x 35mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.90" B - 11.90" C - 11.80"

Pull Chain Controls



Richland II™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300124 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH LIGHT
OAK BLADES




300124 ADC
ADOBE CREAM™ FINISH SHOWN
WITH ADOBE CREAM™ BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




300124 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WALNUT BLADES

- ★ **MOTOR SIZE** 153mm x 13mm Motor
- ★ **FINISH** ADC: Adobe Cream™ with Reversible Adobe Cream/Maple Blades,
BSS: Brushed Stainless Steel with Reversible Light Oak/Medium Oak Blades,
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 12° Blade Pitch • 42" Blade Sweep
- ★ **DOWNRODS** Flush Mount
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available,
see page 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see page 128-139
- ★ **LEAD WIRE** 8" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** N/A ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 3,216 Cubic Ft. Per Minute on High • 42 Watts on High • AIRFLOW EFFICIENCY 77 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



42"

BLADE SWEEP

153 x 13mm Motor



HANGING MEASUREMENTS:

FLUSH MOUNT

A - 9.50" B - 7.50" C - 6.00"

Pull Chain Controls



Richland[™]

CEILING FAN COLLECTION

SELECT[™] CEILING FANS



300123 OBB
OIL BRUSHED BRONZE[™] FINISH
SHOWN WITH CHERRY BLADES



300123 ADC
ADOBE CREAM[™] FINISH SHOWN
WITH MAPLE BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




300123 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH LIGHT
OAK BLADES

- ★ **MOTOR SIZE** 153mm x 13mm Motor
- ★ **FINISH ADC:** Adobe Cream™ with Reversible Adobe Cream/Maple Blades
- BSS:** Brushed Stainless Steel with Reversible Oak Blades
- OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
- ★ **BLADES** (5) Blades • 12° Blade Pitch • 42" Blade Sweep
- ★ **DOWNRODS** Includes 4" downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see page 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kit Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 3,216 Cubic Ft. Per Minute on High • 42 Watts on High • **AIRFLOW EFFICIENCY** 77 Cubic Ft. Per Minute Per Watt on High



ADC - Adobe Cream™

ADC - Maple

BSS - Light Oak

BSS - Medium Oak

OBB - Cherry


OBB - Walnut



42"

BLADE SWEEP

153 x 13mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.63" B - 11.63" C - 9.00"

Pull Chain Controls



Kichler Reversible Blades

Bronson

CEILING FAN COLLECTION

SELECT™ CEILING FANS



*Removable
Downlight Included*

300015 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH MEDIUM CHERRY
BLADES AND GLOSS WHITE GLASS

300015 ADC
ADOBE CREAM™ FINISH SHOWN
WITH ADOBE CREAM BLADES
AND GLOSS WHITE GLASS





ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300015 AP
 ANTIQUE PEWTER FINISH SHOWN
 WITH DARK CHERRY BLADES AND
 GLOSS WHITE GLASS

- ★ **MOTOR SIZE** 153mm x 18mm Motor
- ★ **FINISH** ADC: Adobe Cream™ with Reversible Adobe Cream/Maple Blades
 AP: Antique Pewter with Reversible Cherry Blades
 OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
- ★ **BLADES** (4) Blades • 12° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrods With 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see page 140-144
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Removable. Uses (3) E-12 40-W. B-8 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
 U.S. Patent Pending


AIRFLOW 4,544 Cubic Ft. Per Minute on High • 53 Watts on High • AIRFLOW EFFICIENCY 86 Cubic Ft. Per Minute Per Watt on High



52"


BLADE SWEEP

153 x 18mm Motor



HANGING MEASUREMENTS:
 WITH 4" DOWNROD
 A - 17.75" B - 10.75" C - 11.30"

Pull Chain
 Activation



Kichler® Reversible Blades

Windham™

CEILING FAN COLLECTION

SELECT™ CEILING FANS

Close-to-ceiling
installation

Integrated
Downlight

300119 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES
AND SUNSET MARBLE GLASS

300119 WH
POWDER COAT WHITE FINISH
SHOWN WITH WHITE BLADES
AND SATIN-ETCHED CASED
OPAL GLASS

300119 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES
AND CITRINE GLASS



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300119 NI
BRUSHED NICKEL FINISH SHOWN
WITH MAPLE BLADES AND SATIN
ETCHED CASED OPAL GLASS



- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades

OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades

TZ: Tannery Bronze® with Reversible Teak/Cherry Blades

WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Flush Mount
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available,

see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Integrated. Uses (3) E-12 40-W. B-10 Lamps

Included
- ★ **LEAD WIRE** 8" ★ **cUL LISTED** Damp
- ★ **LOW CEILING ADAPTABLE** N/A ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending




Kichler® Reversible Blades

52"

BLADE SWEEP


172 x 20mm Motor



FLUSH MOUNT:

A - 12.75" B - 6.00" C - 11.50"

Pull Chain Controls



52" Canfield™ Select™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300016 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES
AND CASED OPAL GLASS

*Removable
Downlight Included*

300016 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH LIGHT OAK
BLADES AND CASED OPAL GLASS





ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300016 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES
AND CASED OPAL GLASS



300016 ADC
ADOBE CREAM™ FINISH SHOWN
WITH ADOBE CREAM BLADES
AND CASED OPAL GLASS

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH** ADC: Adobe Cream™ with Reversible Adobe Cream/Maple Blades
BSS: Brushed Stainless Steel with Reversible Oak Blades
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
TZ: Tannery Bronze with Reversible Teak/Cherry Blades
- ★ **BLADES** (5) Blades • 16° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see page 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Removable. Uses (2) GU24 13W. CFL Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


AIRFLOW 5,344 Cubic Ft. Per Minute on High • 64 Watts on High • **AIRFLOW EFFICIENCY** 84 Cubic Ft. Per Minute Per Watt on High



52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 16.75" B - 10.25" C - 11.00"

Pull Chain Controls



Kichler® Reversible Blades

52" Canfield™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300117 AWD
ANTIQUÉ WOOD FINISH
SHOWN WITH TEAK BLADES

SEE ADDITIONAL FINISH OPTIONS
ON PAGE 90-91.



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream/Maple Blades
BSS: Brushed Stainless Steel with Reversible Oak Blades
AWD: Antique Wood with Reversible Teak/Walnut Blades
DBK: Distressed Black with Reversible American Walnut/Walnut Blades
NI: Brushed Nickel with Reversible Maple/Marive Cherry Blades
OBB: Oil Brushed Bronze™ with Reversible Cherry/Walnut Blades
SNW: Satin Natural White with Satin Natural White Blades
TZ: Tannery Bronze® with Reversible Teak/Cherry Blades
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes one 4" downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending

AIRFLOW 6,151 Cubic Ft. Per Minute on High • 65 Watts on High • **AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



52"


BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.45" B - 10.70" C - 12.60"

Pull Chain Controls



52" Canfield™ continued

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300117 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES



300117 DBK
DISTRESSED BLACK FINISH
SHOWN WITH WALNUT BLADES



300117 NI
BRUSHED NICKEL FINISH
SHOWN WITH MAPLE BLADES



300117 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300117 ADC
ADOBE CREAM™ FINISH
SHOWN WITH MAPLE BLADES



300117 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES



300117 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES



300117 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH MEDIUM
OAK BLADES

44" Canfield™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300107 NI
BRUSHED NICKEL FINISH SHOWN
WITH MARIVE CHERRY BLADES



300107 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH LIGHT
OAK BLADES



300107 ADC
ADOBE CREAM™ FINISH
SHOWN WITH MAPLE BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300107 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES



300107 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



300107 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH CHERRY BLADES

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH ADC:** Adobe Cream with Reversible Adobe Cream/Maple Blades
BSS: Brushed Stainless Steel with Reversible Oak Blades
NI: Brushed Nickel with Reversible Marive Cherry/Maple Blades
OBB: Oil Brushed Bonze™ with Reversible Cherry/Walnut Blades
SNW: Satin Natural White with Satin Natural White Blades
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 16° Blade Pitch • 44" Blade Sweep
- ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime


AIRFLOW 4,182 Cubic Ft. Per Minute on High • 58 Watts on High • AIRFLOW EFFICIENCY 72 Cubic Ft. Per Minute Per Watt on High



44"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 14.50" B - 12.00" C - 11.00"

Pull Chain Controls



Kichler® Reversible Blades

30" Canfield™

CEILING FAN COLLECTION

SELECT™ CEILING FANS

*Perfect For Utility
Rooms, Bathrooms,
And Hallways*



300103 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES



300103 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES



300103 NI
BRUSHED NICKEL FINISH
SHOWN WITH MARIVE CHERRY
BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




300103 ADC
ADOBE CREAM™ FINISH
SHOWN WITH MAPLE BLADES



300103 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



300103 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH MEDIUM
OAK BLADES



- ★ **MOTOR SIZE** 153mm x 17mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Marive Cherry/Maple Blades,
OBB: Oil Brushed Bronze™ with Reversible Cherry/Walnut Blades,
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 24° Blade Pitch • 30" Blade Sweep
- ★ **DOWNRODS** Includes one 6" downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available,
see page 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits available, see page 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Damp
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


AIRFLOW 2,266 Cubic Ft. Per Minute on High • 47 Watts on High • **AIRFLOW EFFICIENCY** 48 Cubic Ft. Per Minute Per Watt on High



30"

BLADE SWEEP

153 x 17mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 14.00" B - 12.00" C - 9.80"
FLUSH MOUNT CANOPY
A - 8.50" B - 6.50" C - 9.80"

Pull Chain Controls



Kichler® Reversible Blades

Kedron™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



300104 NI
BRUSHED NICKEL FINISH
SHOWN WITH MARIVE
CHERRY BLADES




300104 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




300104 TZ
TANNERY BRONZE® FINISH
SHOWN WITH CHERRY BLADES



300104 OBB
OIL BRUSHED BRONZE™ FINISH SHOWN WITH WALNUT
BLADES. SHOWN WITH OPTIONAL GLASS BOWL 340006,
SEE ADDITIONAL ACCESSORY OPTIONS ON PAGES 126-147.

- ★ **MOTOR SIZE** 188mm x 25mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Marive Cherry/Maple Blades
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
TZ: Tannery Bronze® with Reversible Cherry/Teak Blades
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 16° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending


AIRFLOW 6,316 Cubic Ft. Per Minute on High • 68 Watts on High • AIRFLOW EFFICIENCY 93 Cubic Ft. Per Minute Per Watt on High



54"


BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 12.80" B - 11.30" C - 12.35"

Pull Chain Controls



Kichler® Reversible Blades

Bentzen™

CEILING FAN COLLECTION

SELECT™ CEILING FANS

Ornate Detailing

300118 AP
ANTIQUE PEWTER FINISH
SHOWN WITH LIGHT
CHERRY BLADES


300118 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES

300118 AWD
ANTIQUE WOOD™ FINISH SHOWN
WITH LIGHT WALNUT BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300118 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH DARK WALNUT BLADES




300118 WBR
WISPY BRÛLÉÉ™ FINISH SHOWN
WITH MEDIUM CHERRY BLADES



- ★ **MOTOR SIZE** 172mm x 14mm Motor
- ★ **FINISH** AP: Antique Pewter with Light Cherry/Dark Cherry Reversible Blades
AWD: Antique Wood with Walnut/Teak Reversible Blades
OBB: Oil Brushed Bronze™ with Walnut/Cherry Reversible Blades
SNW: Satin Natural White with Satin Natural White Blades
WBR: Wispy Brûléé™ with Reversible Cherry/Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending

AIRFLOW 5,995 Cubic Ft. Per Minute on High • 64 Watts on High • AIRFLOW EFFICIENCY 93 Cubic Ft. Per Minute Per Watt on High



AP - Light Cherry

AP - Dark Cherry

AWD - Teak

AWD - Light Walnut

OBB - Medium Cherry

OBB - Dark Walnut

WBR - Medium Cherry

WBR - Medium Walnut


SNW - Satin Natural White



52"


BLADE SWEEP

172 x 14mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 12.75" B - 11.00" C - 13.00"

Pull Chain Controls



Kichler® Reversible Blades

Sterling Manor™ Select™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339210 NI
BRUSHED NICKEL FINISH
SHOWN WITH MARIVE
CHERRY BLADES AND
WHITE-ETCHED GLASS

*Removable
Downlight Included*

SEE ADDITIONAL FINISH OPTIONS
ON PAGE 102-103.



ACCESSORIES PAGES 00-00

See our complete line of Ceiling Fan Accessories on pages 00-00. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




- ★ **MOTOR SIZE** 153mm x 15mm Motor
 - ★ **FINISH** ADC: Adobe Cream™ with Reversible Adobe Cream/Maple Blades
 BSS: Brushed Stainless Steel with Reversible Oak Blades
 NI: Brushed Nickel with Reversible Marive Cherry/Maple Blades
 OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
 SNW: Satin Natural White with Satin Natural White Blades
 TZ: Tannery Bronze® with Reversible Cherry/Teak Blades
 WH: White Powder Coat with White Blades
 - ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep
 - ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
 - ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
 - ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
 - ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Removable. Uses (3) E-12 40-W. B-10 Lamps
 - ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
 - ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
 - ★ **WARRANTY** Limited Lifetime
- AIRFLOW** 5,275 Cubic Ft. Per Minute on High • 65 Watts on High (Excluded Lights) • **AIRFLOW EFFICIENCY** 81 Cubic Ft. Per Minute Per Watt on High



52"

BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:
 WITH 4" DOWNROD
 A - 17.75" B - 10.50" C - 11.00"
 FLUSH MOUNT CANOPY
 A - 14.25" B - 7.0" C - 11.00"

Pull Chain Controls



Kichler® Reversible Blades

Sterling Manor™ Select™ continued

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339210 ADC
ADOBE CREAM™ FINISH SHOWN
WITH MAPLE BLADES AND
WHITE ALABASTER GLASS



339210 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH MEDIUM
OAK BLADES AND WHITE
ALABASTER GLASS



339210 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES
AND WHITE-ETCHED GLASS



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



339210 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES AND
UMBER-ETCHED GLASS



339210 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES AND WHITE
ALABASTER GLASS



339210 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES
AND UMBER-ETCHED GLASS

Sterling Manor™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339010 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES

SEE ADDITIONAL FINISH OPTIONS
ON PAGE 106-107.




ACCESSORIES PAGES 00-00

See our complete line of Ceiling Fan Accessories on pages 00-00. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



- ★ **MOTOR SIZE** 153mm x 15mm Motor
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream/Maple Blades
BSS: Brushed Stainless Steel with Reversible Oak Blades
DBK: Distressed Black with Reversible American Walnut/Walnut Blades
NI: Brushed Nickel with Reversible Marive Cherry/Maple Blades
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
SNW: Satin Natural White with Satin Natural White Blades
TZ: Tannery Bronze® with Reversible Teak/Cherry Blades
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending


AIRFLOW 6,182 Cubic Ft. Per Minute on High • 66 Watts on High • **AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High



52"


BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:
 WITH 4" DOWNROD
 A - 12.50" B - 10.50" C - 11.00"
 FLUSH MOUNT CANOPY
 A - 9.00" B - 7.00" C - 11.00"

Pull Chain Controls



Kichler® Reversible Blades

Sterling Manor™ continued

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339010 NI
BRUSHED NICKEL FINISH
SHOWN WITH CHERRY BLADES



339010 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



339010 DBK
DISTRESSED BLACK FINISH
SHOWN WITH AMERICAN
WALNUT BLADES



ACCESSORIES PAGES 00-00

See our complete line of Ceiling Fan Accessories on pages 00-00. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



339010 ADC
ADOBE CREAM™ FINISH SHOWN
WITH MAPLE BLADES



339010 SNW
SATIN NATURAL WHITE
FINISH SHOWN WITH
SATIN NATURAL WHITE BLADES



339010 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES



339010 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH LIGHT
OAK BLADES

Outdoor/Indoor Ceiling Fan features

- ★ Full Range of Finish Options
- ★ Reversible Blades to Match Any Décor





Outdoor/Indoor

CEILING FANS

Nothing says “come sit a spell” better than the cool breeze of a Kichler® ceiling fan. Outside or in, these moisture-resistant fans are designed to create an oasis of space on a covered porch, patio, pool-side area – anywhere you want to enjoy the weather in cool comfort. And they are engineered to withstand temperature extremes and run flawlessly.

Harbour Walk™ Patio

OUTDOOR/INDOOR
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310102 GST
GALVANIZED STEEL FINISH SHOWN
WITH MEDIUM WALNUT BLADES
AND FRESNEL LENS GLASS

*Integrated
Downlight*



310102 TZP
TANNERY BRONZE® FINISH
SHOWN WITH CHERRY BLADES
FRESNEL LENS GLASS



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ ABS Blades

ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Control Systems / Downrod Coupler / Extension Rods.



310102 WCP
WEATHERED COPPER FINISH SHOWN WITH LIGHT WALNUT BLADES AND FRESNEL LENS GLASS

- ★ **MOTOR SIZE** 188mm x 20mm Motor
- ★ **FINISH** TZP: Tannery Bronze® with Reversible Walnut/Cherry Blades
GST: Galvanized Steel with Reversible Walnut/Cherry Blades
WCP: Weathered Copper with Reversible Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 8" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (4) E-12 40-W. Krypton T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,049 Cubic Ft. Per Minute on High • 74 Watts on High • AIRFLOW EFFICIENCY 82 Cubic Ft. Per Minute Per Watt on High



WCP - Light Walnut

WCP - Dark Walnut

TZP/GST - Cherry


TZP/GST - Medium Walnut

Kichler® Reversible Blades

52"

BLADE SWEEP

188 x 20mm Motor



HANGING MEASUREMENTS:
WITH 8" DOWNROD
A - 19.50" B - 13.00" C - 15.90"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Hatteras Bay™ Patio

OUTDOOR/INDOOR
CEILING FAN AND LIGHTING COLLECTION

OUTDOOR/INDOOR CEILING FANS



*Integrated
Downlight*

310101 TZP
TANNERY BRONZE® FINISH
SHOWN WITH CHERRY BLADES
AND FRESNEL LENS GLASS



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ ABS Blades

ACCESSORIES PAGES 126-147
 See our complete line of Ceiling Fan Accessories on pages 126-147. Control Systems / Downrod Coupler / Extension Rods.

Coordinating Lighting COLLECTION

See the complete Hatteras Bay™ Patio Collection in the Kichler Full Line Lighting catalog K110, or visit kichler.com.



310101 WCP
 WEATHERED COPPER FINISH SHOWN WITH LIGHT WALNUT BLADES AND FRESNEL LENS GLASS



Pendant 2665 PN (not damp rated)



Pendant 2664 NBR (not damp rated)



Pendant 2666 OZ (not damp rated)

- ★ **MOTOR SIZE** 153mm x 17mm Motor
- ★ **FINISH** TZP: Tannery Bronze® with Reversible Walnut/Cherry Blades
 WCP: Weathered Copper with Reversible Walnut Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 44" Blade Sweep
- ★ **DOWNRODS** Includes 12" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (4) E-12 40-W. Krypton T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Damp
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 4,299 Cubic Ft. Per Minute on High • 54 Watts on High • **AIRFLOW EFFICIENCY** 80 Cubic Ft. Per Minute Per Watt on High



TZP - Cherry

TZP - Medium Walnut


WCP - Light Walnut

WCP - Dark Walnut

44"

BLADE SWEEP

153 x 17mm Motor



HANGING MEASUREMENTS:
 WITH 12" DOWNROD
 A - 22.50" B - 18.50" C - 14.00"
 FLUSH MOUNT CANOPY
 A - 11.25" B - 7.25" C - 14.00"

Includes our new **CoolTouch™ Control System**
 U.S. Patent Pending



Kichler® Reversible Blades

Aldrin™ Patio

OUTDOOR/INDOOR
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310127 WSP
WEATHERED STEEL FINISH SHOWN
WITH TEAK BLADES AND CASED
OPAL GLASS

*Integrated
Downlight*

310127 TZP
TANNERY BRONZE® FINISH SHOWN
WITH CHERRY BLADES AND
CASED OPAL GLASS





- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ ABS Blades

ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Control Systems / Downrod Coupler / Extension Rods.



310127 WCP
WEATHERED COPPER FINISH
SHOWN WITH LIGHT WALNUT
BLADES AND CASED OPAL GLASS

- ★ **MOTOR SIZE** 188mm x 15mm Motor
- ★ **FINISH** **TZP:** Tannery Bronze® with Reversible Walnut/Cherry Blades
WCP: Weathered Copper with Reversible Walnut Blades
WSP: Weathered Steel with Reversible Walnut/Teak Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **UPLIGHT** N/A
- ★ **DOWNLIGHT** Integrated. Uses (2) E-12 60-W. Krypton T3 Lamps (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 5,556 Cubic Ft. Per Minute on High • 66 Watts on High • **AIRFLOW EFFICIENCY** 84 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



52"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 15.75" B - 10.25" C - 12.00"

Includes our new
CoolTouch™
Control System
U.S. Patent Pending



Seaside™

OUTDOOR/INDOOR
CEILING FAN AND LIGHTING COLLECTION

OUTDOOR/INDOOR CEILING FANS

310131 NI
BRUSHED NICKEL POWDER
COAT FINISH SHOWN WITH
LIGHT OAK BLADES AND
CASED OPAL GLASS

*Integrated
Downlight*

Coordinating
Lighting
COLLECTION

See the complete Seaside™
Collection in the Kichler Full Line
Lighting catalog K110,
or visit kichler.com.



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ ABS Blades

ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Control Systems / Downrod Coupler / Extension Rods.



310131 OZ
OLDE BRONZE® POWDER COAT
FINISH SHOWN WITH WALNUT
BLADES AND CASED OPAL GLASS



Pendant
2621 NI



Sconce
9022 NI



Sconce
9021 BK

- ★ **MOTOR SIZE** 188mm x 20mm Motor
- ★ **FINISH NI:** Brushed Nickel Powder Coat with Light Oak Blades
OZ: Olde Bronze® Powder Coat with Walnut Blades
- ★ **BLADES** (4) Blades • 14° Blade Pitch • 54" Blade Sweep
- ★ **DOWNRODS** Includes 6" & 12" Downrods with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Integrated. Uses (1) 18-W. GU24 CFL Lamp (Included)
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


AIRFLOW 6,790 Cubic Ft. Per Minute on High • 82 Watts on High • **AIRFLOW EFFICIENCY** 82 Cubic Ft. Per Minute Per Watt on High



54"

BLADE SWEEP

188 x 20mm Motor




HANGING MEASUREMENTS:

WITH 6" DOWNROD
A - 19.00" B - 10.00" C - 15.00"

WITH 12" DOWNROD
A - 25.00" B - 16.00" C - 15.00"

Pull Chain
Controls



Windham™

OUTDOOR/INDOOR CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS

*Close-to-ceiling
installation*



300119 TZ
TANNERY BRONZE® FINISH
SHOWN WITH TEAK BLADES
AND SUNSET MARBLE GLASS

*Integrated
Downlight Included*



300119 WH
POWDER COAT WHITE FINISH SHOWN
WITH WHITE BLADES AND SATIN-
ETCHED CASED OPAL GLASS

300119 NI
BRUSHED NICKEL FINISH
SHOWN WITH MAPLE BLADES
AND SATIN ETCHED
CASED OPAL GLASS





- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300119 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES
AND CITRINE GLASS

- ★ **MOTOR SIZE** 172mm x 20mm Motor
 - ★ **FINISH NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades
TZ: Tannery Bronze® with Reversible Teak/Cherry Blades
WH: White Powder Coat with White Blades
 - ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
 - ★ **DOWNRODS** Flush Mount
 - ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
 - ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
 - ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Integrated. Uses (3) E-12 40-W. B-10 Lamps (Included)
 - ★ **LEAD WIRE** 8" ★ **cUL LISTED** Damp
 - ★ **LOW CEILING ADAPTABLE** N/A ★ **WARRANTY** Limited Lifetime
- U.S. Patent Pending

AIRFLOW 5,058 Cubic Ft. Per Minute on High • 62 Watts on High • **AIRFLOW EFFICIENCY** 82 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



52"


BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
FLUSH MOUNT
A - 12.75" B - 6.00" C - 11.50"

Pull Chain Controls



52" Canfield™ Patio

OUTDOOR/INDOOR
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310192 TZP
TANNERY BRONZE® POWDER COAT
FINISH SHOWN CHERRY BLADES



310192 WSP
WEATHERED STEEL FINISH
SHOWN WITH TEAK BLADES



310192 ADC
ADOBE CREAM™ FINISH SHOWN
WITH ADOBE CREAM BLADES



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ ABS Blades

ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods




310192 WCP
WEATHERED COPPER FINISH
SHOWN WITH LIGHT
WALNUT BLADES

- ★ **MOTOR SIZE** 172mm x 20mm Motor
- ★ **FINISH** ADC: Adobe Cream™ with Reversible Adobe Cream/Maple Blades
TZP: Tannery Bronze® Powder Coat with Reversible Walnut/Cherry Blades
WCP: Weathered Copper with Reversible Walnut Blades
WSP: Weathered Steel with Reversible Walnut/Teak Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls are available, see page 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, See pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

AIRFLOW 6,151 Cubic Ft. Per Minute on High • 65 Watts on High • **AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High




Kichler® Reversible Blades



52"


BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 13.45" B - 10.70" C - 12.60"

Pull Chain Controls



30" Canfield™

OUTDOOR/INDOOR
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS

*Perfect For Utility
Rooms, Bathrooms,
And Hallways*

300103 BSS
BRUSHED STAINLESS STEEL
FINISH SHOWN WITH MEDIUM
OAK BLADES

300103 SNW
SATIN NATURAL WHITE FINISH
SHOWN WITH SATIN NATURAL
WHITE BLADES

300103 NI
BRUSHED NICKEL FINISH
SHOWN WITH MARIVE CHERRY
BLADES



ACCESSORIES PAGES 126-147

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



300103 ADC
ADOBE CREAM™ FINISH
SHOWN WITH LIGHT MAPLE
BLADES



300103 WH
WHITE POWDER COAT FINISH
SHOWN WITH WHITE BLADES



300103 OBB
OIL BRUSHED BRONZE™ FINISH
SHOWN WITH WALNUT BLADES



- ★ **MOTOR SIZE** 153mm x 17mm Motor
- ★ **FINISH NI:** Brushed Nickel with Reversible Marive Cherry/Maple Blades
OBB: Oil Brushed Bronze™ with Reversible Cherry/Walnut Blades
WH: White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 24° Blade Pitch • 30" Blade Sweep
- ★ **DOWNRODS** Includes one 6" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls Available, see pages 140-144
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Damp
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime
U.S. Patent Pending


AIRFLOW 2,266 Cubic Ft. Per Minute on High • 47 Watts on High • AIRFLOW EFFICIENCY 48 Cubic Ft. Per Minute Per Watt on High



30"

BLADE SWEEP

153 x 17mm Motor



HANGING MEASUREMENTS:
WITH 6" DOWNROD
A - 14.00" B - 12.00" C - 9.80"
FLUSH MOUNT CANOPY
A - 8.50" B - 6.50" C - 9.80"

Pull Chain Controls



Kichler® Reversible Blades

Sterling Manor™ Patio

OUTDOOR/INDOOR
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS

For Outdoor Settings

339520 TZP
TANNERY BRONZE® POWDER
COAT FINISH SHOWN WITH
BROWN (ABS) BLADES



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ ABS Blades

**ACCESSORIES PAGES 126-147**

See our complete line of Ceiling Fan Accessories on pages 126-147. Light Kits / Decorative Glass / Control Systems / Downrod Coupler / Extension Rods



339520 WH
WHITE POWDER COAT
FINISH SHOWN WITH WHITE
(ABS) BLADES

- ★ **MOTOR SIZE** 153mm x 15mm Motor
- ★ **FINISH** TZP: Tannery Bronze® Powder Coat with Brown (ABS) Blades
WH: White Powder Coat with White (ABS) Blades
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** N/A
- ★ **UPLIGHT** N/A ★ **DOWNLIGHT** Optional Light Kits Available, see pages 128-139
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime




AIRFLOW 4,121 Cubic Ft. Per Minute on High • 52 Watts on High • AIRFLOW EFFICIENCY 79 Cubic Ft. Per Minute Per Watt on High




52"

BLADE SWEEP

153 x 15mm Motor



HANGING MEASUREMENTS:
WITH 4" DOWNROD
A - 12.25" B - 10.25" C - 11.00"
FLUSH MOUNT CANOPY
A - 9.00" B - 7.00" C - 11.00"

Pull Chain Controls

Light Kits

FOR SPECIFIC DÉCOR CEILING FANS

HEATHER™ Ceiling Fan, 300115



Heather™ Bowl Light Fixture, 11.00" Diameter, 5.60" Hgt.
Includes MCO and AMS Finial

380004 MUL – Dusty Satin Glass
3-Light, E-12 40-W. B8 Lamps Included. cUL Indoor

OLYMPIA™ Ceiling Fan, 300011



Olympia™ Bowl Light Fixture, 11.00" Diameter, 6.30" Hgt.

380000 AP – Satin-Etched Cases Opal Glass
380000 DBK (shown) – Satin-Etched Cased Opal Glass
380000 OZ – Sunset Marble Glass
3-Light, E-12 40-W. B10.5 Lamps Included. cUL Indoor

HEATHER™ Ceiling Fan, 300115



Heather™ Pendant 3-Light Fixture, 12.10" Diameter, 6.40" Hgt.

380005 MCO – Dusty Satin Glass
3-Light, E-12 40-W. B10.5 Lamps Included. cUL Indoor

OLYMPIA™ Ceiling Fan, 300011



Olympia™ Pendant 3-Light Fixture, 8.80" Width, 11.05" Hgt.

380001 AP – Satin-Etched Cased Opal Glass
380001 DBK – Satin-Etched Cased Opal Glass
380001 OZ (shown) – Sunset Marble Glass
3-Light, E-12 40-W. B10.5 Lamps Included. cUL Indoor

HEATHER™ Ceiling Fan, 300115



Heather™ Pendant 3-Light Fixture, 12.12" Width, 6.40" Hgt.

380005 AMS – Dusty Satin Glass
3-Light, E-12 40-W. B10.5 Lamps Included. cUL Indoor

NOVELLA™ Ceiling Fan, 300110



Novella™ Bowl Light Fixture, 9.85" Width, 5.80" Hgt.

380006 ALR – Mocha Whip Glass
3-Light, E-12 40-W. B8 Lamps Included. cUL Indoor

CORTEZ Ceiling Fan, 300113



Cortez Bowl Light Fixture, 12.00" Width, 5.50" Hgt.
380007 TZ – Sunrise Marble Glass
 3-Light, E-12 40-W. B8 Lamps Included. cUL Indoor

GOLDEN IRIDESCENCE™ Ceiling Fan, 300000



Golden Iridescence™ Bowl Light Fixture, 13.60" Width, 7.00" Hgt.
380002 OLZ – Golden Iridescent™ Glass
 3-Light, E-12 40-W. B8 Lamps Included. cUL Indoor

PALLA™ Ceiling Fan, 300126



Palla™ Bowl Light Fixture, 14" Width, 4.5" Hgt.
380108 MCH – White Etched Glass
380108 PN – White Etched Glass
 3-Light, E-12 40-W. Krypton T-3 Lamps Included. cUL Indoor

GOLDEN IRIDESCENCE™ Ceiling Fan, 300000



Golden Iridescence™ Pendant 3-Light Fixture,
 13.00" Width, 7.90" Hgt.
380003 OLZ – Golden Iridescent™ Glass
 3-Light, E-12 40-W. B8 Lamps Included. cUL Indoor

The fans and light kits on these 2 pages match Kichler® decorative lighting collections.



Palla Ceiling Fan shown on page 8-9.

Lighting Component

SELECTION GUIDE

STEP 1 SELECT GLASS

(See pages 129-131 for complete bowl glass options.)

INCANDESCENT



340001
Art Glass Bowl Glass
11.81" Diameter, 4.81" Hgt.


FLUORESCENT*



340002
Edenvale™ Etched Golden Antique
Bowl Glass
12.20" Diameter, 4.33" Hgt.

STEP 2 SELECT FITTER

350002
Decorative
Incandescent Lamp
Bowl Fitter. 3-Light,
E-12 40-W. B10.5
Lamps Included.
White Finial Included.
5.25" Diameter,
6" Hgt.
cUL Indoor.



350001
Decorative
Bowl Fitter.
1-Light, 22-W.
Circular Fluorescent
Lamp Included.
White Finial Included.
8.75" Diameter, 5.95" Hgt.
cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL



STEP 3 SELECT FINIAL KIT



- 337006 ADC** Adobe Cream™
- 337006 AP** Antique Pewter
- 337006 AWD** Antique Wood
- 337006 BSS** Brushed Stainless Steel
- 337006 CTO** Canyon Stone™
- 337006 DBK** Distressed Black
- 337006 MDW** Mediterranean Walnut

- 337006 NI** Brushed Nickel
- 337006 OBB** Oil Brushed Bronze™
- 337006 SNW** Satin Natural White
- 337006 TZ** Tannery Bronze
- 337006 TZP** Tannery Bronze® Powder Coat
- 337006 WBR** Wispy Brulée™
- 337006 WH** Powder Coat White

Bowl Glass

See page 128 for required components.

INCANDESCENT



340001
Art Glass Bowl Glass
11.81" Diameter, 4.81" Hgt.

INCANDESCENT / FLUORESCENT*



340002
Edenvale™ Etched Golden Antique Bowl Glass
12.20" Diameter, 4.33" Hgt.

INCANDESCENT



340003
Rochelle™ Crème Carmel Bowl Glass
11.81" Diameter, 5.06" Hgt.

INCANDESCENT



340004
Italian Garden™ Dusty Citrine Bowl Glass
11.81" Diameter, 4.26" Hgt.

INCANDESCENT



340005
Wilton™ Antique Barley Bowl Glass
11.81" Diameter, 4.33" Hgt.

INCANDESCENT / FLUORESCENT*



340006
Art Glass Bowl Glass
11.81" Diameter, 4.33" Hgt.

Bowl Glass

See page 128 for required components.

INCANDESCENT/FLUORESCENT*



340104

Piastra Cream with Gold Fleck Inside –Clear Outside Glass
12.50" Width, 4.50" Hgt.



INCANDESCENT/FLUORESCENT*



340106

Piastra Sand Crystal Inside Glass
12.5" Width, 4.5" Hgt.



INCANDESCENT/FLUORESCENT*



340107

Piastra White Sand Crystal Glass
12.5" Width, 4.5" Hgt.



INCANDESCENT/FLUORESCENT*

**340108**

Piastra White Sand Crystal Glass
13" Width, 5" Hgt.



INCANDESCENT/FLUORESCENT*

**340112**

Piastra Vanilla with Gold Fleck Glass
12.5" Width, 4.75" Hgt.



Bowl Glass

See page 128 for required components.

INCANDESCENT/FLUORESCENT*



340109
White Alabaster Swirl Frosted Glass
11.75" Diameter, 5.75" Hgt.

INCANDESCENT/FLUORESCENT*



340101
White Alabaster Swirl Frosted Glass
12.5" Diameter, 4.75" Hgt.

INCANDESCENT/FLUORESCENT*



340119
White Alabaster Glass
12.5" Diameter, 4.75" Hgt.

INCANDESCENT/FLUORESCENT*



340103
White Alabaster Glass
12.5" Diameter, 4.5" Hgt.

INCANDESCENT/FLUORESCENT*



340102
Umber Alabaster Frosted Glass
12.5" Diameter, 4.5" Hgt.

INCANDESCENT/FLUORESCENT*



340105
Umber Alabaster Frosted Glass
12.5" Diameter, 4.75" Hgt.

All-In-One Light Kits

FOR USE WITH MOST CEILING FANS



338500 MUL

Multi-Color. White Alabaster Swirl Glass Kit. Your choice of Adobe Cream™, Brushed Stainless Steel, Brushed Nickel, Distressed Black, Oil Brushed Bronze™, Satin Natural White™ (shown), Tannery Bronze®, White finished hardware included. 3-light, E-12 40-W. B10.5 Lamps included. 11" Diameter, 6" Hgt.



338501 MUL

Multi-Color. Opal-Etched Glass Kit. Your choice of Adobe Cream™, Brushed Stainless Steel, Brushed Nickel, Distressed Black, Oil Brushed Bronze™, Satin Natural White™ (shown), Tannery Bronze®, White finished hardware included. 3-light, E-12 40-W. B10.5 Lamps included. 11" Diameter, 6" Hgt.



338502 MUL

Multi-Color. Citrine Glass Kit. Your choice of Adobe Cream™, Brushed Stainless Steel, Brushed Nickel, Distressed Black, Oil Brushed Bronze™ (shown), Satin Natural White™, Tannery Bronze®, White finished hardware included. 3-light, E-12 40-W. B10.5 Lamps included. 11" Diameter, 6" Hgt.



338503 MUL

Multi-Color. UMBER-ETCHED Glass Kit. Your choice of Adobe Cream™, Brushed Stainless Steel, Brushed Nickel, Distressed Black, Oil Brushed Bronze™ (shown), Satin Natural White™, Tannery Bronze®, White finished hardware included. 3-light, E-12 40-W. B10.5 Lamps included. 11" Diameter, 6" Hgt.



380402 MUL

Multi-Color, Dark Linen Glass. Your choice of Oil Brushed Bronze™ (shown), Tannery Bronze®, White finished hardware included. 4-light, E-12 40-W. Krypton/T-3 Lamp included. 14.50" Diameter, 5.50" Hgt., cUL Indoor.



380104 MUL

Multi-Color, Cased Opal Glass. Your choice of Oil Brushed Bronze™ (shown), Tannery Bronze®, White finished hardware included. 4-light, E-12 40-W. Krypton/T-3 Lamp included. 14.00" Diameter, 5.50" Hgt., cUL Indoor.

3-Light Kits

FOR USE WITH MOST CEILING FANS

INCANDESCENT

ACCESSORIES



338505 DBK

Distressed Black.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5
Lamps Included. 12.75" Width,
7.0" Hgt. cUL Indoor



338505 OBB

Oil Brushed Bronze™.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5
Lamps Included. 12.75" Width,
7.0" Hgt. cUL Indoor



338505 NI

Brushed Nickel.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5
Lamps Included. 12.75" Width,
7.0" Hgt. cUL Indoor



338505 TZ

Tannery Bronze®.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5 Lamps
Included. 12.75" Width, 7.0" Hgt.
cUL Indoor



338505 WH

White. White Alabaster Swirl
Glass. 3-Light, E-12 40-W.
B10.5 Lamps Included. 12.75"
Width, 7.0" Hgt. cUL Indoor



338505 ADC

Adobe Cream™.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5 Lamps
Included. 12.75" Width, 7.0" Hgt.
cUL Indoor

INCANDESCENT

**338505 BSS**

Brushed Stainless Steel
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5 Lamps
Included. 12.75" Width, 7.0" Hgt.
cUL Indoor

**338505 SNW**

Satin Natural White.
White Alabaster Swirl Glass.
3-Light, E-12 40-W. B10.5
Lamps Included. 12.75" Width,
7.0" Hgt. cUL Indoor

Light Kits

FOR USE WITH SELECT™ CEILING FANS

FLUORESCENT

**380101 BSS**

Brushed Stainless Steel
finish with Cased
Opal Glass, 22-W. Circular
Fluorescent Lamp Included,
12.75" Diameter, 6.5" Hgt.,
cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL

**380101 OBB**

Oil Brushed Bronze™ finish
with Cased Opal Glass,
22-W. Circular Fluorescent
Lamp Included, 12.75"
Width, 6.5" Hgt., cUL Indoor.
NOT FOR USE WITH RE-
MOTE CONTROL

**380101 TZ**

Tannery Bronze® finish with
Cased Opal Glass, 22-W.
Circular Fluorescent Lamp
Included, 12.75" Width,
6.5" Hgt., cUL Indoor. NOT
FOR USE WITH REMOTE
CONTROL

**380101 WH**

Powder Coat White fin-
ish with Cased Opal Glass,
22-W. Circular Fluorescent
Lamp Included, 12.75" Width,
6.5" Hgt., cUL Indoor. NOT
FOR USE WITH REMOTE
CONTROL

Light Kits

FOR USE WITH MOST CEILING FANS

INCANDESCENT



380106 OBB

Oil Brushed Bronze™ finish with Umber Alabaster Glass, 4-light, E-12 40-W. Krypton/T-3 Lamps Included, 14" Diameter, 5.4" Hgt., cUL Indoor.



380106 TZ

Tannery Bronze® finish with Umber Alabaster Glass, 4-light, E-12 40-W. Krypton/T-3 Lamps Included, 14" Diameter, 5.4" Hgt., cUL Indoor.



380106 WH

Powder Coat White finish with Cased Opal Glass, 4-light, E-12 40-W. Krypton/T-3 Lamps Included, 14" Diameter, 5.4" Hgt., cUL Indoor.

FLUORESCENT



380107 OBB

Oil Brushed Bronze™ finish with Umber Alabaster Glass, 2-light, E-26 13-W. CFL Lamps Included, 14.5" Diameter, 5.3" Hgt., cUL Indoor. NOT FOR USE WITH REMOTE CONTROL



380107 TZ

Tannery Bronze® finish with Light Umber Alabaster Glass, 2-light, E-26 13-W. CFL Lamps Included, 14.5" Diameter, 5.3" Hgt., cUL Indoor. NOT FOR USE WITH REMOTE CONTROL



380107 WH

Powder Coat White finish with White Cased Glass, 2-light, E-26 13-W. CFL Lamps Included, 14.5" Diameter, 5.3" Hgt., cUL Indoor. NOT FOR USE WITH REMOTE CONTROL

FLUORESCENT



380111 BSS
Brushed Stainless Steel
finish with Cased
Opal Glass, 2-light, E-26
13-W. CFL Lamps Included
12.25" Diameter,
6" Hgt., cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL



380111 OBB
Oil Brushed Bronze™ finish
with Cased
Opal Glass, 2-light, E-26
13-W. CFL Lamps Included
12.25" Diameter,
6" Hgt., cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL



380111 TZ
Tannery Bronze® finish
with Cased Opal
Glass, 2-light, E-26 13-W.
CFL Lamps Included 12.25"
Diameter, 6" Hgt., cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL



380111 WH
Powder Coat White
finish with Cased
Opal Glass, 2-light, E-26
13-W. CFL Lamps Included
12.25" Diameter, 6" Hgt.,
cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL



380102 WH
Powder Coat White finish with
White Glass, 2-light, E-26
13-W. CFL Lamps Included
12.25" Diameter, 6" Hgt.,
cUL Indoor.
NOT FOR USE WITH
REMOTE CONTROL

Light Kits

FOR USE WITH OUTDOOR/INDOOR CEILING FANS

FLUORESCENT



380900 TZP

Tannery Bronze® Powder Coat finish with Cased Opal Glass, 22-W. Circular Fluorescent Lamp Included, 12.25" Diameter, 6.5" Hgt, cUL Wet. NOT FOR USE WITH REMOTE CONTROL



380901 TZP

Tannery Bronze® Powder Coat finish with Cased Opal Glass, 2-light, E-26 13-W. CFL Lamps Included. 12.25" Diameter, 6.5" Hgt., cUL Wet. NOT FOR USE WITH REMOTE CONTROL



380900 WCP

Weathered Copper finish with Cased Opal Glass, 22-W. Circular Fluorescent Lamp Included, 12.25" Diameter, 6.5" Hgt., cUL Wet. NOT FOR USE WITH REMOTE CONTROL



380901 WCP

Weathered Copper finish with Cased Opal Glass, 2-light, E-26 13-W. CFL Lamps Included, 12.25" Diameter, 6.5" Hgt., cUL Wet. NOT FOR USE WITH REMOTE CONTROL



380900 WSP

Weathered Steel finish with Cased Opal Glass, 22-W. Circular Fluorescent Lamp Included, 12.25" Diameter, 6.5" Hgt., cUL Wet. NOT FOR USE WITH REMOTE CONTROL



380901 WSP

Weathered Steel finish with Cased Opal Glass, 2-light, E-26 13-W. CFL Lamps Included, 12.25" Diameter, 6.5" Hgt., cUL Wet. NOT FOR USE WITH REMOTE CONTROL

FLUORESCENT

**338050 TZP**

Powder Coat Tannery Bronze® finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 10.25" Diameter, 5.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

**338050 WH**

Powder Coat White finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 10.25" Diameter, 5.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

**380902 ADC**

Adobe Cream™ finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 11" Diameter, 4.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

**380902 TZP**

Tannery Bronze® Powder Coat finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 11" Diameter, 4.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

**380902 WCP**

Weathered Copper finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 11" Diameter, 4.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

**380902 WSP**

Weathered Steel finish with Cased Opal Glass, 2-Light, GU24, 13-Watt CFL Lamps Included, 11" Diameter, 4.5" Hgt., cUL Wet
NOT FOR USE WITH REMOTE CONTROL

Control Systems

ORDERING GUIDE



STEP 1 SELECT FAN

STEP 2 SELECT A COMPATIBLE CONTROL SYSTEM

See Control Systems Compatibility Guide on page 142 to select correct CoolTouch™ Control System.



OR

Select From Many Fan Controls



STEP 3 SELECT CORRECT SWITCH HOUSING

See Switch Housing Selection Guide on page 143 to select correct size and finish switch housing.



STEP 4 OPTIONAL FINISH WALL POCKETS AVAILABLE

See opposite page.



Control Systems

CoolTouch™



See Control Systems Compatibility Guide on page 142 to select correct CoolTouch™ Control System.
See Switch Housing Selection Guide on page 143 to select correct size and finish switch housing.

- Three Speed Fan Control, Forward and Reverse
- Separate On/Off Up/Down Light Control with Full Range Dimming and Intelligent Return
- Includes Remote Reverse Function
- Wireless (Radio Frequency) Remote Operation
- Operates up to 30-feet from the Ceiling Fan
- Includes White Wall Pocket and Transmitter
- Includes Canopy Mounted Receiver
- Mounts on Any Single Switch Junction Box or Flat Surface
- Replaceable Long Life Lithium Batteries Included
- Mounting Hardware Included
- U.S. Patent Pending

CoolTouch™ Accessories



370010 ALM Almond
370010 IV Ivory
Single Gang CoolTouch™
Wall Pocket and Transmitter
Face Plate



370011 ALM Almond
370010 IV Ivory
370010 WH White
Dual Gang CoolTouch™ Wall
Pocket Transmitter and Face Plate

Remote and Wall Mount Control Systems

See Control Systems Compatibility Guide for correct controller.



337001 WH White
Basic Hand Held Control System

- 3-Speed Fan Control
- On/Off and Full Range Dimming
- Operates From 30 Feet
- Canopy Mounted Receiver
- Includes Wall Bracket
- Includes 9-Volt Battery
- Manual Reverse



337010 WH White / **337010 IV** Ivory /
337011 ALM Almond
Fan/Light Dual Slider Control

- 4-Speed Fan Control
- Full Range Dimming Light Control
- Face Plate Included
- Controls One Fan and Light
- For Use with Most Ceiling Fans
- Max. 1.25 AMP
- Requires 3 Wire Installation



370012 MUL White / Ivory / Almond
Wall Mount Transmitter

- 3-Speed Fan Control Forward and Reverse
- On/Off and Full Range Dimming
- Includes White, Ivory and Almond Switch Cover Plates
- Wall unit controls one fan
- Includes 12-Volt Battery
- Transmitter Only



337011 WH White / **337011 IV** Ivory /
337011 ALM Almond
Light Dimmer Slide Control

- Full Range Light Dimmer
- Face Plate Included
- Controls One Fan Light or Light Fixture
- For Use with Most Ceiling Fans
- 600-W. Max.



370014 MUL White / Ivory / Almond
Wall Mount Transmitter

- 3-Speed Fan Control
- On/Off and Full Range Dimming
- Manual Reverse
- Includes White, Ivory and Almond Switch Cover Plates
- Wall unit controls one fan
- Includes 12-Volt Battery
- Transmitter Only



337012 WH White / **337012 IV** Ivory /
337011 ALM Almond
4 Speed Fan Slide Control

- 4-Speed Fan Control
- Face Plate Included
- Controls One Fan
- For Use with Most Ceiling Fans
- Max. 1.25 AMP

Control Systems Compatibility Guide


Product Name	ID Number	337009R200 CoolTouch™ Upgrade System	337009R400 CoolTouch™ Upgrade System	337009R600 CoolTouch™ Upgrade System	337009R800 CoolTouch™ Upgrade System	337009W500 CoolTouch™ Upgrade System (outdoor)	CoolTouch™ Control System	CoolTouch™ II DC Control System	337001 Basic Hand Held Control System	370012MUL Full Function In Wall Transmitter	370014MUL Limited Function In Wall Transmitter	337010 In Wall Manual Control Combo Fan & Light Control	337011 In Wall Manual Control Fan Light Dimmer	337012 In Wall Manual Control 4 Speed Fan Control
52" Aldrin™	300014						Included			●				
52" Aldrin™ Patio	310127						Included							
52" Arius™	300013						Included			●				
52" Bentzen™	300118	●							●			●	●	●
52" Bronson	300015		●						●			●	●	●
54" Cadence™	300125						Included			●				
30" Canfield™	300103				●				●			●	●	●
44" Canfield™	300107		●						●			●	●	●
52" Canfield™	300117	●							●			●	●	●
52" Canfield™ Patio	310192					●								
52" Canfield™ Select	300016													●
48" Celino™	300017								●		●			
56" Ceres™	300021							Included						
52" Chicago™	300001						Included			●				
52" Circolo	300005						Included			●				
52" Cortez	300113								●			●	●	●
52" Cottage Grove™	300003						Included			●				
46" Eva™	300121						Included			●				
54" Golden Iridescence™	300000						Included			●				
52" Harbour Walk™ Patio	310102						Included			●				
56" Hatteras Bay™	300018						Included			●				
44" Hatteras Bay™ Patio	310101						Included			●				
52" Heather™	300115						Included			●				
52" Hendrick™	300114						Included			●				
56" High Country™	300010						Included			●				
56" Highland Manor™	300101						Included			●				
52" Humboldt™	300002						Included			●				
54" Kedron™	300104	●							●			●	●	●
52" Keswick™	300112						Included			●				
60" Kimberley™	300008						Included			●				
52" Larissa™	300012						Included			●				
52" LaSalle™	300109								●			●	●	●
52" Lucia™	300111						Included			●				
54" Meredith™	300004						Included			●				
70" Monarch™	300106							Included						
52" Novella™	300110								●			●	●	●
60" Olympia™	300011						Included			●				
56" Palla™	300126						Included			●				
42" Richland™	300123		●						●			●	●	●
42" Richland® II	300124		●						●			●	●	●
56" Rochelle™	300007						Included			●				
52" Roxton™	300108						Included			●				
54" Seaside™	310131													
52" Sterling Manor™	339010								●		●	●	●	●
52" Sterling Manor™ Patio	339520													
52" Sterling Manor™ Select™	339210								●		●	●	●	●
52" Structures	300009						Included			●				
60" Whitmore™	300105								●			●	●	●
54" Wilton™	300006						Included			●				
52" Windham™	300119			●					●			●	●	●

Switch Housing Selection Guide


Product Name	ID Number	370018 ADC	370018 AP	370018 AWD	370018 BSS	370018 NI	370018 OBB	370018 SNW	370018 TZ	370018 WBR	370018 WH	370017 ADC	370017 AP	370017 AWD	370017 BSS	370017 CTO	370017 DBK	370017 NI	370017 OBB	370017 SNW	370017 TZ	370017 TZP	370017 WCP	370017 WH	370017 WSP		
		115mm Switch Housings											130mm Switch Housings														
52" Bentzen™	300118AP	●																								115mm	
52" Bentzen™	300118OBB						●																				115mm
52" Bentzen™	300118AWD		●																								115mm
52" Bentzen™	300118SNW							●																			115mm
52" Bentzen™	300118WBR									●																	115mm
52" Bronson	300015ADC	●																									130mm
52" Bronson	300015AP		●																								130mm
52" Bronson	300015OBB						●																				130mm
30" Canfield™	300103ADC	●																									115mm
30" Canfield™	300103BSS				●																						115mm
30" Canfield™	300103OBB						●																				115mm
30" Canfield™	300103NI					●																					115mm
30" Canfield™	300103SNW							●																			115mm
30" Canfield™	300103WH										●																115mm
44" Canfield™	300107ADC	●																									115mm
44" Canfield™	300107BSS				●																						115mm
44" Canfield™	300107OBB						●																				115mm
44" Canfield™	300107NI					●																					115mm
44" Canfield™	300107SNW							●																			115mm
44" Canfield™	300107WH										●																115mm
52" Canfield™	300117ADC											●															130mm
52" Canfield™	300117AWD													●													130mm
52" Canfield™	300117BSS														●												130mm
52" Canfield™	300117DBK															●											130mm
52" Canfield™	300117OBB																●										130mm
52" Canfield™	300117NI																	●									130mm
52" Canfield™	300117SNW																		●								130mm
52" Canfield™	300117TZ																			●							130mm
52" Canfield™	300117WH																								●		130mm
52" Canfield™ Patio	310192ADC											●															130mm
52" Canfield™ Patio	310192TZP																						●				130mm
52" Canfield™ Patio	310192WCP																							●			130mm
52" Canfield™ Patio	310192WSP																									●	130mm
54" Kedron™	300104OBB																		●								130mm
54" Kedron™	300104NI																		●								130mm
54" Kedron™	300104TZ																				●						130mm
54" Kedron™	300104WH																								●		130mm
42" Richland™	300123ADC	●																									115mm
42" Richland™	300123BSS				●																						115mm
42" Richland™	300123OBB						●																				115mm
42" Richland® II	300124ADC	●																									115mm
42" Richland® II	300124BSS				●																						115mm
42" Richland® II	300124OBB						●																				115mm

60° Slope Adapter

FOR SLOPED OR VAULTED CEILINGS FROM 0° – 60°



30°



45°



60°

Slope Adaptor Features

- Adapts to ceilings from 0° to 60° of slope
- Accepts our CoolTouch™ Receiver Unit for Remote Controlled Fans
- Includes “Stabilized” Mounting System
- Safety features prevent fan from “lift” off mounting system
- Heavy Duty design features two (2) safety pins and one (1) set screw for maximum safety
- Designed for Indoor or Outdoor use
- Outdoor Finishes are Powder Coated with a Galvanized under coating.
- Designed for use with 1” O.D. downrods ONLY
- Available in all 33 Kichler fan finishes
- Unit does not include downrod (must be ordered separately)
- U.S. Patent Pending




All Kichler® ceiling fans come standard with our universal hanging system. This basic system allows for mounting on ceilings with up to a 20° slope.

For ceilings in excess of 20° degrees of slope, please utilize our 60° Slope Adaptor.

337005 ADC	Adobe Cream™	337005 MDW	Mediterranean Walnut™
337005 AGZ	Aged Bronze	337005 NI	Brushed Nickel
337005 ALR	Antique Leather	337005 OBB	Oil Brushed Bronze™
337005 AMS	Antique Marble with Silver Highlights	337005 OI	Olde Iron
337005 AP	Antique Pewter	337005 OLZ	Oiled Bronze
337005 APC	Aged Pecan	337005 OZ	Olde Bronze®
337005 AWD	Antique Wood	337005 PN	Polished Nickel
337005 BAB	Burnished Antique Brass	337005 SBK	Satin Black
337005 BKZ	Berkshire Bronze™	337005 SNW	Satin Natural White
337005 BSS	Brushed Stainless Steel	337005 TZ	Tannery Bronze®
337005 CTO	Canyon Stone™	337005 TZG	Tannery Bronze® with Gold Highlights
337005 CTZ	Colton Bronze™	337005 TZP	Tannery Bronze® Powder Coat
337005 CZ	Carré Bronze®	337005 WBR	Wispy Bruléé™
337005 DBK	Distressed Black	337005 WCP	Weathered Copper
337005 GST	Galvanized Steel	337005 WSP	Weathered Steel
337005 MCH	Midnight Chrome	337005 WH	White
337005 MCO	Mission Copper™		

*Lighting that will inspire,
excite and surprise.*



Fashion
Lighting



Distinctive
Lamps &
Accessories



Premium
Landscape
Lighting



Cabinet
Lighting
Systems

Be brilliant. Be striking. Be understated. Be bold.
Be who you are and express it perfectly.
That's the beauty of Kichler.
To see our entire line, visit www.kichler.com.

Accessories

FLUSH MOUNT KITS AND DOWNROD COUPLER

FLUSH MOUNT KIT



- 337008 ADC** Adobe Cream™
- 337008 AGZ** Aged Bronze
- 337008 AMS** Antique Marble with Silver Highlights
- 337008 AP** Antique Pewter
- 337008 AWD** Antique Wood
- 337008 BAB** Burnished Antique Brass
- 337008 BSS** Brushed Stainless Steel
- 337008 CTO** Canyon Stone™
- 337008 CTZ** Colton Bronze™
- 337008 DBK** Distressed Black
- 337008 GST** Galvanized Steel
- 337008 MCH** Midnight Chrome
- 337008 MCO** Mission Copper™
- 337008 MDW** Mediterranean Walnut™
- 337008 NI** Brushed Nickel
- 337008 OBB** Oil Brushed Bronze™
- 337008 OLZ** Oiled Bronze
- 337008 OZ** Olde Bronze®
- 337008 PN** Polished Nickel
- 337008 SBK** Satin Black
- 337008 SNW** Satin Natural White
- 337008 TZ** Tannery Bronze®
- 337008 TZP** Tannery Bronze® Powder Coat
- 337008 WBR** Wispy Brulée™
- 337008 WCP** Weathered Copper
- 337008 WH** White
- 337008 WSP** Weathered Steel

DOWNROD COUPLER










- 337007 ADC** Adobe Cream™
- 337007 AGZ** Aged Bronze
- 337007 ALR** Antique Leather
- 337007 AMS** Antique Marble with Silver Highlights
- 337007 AP** Antique Pewter
- 337007 APC** Aged Pecan
- 337007 AWD** Antique Wood
- 337007 BAB** Burnished Antique Brass
- 337007 BKZ** Berkshire Bronze™
- 337007 BSS** Brushed Stainless Steel
- 337007 CTO** Canyon Stone™
- 337007 CTZ** Colton Bronze™
- 337007 CZ** Carré Bronze®
- 337007 DBK** Distressed Black
- 337007 GST** Galvanized Steel
- 337007 MCH** Midnight Chrome
- 337007 MCO** Mission Copper™
- 337007 MDW** Mediterranean Walnut™
- 337007 NI** Brushed Nickel
- 337007 OBB** Oil Brushed Bronze™
- 337007 OI** Olde Iron
- 337007 OLZ** Oiled Bronze
- 337007 OZ** Olde Bronze®
- 337007 PN** Polished Nickel
- 337008 SBK** Satin Black
- 337007 SNW** Satin Natural White
- 337007 TZ** Tannery Bronze®
- 337007 TZG** Tannery Bronze® with Gold Highlights
- 337007 TZP** Tannery Bronze® Powder Coat
- 337007 WBR** Wispy Brulée™
- 337008 WCP** Weathered Copper
- 337007 WH** White
- 337008 WSP** Weathered Steel



To serve you better, Kichler Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.


Accessories

EXTENSION DOWNRODS 1" (O.D.)

CEILING HEIGHT	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
SUGGESTED DOWNROD LENGTH	12 IN. 	18 IN. 	24 IN. 	36 IN. 	48 IN. 	60 IN. 	72 IN. 
FINISH							
ADC Adobe Cream™	360000 ADC	360001 ADC	360002 ADC	360003 ADC	360004 ADC	360005 ADC	360006 ADC
AGZ Aged Bronze	360000 AGZ	360001 AGZ	360002 AGZ	360003 AGZ	360004 AGZ	360005 AGZ	360006 AGZ
ALR Antique Leather	360000 ALR	360001 ALR	360002 ALR	360003 ALR	360004 ALR	360005 ALR	360006 ALR
AMS Antique Marble	360000 AMS	360001 AMS	360002 AMS	360003 AMS	360004 AMS	360005 AMS	360006 AMS
AP Antique Pewter	360000 AP	360001 AP	360002 AP	360003 AP	360004 AP	360005 AP	360006 AP
APC Aged Pecan	360000 APC	360001 APC	360002 APC	360003 APC	360004 APC	360005 APC	360006 APC
AWD Antique Wood	360000 AWD	360001 AWD	360002 AWD	360003 AWD	360004 AWD	360005 AWD	360006 AWD
BAB Burnished Antique Brass	360000 BAB	360001 BAB	360002 BAB	360003 BAB	360004 BAB	360005 BAB	360006 BAB
BKZ Berkshire Bronze™	360000 BKZ	360001 BKZ	360002 BKZ	360003 BKZ	360004 BKZ	360005 BKZ	360006 BKZ
BSS Brushed Stainless Steel	360000 BSS	360001 BSS	360002 BSS	360003 BSS	360004 BSS	360005 BSS	360006 BSS
CTO Canyon Stone™	360000 CTO	360001 CTO	360002 CTO	360003 CTO	360004 CTO	360005 CTO	360006 CTO
CTZ Colton Bronze™	360000 CTZ	360001 CTZ	360002 CTZ	360003 CTZ	360004 CTZ	360005 CTZ	360006 CTZ
CZ Carré Bronze®	360000 CZ	360001 CZ	360002 CZ	360003 CZ	360004 CZ	360005 CZ	360006 CZ
DBK Distressed Black	360000 DBK	360001 DBK	360002 DBK	360003 DBK	360004 DBK	360005 DBK	360006 DBK
GST Galvanized Steel	360000 GST	360001 GST	360002 GST	360003 GST	360004 GST	360005 GST	360006 GST
MCH Midnight Chrome	360000 MCH	360001 MCH	360002 MCH	360003 MCH	360004 MCH	360005 MCH	360006 MCH
MCO Mission Copper™	360000 MCO	360001 MCO	360002 MCO	360003 MCO	360004 MCO	360005 MCO	360006 MCO
MDW Mediterranean Walnut™	360000 MDW	360001 MDW	360002 MDW	360003 MDW	360004 MDW	360005 MDW	360006 MDW
NI Brushed Nickel	360000 NI	360001 NI	360002 NI	360003 NI	360004 NI	360005 NI	360006 NI
OBB Oil Brushed Bronze™	360000 OBB	360001 OBB	360002 OBB	360003 OBB	360004 OBB	360005 OBB	360006 OBB
OI Olde Iron	360000 OI	360001 OI	360002 OI	360003 OI	360004 OI	360005 OI	360006 OI
OLZ Oiled Bronze	360000 OLZ	360001 OLZ	360002 OLZ	360003 OLZ	360004 OLZ	360005 OLZ	360006 OLZ
OZ Olde Bronze®	360000 OZ	360001 OZ	360002 OZ	360003 OZ	360004 OZ	360005 OZ	360006 OZ
PN Polished Nickel	360000 PN	360001 PN	360002 PN	360003 PN	360004 PN	360005 PN	360006 PN
SBK Satin Black	360000 SBK	360001 SBK	360002 SBK	360003 SBK	360004 SBK	360005 SBK	360006 SBK
SNW Satin Natural White	360000 SNW	360001 SNW	360002 SNW	360003 SNW	360004 SNW	360005 SNW	360006 SNW
TZ Tannery Bronze®	360000 TZ	360001 TZ	360002 TZ	360003 TZ	360004 TZ	360005 TZ	360006 TZ
TZG Tannery Bronze® with Gold	360000 TZG	360001 TZG	360002 TZG	360003 TZG	360004 TZG	360005 TZG	360006 TZG
TZP Tannery Bronze® Powder Coat	360000 TZP	360001 TZP	360002 TZP	360003 TZP	360004 TZP	360005 TZP	360006 TZP
WBR Wispy Brulée™	360000 WBR	360001 WBR	360002 WBR	360003 WBR	360004 WBR	360005 WBR	360006 WBR
WCP Weathered Copper	360000 WCP	360001 WCP	360002 WCP	360003 WCP	360004 WCP	360005 WCP	360006 WCP
WH White	360000 WH	360001 WH	360002 WH	360003 WH	360004 WH	360005 WH	360006 WH
WSP Weathered Steel	360000 WSP	360001 WSP	360002 WSP	360003 WSP	360004 WSP	360005 WSP	360006 WSP

Accessories *Finishes that make a statement*

Adding a note of distinction to your home often means exploring the trends. Our latest finish choices give you the perfect palette to express your style, and they coordinate beautifully with the newest finishes found on hardware, furniture, and cabinetry.



ADC
Adobe Cream™
Powder Coat



AGZ
Aged Bronze




ALR
Antique Leather



AMS
Antique Marble with
Silver Highlights



AP
Antique Pewter



APC
Aged Pecan




AWD
Antique Wood




BAB
Burnished Antique Brass



BKZ
Berkshire Bronze™



BSS
Brushed Stainless Steel



CTO
Canyon Stone™



CTZ
Colton Bronze™



CZ
Carré Bronze®



DBK
Distressed Black



GST
Galvanized Steel



MCH
Midnight Chrome




MCO
Mission Copper™



MDW
Mediterranean Walnut™



NI
Brushed Nickel



OBB
Oil Brushed Bronze™



OI
Olde Iron



OLZ
Oiled Bronze



OZ
Olde Bronze®




PN
Polished Nickel



SBK
Satin Black




SNW
Satin Natural White



TZ
Tannery Bronze®



TZG
Tannery Bronze®
with Gold Highlights




TZP
Tannery Bronze®
Powder Coat




WBR
Wispy Brulée™



WCP
Weathered Copper
Powder Coat




WSP
Weathered Steel
Powder Coat



WH
White
Powder Coat


Specifications

Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Control System	Downlight Included	Downlight Removable	Downlight	Uplight	Lead Wire Length	Flush Mount Adaptable
												Primary Lamp/ Lamp Size/Socket Specifications	Secondary Lamp/ Lamp Size/Socket Specifications		
Aldrin™	12	300014 OBB, BSS, MCH, PN	188mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (2) 60-Watt Krypton T3	N/A	78"	Yes
Aldrin™ Patio	114	310127 TZP, WCP, WSP	188mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Outdoor Control System	Yes	No	E-12 (2) 60-Watt Krypton T3	N/A	78"	Yes
Arius™	70	300013 PN, MCH	153mm x 18mm	AC Induction	3	18°	52"	2	CoolTouch™ Control System	No	N/A	N/A	N/A	78"	No
Bellamy™	10	300019 AP, OZ	188mm x 20mm	AC Induction	3	14°	54"	5	CoolTouch™ Control System	Yes	No	E-12 (2) 50-Watt Krypton T3	N/A	78"	No
Bentzen™	98	300118 AP, OBB, AWD, SNW, WBR	172mm x 14mm	AC Induction	3	14°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Bronson	82	300015 ADC, AP, BB	153mm x 18mm	AC Induction	3	12°	52"	4	Pull Chain	Yes	Yes	E-12 (3) 40-Watt B-8	N/A	78"	Yes
Cadence™	64	300125 BSS, MCH, SBK, OBB	172mm x 17mm	AC Induction	3	14°	54"	3	CoolTouch™ Control System	Yes	Cap	JDE-11 75-Watt Halogen	N/A	78"	No
Canfield™ (30")	94, 122	300103 ADC, BSS OBB, NI SNW, WH	153mm x 17mm	AC Induction	3	24°	30"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Included
Canfield™ (44")	92	300107 ADC, BSS, OBB, NI, SNW, WH	172mm x 20mm	AC Induction	3	16°	44"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Canfield™ (52")	88	300117 ADC, AWD, BSS, DBK, OBB, NI, SNW, TZ, WH	172mm x 20mm	AC Induction	3	14°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Canfield™ Patio (52")	120	310192 ADC, TZP, WCP, WSP	172mm x 20mm	AC Induction	3	14°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Canfield™ Select™ (52")	86	300016 ADC, BSS, OBB, TZ	172mm x 20mm	AC Induction	3	16°	52"	5	Pull Chain	Yes	Yes	(2) GU24 13-Watt CFL	N/A	78"	Yes
Celino™	68	300017 BSS, OBB, MCH, SCK	153mm x 18mm	AC Induction	3	14°	48"	3	Basic Hand Held Control System	Yes	No	JDE-E-11 (2) 50 Halogen T-4	N/A	78"	No


	Downrods Included			ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			CFM Per Watt H M L	Product Name				
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length					Hanging Measurements			H	M	L	H	M	L	H	M	L			H	M	L	
							A	B	C															
	1" x 4"		15.75	10.25	12.00	No	Indoor	21.78	66	36	12	0.55	0.47	0.31	185	130	64	5032	3366	1657	76	93	138	Aldrin™
	N/A		N/A	N/A	N/A																			
	1" x 4"		15.75	10.25	12.00	No	Wet	21.78	66	35	12	0.55	0.47	0.31	185	130	64	5556	3825	1658	84	109	138	Aldrin™ Patio
	N/A		N/A	N/A	N/A																			
	1" x 6"		17.75	16.75	10.00	No	Indoor	13.42	46	27	12	0.41	0.36	0.27	127	95	60	4748	3406	1860	103	126	155	Arius™
	N/A		N/A	N/A	N/A																			
	1" x 6"		15.50	11.25	12.25	No	Indoor	22.88	71	46	17	0.60	0.55	0.37	140	108	55	5275	3884	1900	74	84	112	Bellamy™
	1" x 12"		21.50	17.25	12.25																			
	1" x 4"		12.75	11.00	13.00	Yes	Indoor	23.10	64	30	11	0.54	0.37	0.22	180	120	66	5995	3761	1986	93	126	189	Bentzen™
	N/A		N/A	N/A	N/A																			
	1" x 4"		17.75	10.75	11.30	No	Indoor	17.82	53	31	11	0.40	0.35	0.21	174	130	71	4544	3421	1823	86	110	166	Bronson
	N/A		N/A	N/A	N/A																			
	1" x 4"		16.00	10.25	12.00	No	Indoor	18.50	65	36	15	0.55	0.41	0.26	197	146	94	6387	4462	2330	98	123	161	Cadence™
	1" x 12"		22.00	16.25	12.00																			
	1" x 6"		14.00	12.00	9.80	No	Damp	17.60	47	25	9	0.39	0.28	0.16	230	167	87	2266	1564	847	48	63	94	Canfield™ (30")
	Flush Mount Canopy Incl.		8.50	6.50	9.80																			
	1" x 6"		14.50	12.00	11.00	No	Indoor	19.80	58	30	8	0.52	0.38	0.20	187	132	57	4182	2774	1122	72	92	140	Canfield™ (44")
	N/A		N/A	N/A	N/A																			
	1" x 4"		13.45	10.70	12.60	Yes	Indoor	24.20	65	31	10	0.55	0.38	0.24	168	116	62	6151	3940	1982	94	129	191	Canfield™ (52")
	N/A		N/A	N/A	N/A																			
	1" x 4"		13.45	10.70	12.60	Yes	Wet	24.20	65	31	10	0.55	0.38	0.22	168	116	62	6151	3940	1982	94	129	191	Canfield™ Patio (52")
	N/A		N/A	N/A	N/A																			
	1" x 4"		16.75	10.25	11.00	Yes	Indoor	20.46	64	29	10	0.53	0.44	0.30	176	112	60	5344	3297	1854	84	113	182	Canfield™ Select™ (52")
	N/A		N/A	N/A	N/A																			
	1" x 6"		15.25	11.75	7.50	No	Indoor	15.40	52	25	9	0.44	0.37	0.26	198	136	73	4427	2915	1451	85	117	161	Celino™
	N/A		N/A	N/A	N/A																			

Specifications

Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Control System	Downlight Included	Downlight Removable	Downlight	Uplight	Lead Wire Length	Flush Mount Adaptable
												Primary Lamp/ Lamp Size/Socket Specifications	Secondary Lamp/ Lamp Size/Socket Specifications		
Ceres™	60	300021 OBB, BSS, AP	142mm x 18mm	PMDC	5	14°	56"	6	CoolTouch™ II Control System	Yes	No	E-12 (3) 40-Watt Krypton T3	N/A	78"	No
Chicago™	18	300001 AGZ	172mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-8	N/A	78"	Yes
Circolo	52	300005 OZ, NI	172mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 60-Watt B-10	N/A	78"	Yes
Cortez	44	300113 TZ	172mm x 20mm	AC Induction	3	14°	52"	5	Pull Chain	Optional	N/A	Optional Fixtures Available	E-12 (4) 15-Watt C-7	78"	No
Cottage Grove™	34	300003 CZ	172mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-8	E-12 (4) 15-Watt C-7	78"	No
Eva™	62	300121 OBB, SBK, BSS	153mm x 20mm	AC Induction	3	14°	46"	3	CoolTouch™ Control System	Yes	No	(1) 100-Watt Halogen JDE	N/A	78"	No
Golden Iridescence™	26	300000 OLZ	172mm x 20mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Optional	N/A	Optional Fixtures Available	E-12 (4) 15-Watt C-7	78"	No
Harbour Walk™ Patio	110	310102 GST, TZP, WCP	188mm x 20mm	AC Induction	3	14°	52"	5	CoolTouch™ Outdoor Control System	Yes	No	E-12 (4) 40-Watt Krypton T3	N/A	78"	Yes
Hatteras Bay™	16	300018 BAB, OBB, BSS	188mm x 25mm	AC Induction	3	14°	56"	5	CoolTouch™ Control System	Yes	No	E-12 (4) 40-Watt Krypton T3	N/A	78"	Yes Included
Hatteras Bay™ Patio	112	310101 TZP, WCP	153mm x 17mm	AC Induction	3	14°	44"	5	CoolTouch™ Outdoor Control System	Yes	No	E-12 (4) 40-Watt Krypton T3	N/A	78"	Yes
Heather™	38	300115 AMS, MCO	172mm x 17mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Optional	N/A	Optional Fixtures Available	N/A	78"	Yes
Hendrick™	54	300114 OZ, NI	172mm x 17mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-10	N/A	78"	Yes
High Country™	22	300010 OI	188mm x 25mm	AC Induction	3	14°	56"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 40-Watt B-10.5	E-12 (6) 15-Watt C-7	78"	No


	Downrods Included					ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			CFM Per Watt H M L	Product Name		
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length							Hanging Measurements			H	M	L	H	M	L	H	M	L			H	M
			A	B	C				Speed	Speed	Speed	Speed	Speed	Speed										
	1" x 6"		17.25	13.25	12.25	No	Indoor	23.54														Ceres™		
		N/A	N/A	N/A	N/A				1	3	5	1	3	5	1	3	5	1	3	5	1		3	5
									17	6	2	0.29	0.13	0.09	150	100	51	5527	3753	1652	337		635	718
	1" x 4"		12.25	11.25	10.00	No	Indoor	22.70	69	37	14	0.57	0.43	0.27	166	118	70	5790	3781	2118	84	103	148	Chicago™
		1" x 12"	18.25	17.25	10.00																			
	1" x 4"		22.50	11.00	11.00	No	Indoor	28.00	67	34	13	0.57	.042	0.26	152	105	71	5536	3645	1908	82	106	145	Circolo
		1" x 12"	28.50	17.00	11.00																			
	1" x 4"		13.50	11.50	15.00	No	Indoor	29.11	74	35	13	0.64	0.45	0.27	183	124	72	6281	3938	1926	84	112	153	Cortez
		1" x 12"	19.50	17.50	15.00																			
	1" x 6"		22.00	13.00	13.25	No	Indoor	28.40	67	34	13	0.57	0.42	0.26	154	105	61	5523	3528	1747	82	103	132	Cottage Grove™
		1" x 12"	28.00	19.00	13.25																			
	1" x 6"		17.40	13.75	8.25	No	Indoor	17.16	35	20	9	0.29	0.30	0.23	185	127	73	3505	2304	1305	100	115	145	Eva™
		1" x 12"	23.40	19.75	8.25																			
	1" x 6"		16.75	12.00	14.50	No	Indoor	35.40	76	38	17	0.63	0.45	0.27	168	114	68	5858	3716	1959	77	98	142	Golden Iridescence™
		1" x 12"	22.75	18.00	14.50																			
	1" x 8"		19.50	13.00	15.90	No	Wet	31.24	74	33	11	0.62	0.48	0.30	184	117	58	6049	3827	1610	82	116	146	Harbour Walk™
		N/A	N/A	N/A	N/A																			
	1" x 12"		22.50	18.50	15.25	No	Indoor	30.36	80	39	14	0.66	0.53	0.35	149	97	52	5515	3670	1895	69	94	135	Hatteras Bay™
		Flush Mount Canopy Incl.	11.25	7.25	15.25																			
	1" x 12"		22.50	18.50	14.00	No	Damp	23.10	54	25	12	0.45	0.38	0.29	213	146	93	4299	2883	1842	80	115	154	Hatteras Bay™ Patio
		Flush Mount Canopy Incl.	11.25	7.25	14.00																			
	1" x 4"		13.25	11.00	11.65	No	Indoor	33.00	76	43	17	0.60	0.54	0.32	165	117	66	5397	3632	1893	71	84	111	Heather™
		1" x 12"	19.25	17.00	11.65																			
	1" x 4"		16.50	10.50	12.25	No	Indoor	29.70	70	39	14	0.57	0.48	0.30	154	112	57	5022	3393	1498	72	87	107	Hendrick™
		1" x 12"	22.50	16.50	12.25																			
	1" x 6"		15.75	12.75	13.00	No	Indoor	34.10	76	49	25	0.61	0.54	0.40	148	112	75	5720	4371	2869	75	89	115	High Country™
		1" x 12"	21.75	18.75	13.00																			

Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Control System	Downlight Included	Downlight Removable	Downlight		Uplight		Lead Wire Length	Flush Mount Adaptable
												Primary Lamp/ Lamp Size/Socket Specifications	Secondary Lamp/ Lamp Size/Socket Specifications	Lead Wire Length	Flush Mount Adaptable		
Highland Manor™	30	300101 AP, OLZ	188mm x 25mm	AC Induction	3	14°	56"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-8	N/A	78"	No		
Humboldt™	24	300002 OLZ	172mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 60-Watt B-10	N/A	78"	Yes		
Kedron™	96	300104 OBB, NI, TZ, WH	188mm x 25mm	AC Induction	3	16°	54"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes		
Keswick™	58	300112 PN, OBB	172mm x 17mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-8	N/A	78"	No		
Kimberley™	28	300008 APC, BKZ	188mm x 25mm	AC Induction	3	14°	60"	5	CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt B-8	E-12 (6) 15-Watt C-7	78"	No		
Kittery Point™	14	300020 AP, PN	188mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	No	E-12 (4) 40-Watt Krypton T3	N/A	78"	Yes		
Larissa™	42	300012 TZG	172mm x 17mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 40-Watt B-10.5	N/A	78"	No		
LaSalle™	46	300109 CTO, MDW	172mm x 14mm	AC Induction	3	14°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes		
Lucia™	56	300111 NI, OZ	172mm x 20mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	Yes	E-11 (2) 50-Watt Halogen JD	E-12 4x15 Watt C-7	78"	No		
Meredith™	20	300004 DBK	172mm x 20mm	AC Induction	3	14°	54"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 60-Watt B-10	N/A	78"	Yes		
Monarch™	74	300106 OBB, WBR, TZ, WH	142mm x 18mm	PMDC	5	14°	70"	5	CoolTouch™ II DC Control System	Universal	N/A	N/A	N/A	78"	Yes		
Novella™	48	300110 ALR	172mm x 20mm	AC Induction	3	14°	52"	5	Pull Chain	Optional	N/A	Optional Fixtures Available	N/A	78"	No		
Olympia™	50	300011 AP, OZ, DBK	188mm x 25mm	AC Induction	3	14°	60"	5	CoolTouch™ Control System	Optional	N/A	Optional Fixtures Available	E-12 (6) 15-Watt C-7	78"	No		

	Downrods Included					ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			CFM Per Watt H M L	Product Name		
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length							Hanging Measurements			H	M	L	H	M	L	H	M	L			H	M
			A	B	C																			
	1" x 6"		20.50	12.50	9.50	No	Indoor	25.94	89	39	12	0.73	0.46	0.27	173	101	54	6875	3859	1854	78	111	156	Highland Manor™
	1" x 12"		26.50	18.50	9.50																			
	1" x 4"		18.50	9.50	9.00	No	Indoor	22.40	71	36	14	0.59	0.43	0.26	168	115	67	5947	3722	2019	84	104	148	Humboldt™
	1" x 12"		24.50	15.50	9.00			25.70																
	1" x 4"		12.80	11.30	12.35	Yes	Indoor	26.40	68	33	11	0.57	0.40	0.22	170	115	58	6316	4199	1889	93	126	189	Kedron™
	N/A		N/A	N/A	N/A																			
	1" x 4"		15.00	6.50	13.00	No	Indoor	30.80	61	41	17	0.50	0.47	0.34	154	125	76	4751	3831	2203	78	93	130	Keswick™
	1" x 12"		21.00	12.50	13.00																			
	1" x 6"		19.50	12.00	15.25	No	Indoor	35.20	91	55	24	0.75	0.64	0.43	142	106	65	6178	4641	2678	68	84	112	Kimberley™
	1" x 12"		25.50	18.00	15.25																			
	1" x 6"		18.35	11.75	16.15	No	Indoor	29.38	59	34	12	0.49	0.44	0.30	166	122	65	5054	3838	2131	86	113	178	Kittery Point™
	1" x 12"		24.35	17.75	16.15																			
	1" x 6"		22.50	13.25	14.50	No	Indoor	33.20	61	34	14	0.48	0.41	0.27	148	106	59	4895	3505	2047	80	103	146	Larissa™
	1" x 12"		28.50	19.25	14.50																			
	1" x 4"		15.00	10.50	11.30	No	Indoor	33.00	66	30	11	0.52	0.36	0.20	150	100	51	5005	3049	1304	76	102	119	LaSalle™
	1" x 12"		21.00	16.50	11.30																			
	1" x 12"		26.50	19.50	16.00	No	Indoor	29.96	76	38	14	0.63	0.46	0.27	182	128	74	6432	4273	2258	85	113	164	Lucia™
	N/A		N/A	N/A	N/A																			
	1" x 4"		18.00	11.50	9.75	No	Indoor	22.40	84	41	13	0.71	0.51	0.29	152	107	58	6351	4230	1965	76	103	150	Meredith™
	1" x 12"		24.00	17.50	9.75																			
	1" x 6"		16.50	14.50	15.00	No	Indoor	27.50	Speed:			Speed:			Speed:			Speed:			Speed:			Monarch™
	N/A		N/A	N/A	N/A				1	3	5	1	3	5	1	3	5	1	3	5	1	3	5	
								37	14	4	0.53	0.22	0.10	107	76	36	6888	4823	2394	186	345	599		
	1" x 4"		11.75	9.00	9.75	No	Indoor	22.94	75	35	13	0.64	0.45	0.27	176	115	67	6182	3743	2029	83	106	160	Novella™
	1" x 12"		17.75	15.00	9.75																			
	1" x 6"		15.00	13.00	13.75	No	Indoor	30.80	76	50	27	0.64	0.56	0.42	121	98	72	5736	4522	2685	75	90	99	Olympia™
	1" x 12"		21.00	19.00	13.75																			

Specifications

Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Control System	Downlight Included	Downlight Removable	Downlight	Uplight	Lead Wire Length	Flush Mount Adaptable
												Primary Lamp/Socket Specifications	Secondary Lamp/Socket Specifications		
Palla™	8	300126 PN, MCH	188mm x 25mm	AC Induction	3	14°	56"	5	CoolTouch™ Control System	Optional	N/A	N/A	E12 (6) 15-Watt C-7	78"	Yes
Richland™	80	300123 ADC, BSS, BB	153mm x 13mm	AC Induction	3	12°	42"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Richland II™	78	300124 ADC, BSS, OBB	153mm x 13mm	AC Induction	3	12°	42"	5	Pull Chain	Universal	N/A	N/A	N/A	8"	N/A
Rochelle™	32	300007 CZ	188mm x 25mm	AC Induction	3	14°	56"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 40-Watt B-10.5	E-12 (6) 15-Watt C-7	78"	No
Roxton™	36	300108 CTZ	188mm x 15mm	AC Induction	3	14°	52"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 40-Watt B-10	N/A	78"	Yes
Seaside™	116	310131 NI, OZ	188mm x 20mm	AC Induction	3	14°	54"	4	Pull Chain	Yes	No	(1) GU24 18 Watt CFL	N/A	78"	Yes
Sterling Manor™	104	339010 ADC, BSS, DBK, NI, OBB, SNW, TZ, WH	153mm x 15mm	AC Induction	3	11.5°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Included
Sterling Manor™ Patio	124	339520 TZP, WH	153mm x 15mm	AC Induction	3	11.5°	52"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Included
Sterling Manor™ Select™	100	339210 ADC, BSS, NI, OBB, SNW, TZ, WH	153mm x 15mm	AC Induction	3	11.5°	52"	5	Pull Chain	Yes	Yes	E-12 (3) 40-Watt B-10	N/A	78"	Included
Structures	66	300009 NI, OZ, SNW	153mm x 18mm	AC Induction	3	14°	52"	3	CoolTouch™ Control System	Yes	Cap	JDE-11 100-Watt Halogen	N/A	78"	No
Whitmore™	76	300105 OBB, CTO, TZ, WH	212mm x 35mm	AC Induction	3	17.5°	60"	5	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes
Wilton™	40	300006 CZ	172mm x 20mm	AC Induction	3	14°	54"	5	CoolTouch™ Control System	Yes	Yes	E-12 (3) 40-Watt B-8	E-12 4x15 Watt C-7	78"	No
Windham™	84, 118	300119 OBB, NI, TZ, WH	172mm x 20mm	AC Induction	3	14°	52"	5	Pull Chain	Yes	No	E-12 (3) 40-Watt B-10	N/A	8"	N/A

	Downrods Included					ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			CFM Per Watt			Product Name
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length							Hanging Measurements			H	M	L	H	M	L	H	M	L	H	M	L	
			A	B	C																			
	1" x 6"		16.50	13.00	16.00	No	Indoor	34.54	72	33	13	0.60	0.41	0.26	141	92	53	6308	3852	2058	88	115	156	Palla™
	1" x 12"		22.50	19.00	16.00																			
	1" x 4"		13.63	11.63	9.00	No	Indoor	12.76	42	23	9	0.35	0.26	0.17	213	156	94	3216	2448	1364	77	106	152	Richland™
	N/A		N/A	N/A	N/A																			
	Flush Mount		9.50	7.50	6.00	No	Indoor	12.76	42	23	9	0.35	0.26	0.17	213	156	94	3216	2448	1364	77	106	152	Richland II™
	N/A		N/A	N/A	N/A																			
	1" x 6"		23.75	12.25	14.25	No	Indoor	34.10	78	51	27	0.64	0.56	0.42	151	114	73	5776	4430	2799	74	87	104	Rochelle™
	1" x 12"		29.75	18.25	14.25																			
	1" x 6"		20.75	12.25	12.00	No	Indoor	35.20	79	37	13	0.65	0.45	0.27	185	122	71	6455	4100	1941	82	112	145	Roxton™
	1" x 12"		26.75	18.25	12.00																			
	1" x 6"		19.00	10.00	15.00	No	Wet	28.40	82	31	9	0.68	0.43	0.23	175	108	56	6790	3618	1712	82	118	188	Seaside™
	1" x 12"		25.00	16.00	15.00																			
	1" x 4"		12.50	10.50	11.00	No	Indoor	20.90	66	30	9	0.55	0.39	0.22	186	124	70	6182	3900	1927	94	132	212	Sterling Manor™
	Flush Mount Canopy Incl.		9.00	7.00	11.00																			
	1" x 4"		12.25	10.25	11.00	No	Wet	20.90	52	34	14	0.41	0.32	0.18	165	130	75	4121	3259	1514	79	96	108	Sterling Manor™ Patio
	Flush Mount Canopy Incl.		9.00	7.00	11.00																			
	1" x 4"		17.75	10.50	11.00	No	Indoor	20.90	65	30	10	0.55	0.38	0.21	200	134	67	5275	3579	1849	81	119	185	Sterling Manor™ Select™
	Flush Mount Canopy Incl.	N/A	N/A	N/A	N/A																			
	1" x 6"		17.25	11.75	7.75	No	Indoor	31.90	54	35	15	0.42	0.38	0.26	156	118	68	4540	3407	1655	84	97	110	Structures
	1" x 12"		23.25	17.75	7.75																			
	1" x 4"		13.90	11.90	11.80	Yes	Indoor	27.50	65	36	11	0.55	0.41	0.23	120	84	44	5931	4293	1965	91	120	174	Whitmore™
	N/A		N/A	N/A	N/A																			
	1" x 6"		20.75	11.50	14.50	No	Indoor	31.90	76	38	14	0.63	0.45	0.27	166	117	67	6593	3830	1934	87	100	138	Wilton™
	1" x 12"		26.75	17.50	14.50																			
	Flush Mount		12.75	6.00	11.50	No	Damp	26.40	62	32	15	0.52	0.38	0.26	137	100	63	5058	3447	2278	82	108	152	Windham™
	N/A		N/A	N/A	N/A																			

Index

340001.....	129	300017BSS.....	68	3001140Z.....	54	337005ADC.....	144	337007AP.....	146	337008TZP.....	146
340002.....	129	300017MCH.....	68	300115AMS.....	38	337005AGZ.....	144	337007APC.....	146	337008WBR.....	146
340003.....	129	3000170BB.....	69	300115MCO.....	39	337005ALR.....	144	337007AWD.....	146	337008WCP.....	146
340004.....	129	300017SBK.....	69	300117ADC.....	91	337005AMS.....	144	337007BAB.....	146	337008WH.....	146
340005.....	129	300018BAB.....	16	300117AWD.....	88	337005AP.....	144	337007BKZ.....	146	337008WSP.....	146
340006.....	129	300018BSS.....	16	300117BSS.....	91	337005APC.....	144	337007BSS.....	146	337009R200.....	142
340101.....	132	3000180BB.....	17	300117DBK.....	90	337005AWD.....	144	337007CTO.....	146	337009R400.....	142
340102.....	132	300019AP.....	11	300117NI.....	90	337005BAB.....	144	337007CTZ.....	146	337009R600.....	142
340103.....	132	3000190Z.....	10	3001170BB.....	91	337005BKZ.....	144	337007CZ.....	146	337009R800.....	142
340104.....	130	300020AP.....	15	300117SNW.....	91	337005BSS.....	144	337007DBK.....	146	337009W500.....	142
340105.....	132	3000200Z.....	14	300117TZ.....	90	337005CTO.....	144	337007GST.....	146	337010ALM.....	141
340106.....	130	300020PN.....	14	300117WH.....	90	337005CTZ.....	144	337007MCH.....	146	337010IV.....	141
340107.....	130	300021AP.....	60	300118AP.....	98	337005CZ.....	144	337007MCO.....	146	337010WH.....	141
340108.....	131	300021BSS.....	61	300118AWD.....	98	337005DBK.....	144	337007MDW.....	146	337011ALM.....	141
340109.....	132	3000210BB.....	60	3001180BB.....	99	337005GST.....	144	337007NI.....	146	337011IV.....	141
340112.....	131	300101AP.....	31	300118SNW.....	98	337005MCH.....	144	337007OBB.....	146	337011WH.....	141
340119.....	132	3001010LZ.....	30	300118WBR.....	99	337005MCO.....	144	337007OI.....	146	337012ALM.....	141
350001.....	128	300103ADC.....	95, 123	300119NI.....	85, 118	337005MDW.....	144	337007OLZ.....	146	337012IV.....	141
350002.....	128	300103BSS.....	95, 122	3001190BB.....	84, 119	337005NI.....	144	337007OZ.....	146	337012WH.....	141
3000000LZ.....	26	300103NI.....	94, 122	300119TZ.....	84, 118	337005OBB.....	144	337007PN.....	146	338050TZP.....	139
300001AGZ.....	18	3001030BB.....	94, 123	300119WH.....	84, 118	337005OI.....	144	337007SBK.....	146	338050WH.....	139
3000020LZ.....	24	300103SNW.....	94, 122	300121BSS.....	63	3370050LZ.....	144	337007SNW.....	146	338500MUL.....	133
300003CZ.....	34	300103WH.....	95, 123	3001210BB.....	63	337005OZ.....	144	337007TZ.....	146	338501MUL.....	133
300004DBK.....	20	300104NI.....	96	300121SBK.....	62	337005PN.....	144	337007TZG.....	146	338502MUL.....	133
300005NI.....	52	3001040BB.....	97	300123ADC.....	80	337005SBK.....	144	337007TZP.....	146	338503MUL.....	133
300005OZ.....	53	300104TZ.....	97	300123BSS.....	81	337005SNW.....	144	337007WBR.....	146	338505ADC.....	134
300006CZ.....	40	300104WH.....	96	3001230BB.....	80	337005TZ.....	144	337007WCP.....	146	338505BSS.....	135
300007CZ.....	32	300105CTO.....	76	300124ADC.....	78	337005TZG.....	144	337007WH.....	146	338505DBK.....	134
300008APC.....	29	3001050BB.....	76	300124BSS.....	78	337005TZP.....	144	337007WSP.....	146	338505NI.....	134
300008BKZ.....	28	300105TZ.....	77	3001240BB.....	79	337005WBR.....	144	337008ADC.....	146	3385050BB.....	134
300009NI.....	66	300105WH.....	76	300125BSS.....	64	337005WCP.....	144	337008AGZ.....	146	338505SNW.....	135
300009OZ.....	67	3001060BB.....	74	300125MCH.....	64	337005WH.....	144	337008AMS.....	146	338505TZ.....	134
300009SNW.....	66	300106TZ.....	74	3001250BB.....	65	337005WSP.....	144	337008AP.....	146	338505WH.....	134
300010OI.....	22	300106WBR.....	75	300125SBK.....	65	337006ADC.....	128	337008AWD.....	146	339010ADC.....	107
300011AP.....	50	300106WH.....	75	300126MCH.....	9	337006AP.....	128	337008BAB.....	146	339010BSS.....	107
300011DBK.....	51	300107ADC.....	92	300126PN.....	8	337006AWD.....	128	337008BSS.....	146	339010DBK.....	106
300011OZ.....	50	300107BSS.....	92	310101TZP.....	112	337006AWD.....	128	337008CTO.....	146	339010NI.....	106
300012TZG.....	42	300107NI.....	92	310101WCP.....	113	337006BSS.....	128	337008CTZ.....	146	339010OBB.....	107
300013MCH.....	71	3001070BB.....	93	310102GST.....	110	337006CTO.....	128	337008DBK.....	146	339010SNW.....	107
300013PN.....	70	300107SNW.....	93	310102TZP.....	110	337006DBK.....	128	337008DBK.....	146	339010SNW.....	107
300014BSS.....	12	300107WH.....	93	310102WCP.....	111	337006MDW.....	128	337008GST.....	146	339010TZ.....	104
300014MCH.....	12	300108CTZ.....	36	310127TZP.....	114	337006NI.....	128	337008MCH.....	146	339010WH.....	106
3000140BB.....	13	300109CTO.....	46	310127WCP.....	115	337006OBB.....	128	337008MCO.....	146	339210ADC.....	102
300014PN.....	13	300109MDW.....	47	310127WSP.....	114	337006SNW.....	128	337008MDW.....	146	339210BSS.....	102
300015ADC.....	82	300110ALR.....	48	310131NI.....	116	337006TZ.....	128	337008NI.....	146	339210NI.....	100
300015AP.....	83	300111NI.....	56	310131OZ.....	117	337006TZP.....	128	337008OBB.....	146	339210OBB.....	103
3000150BB.....	82	300111OZ.....	57	310192ADC.....	120	337006WBR.....	128	3370080LZ.....	146	339210SNW.....	103
300016TZ.....	87	3001120BB.....	59	310192TZP.....	120	337006WH.....	128	337008OZ.....	146	339210TZ.....	103
300016ADC.....	87	300112PN.....	58	310192WCP.....	121	337007ADC.....	146	337008PN.....	146	339210WH.....	102
300016BSS.....	86	300113TZ.....	44	310192WSP.....	120	337007AGZ.....	146	337008SBK.....	146	339520TZP.....	124
3000160BB.....	86	300114NI.....	55	337001WH.....	141	337007ALR.....	146	337008SNW.....	146	339520WH.....	125
						337007AMS.....	146	337008TZ.....	146	360000ADC.....	147

Index

360000AGZ..... 147	3600010BB..... 147	360003AP..... 147	3600040Z..... 147	360006BAB..... 147	370018NI..... 143
360000ALR..... 147	3600010I..... 147	360003APC..... 147	360004PN..... 147	360006BKZ..... 147	3700180BB..... 143
360000AMS..... 147	3600010LZ..... 147	360003AWD..... 147	360004SBK..... 147	360006BSS..... 147	370018SNW..... 143
360000AP..... 147	3600010Z..... 147	360003BAB..... 147	360004SNW..... 147	360006CTO..... 147	370018TZ..... 143
360000APC..... 147	360001PN..... 147	360003BKZ..... 147	360004TZ..... 147	360006CTZ..... 147	370018WBR..... 143
360000AWD..... 147	360001SBK..... 147	360003BSS..... 147	360004TZG..... 147	360006CZ..... 147	370018WH..... 143
360000BAB..... 147	360001SNW..... 147	360003CTO..... 147	360004ZTP..... 147	360006DBK..... 147	380000AP..... 126
360000BKZ..... 147	360001TZ..... 147	360003CTZ..... 147	360004WBR..... 147	360006GST..... 147	380000DBK..... 126
360000BSS..... 147	360001TZG..... 147	360003CZ..... 147	360004WCP..... 147	360006MCH..... 147	380000OZ..... 126
360000CTO..... 147	360001TZP..... 147	360003DBK..... 147	360004WH..... 147	360006MCO..... 147	380001AP..... 126
360000CTZ..... 147	360001WBR..... 147	360003GST..... 147	360004WSP..... 147	360006MDW..... 147	380001DBK..... 126
360000CZ..... 147	360001WCP..... 147	360003MCH..... 147	360005ADC..... 147	360006NI..... 147	380001OZ..... 126
360000DBK..... 147	360001WH..... 147	360003MCO..... 147	360005AGZ..... 147	360006OB 147	380002OLZ..... 127
360000GST..... 147	360001WSP..... 147	360003MDW..... 147	360005ALR..... 147	360006OI..... 147	380003OLZ..... 127
360000MCH..... 147	360002ADC..... 147	360003NI..... 147	360005AMS..... 147	360006OLZ..... 147	380004MUL..... 126
360000MCO..... 147	360002AGZ..... 147	360003OB 147	360005AP..... 147	360006OZ..... 147	380005AMS..... 126
360000MDW..... 147	360002ALR..... 147	360003OI..... 147	360005APC..... 147	360006PN..... 147	380005MCO..... 126
360000NI..... 147	360002AMS..... 147	360003OLZ..... 147	360005AWD..... 147	360006SBK..... 147	380006ALR..... 126
360000OB 147	360002AP..... 147	360003OZ..... 147	360005BAB..... 147	360006SNW..... 147	380007TZ..... 127
360000OI..... 147	360002APC..... 147	360003PN..... 147	360005BKZ..... 147	360006TZ..... 147	380101BSS..... 135
360000OLZ..... 147	360002AWD..... 147	360003SBK..... 147	360005BSS..... 147	360006TZG..... 147	3801010BB..... 135
360000OZ..... 147	360002BAB..... 147	360003SNW..... 147	360005CTO..... 147	360006TZP..... 147	380101TZ..... 135
360000PN..... 147	360002BKZ..... 147	360003TZ..... 147	360005CTZ..... 147	360006WBR..... 147	380101WH..... 135
360000SBK..... 147	360002BSS..... 147	360003TZG..... 147	360005CZ..... 147	360006WCP..... 147	380102WH..... 137
360000SNW..... 147	360002CTO..... 147	360003TZP..... 147	360005DBK..... 147	360006WH..... 147	380104MUL..... 133
360000TZ..... 147	360002CTZ..... 147	360003WBR..... 147	360005GST..... 147	360006WSP..... 144	380106OB 136
360000TZG..... 147	360002CZ..... 147	360003WCP..... 147	360005MCH..... 147	370010ALM..... 141	380106TZ..... 136
360000TZP..... 147	360002DBK..... 147	360003WH..... 147	360005MCO..... 147	370010IV..... 141	380106WH..... 136
360000WBR..... 147	360002GST..... 147	360003WSP..... 147	360005MDW..... 147	370011ALM..... 141	380107OB 136
360000WCP..... 147	360002MCH..... 147	360004ADC..... 147	360005NI..... 147	370011IV..... 141	380107TZ..... 136
360000WH..... 147	360002MCO..... 147	360004AGZ..... 147	360005OB 147	370011WH..... 141	380107WH..... 136
360000WSP..... 147	360002MDW..... 147	360004ALR..... 147	360005OI..... 147	370012MUL..... 142	380108MCH..... 127
360001ADC..... 147	360002NI..... 147	360004AMS..... 147	360005OLZ..... 147	370014MUL..... 142	380108PN..... 127
360001AGZ..... 147	360002OB 147	360004AP..... 147	360005OZ..... 147	370017ADC..... 143	380111BSS..... 137
360001ALR..... 147	360002OI..... 147	360004APC..... 147	360005PN..... 147	370017AP..... 143	3801110BB..... 137
360001AMS..... 147	360002OLZ..... 147	360004AWD..... 147	360005SBK..... 147	370017AWD..... 143	380111TZ..... 137
360001AP..... 147	360002OZ..... 147	360004BAB..... 147	360005SNW..... 147	370017BSS..... 143	380111WH..... 137
360001APC..... 147	360002PN..... 147	360004BKZ..... 147	360005TZ..... 147	370017CTO..... 143	380402MUL..... 133
360001AWD..... 147	360002SBK..... 147	360004BSS..... 147	360005TZG..... 147	370017DBK..... 143	380900TZP..... 138
360001BAB..... 147	360002SNW..... 147	360004CTO..... 147	360005TZP..... 147	370017NI..... 143	380900WCP..... 138
360001BKZ..... 147	360002TZ..... 147	360004CTZ..... 147	360005WBR..... 147	370017OB 143	380900WSP..... 138
360001BSS..... 147	360002TZG..... 147	360004CZ..... 147	360005WCP..... 147	370017SNW..... 143	380901TZP..... 138
360001CTO..... 147	360002TZP..... 147	360004DBK..... 147	360005WH..... 147	370017TZ..... 143	380901WCP..... 138
360001CTZ..... 147	360002WBR..... 147	360004GST..... 147	360005WSP..... 147	370017TZP..... 143	380901WSP..... 138
360001CZ..... 147	360002WCP..... 147	360004MCH..... 147	360006ADC..... 147	370017WCP..... 143	380902ADC..... 139
360001DBK..... 147	360002WH..... 147	360004MCO..... 147	360006AGZ..... 147	370017WH..... 143	380902TZP..... 139
360001GST..... 147	360002WSP..... 147	360004MDW..... 147	360006ALR..... 147	370017WSP..... 143	380902WCP..... 139
360001MCH..... 147	360003ADC..... 147	360004NI..... 147	360006AMS..... 147	370018ADC..... 143	380902WSP..... 139
360001MCO..... 147	360003AGZ..... 147	360004OB 147	360006AP..... 147	370018AP..... 143	
360001MDW..... 147	360003ALR..... 147	360004OI..... 147	360006APC..... 147	370018AWD..... 143	
360001NI..... 147	360003AMS..... 147	360004OLZ..... 147	360006AWD..... 147	370018BSS..... 143	



KICHLER® LIGHTING

World Headquarters
7711 E. Pleasant Valley Rd.
PO Box 318010
Cleveland, Ohio 44131-8010

www.kichler.com

50M/09-KF-893
Catalog No. **K810**
Printed in USA
© Copyright All rights reserved.
Kichler Lighting.

The majority of newer Kichler Lighting fixtures are U.S. Patent Pending. Many are also Patent Pending in Canada.



*Featured on Front Cover:
Kittery Point™ Ceiling Fan 300020 PN*

*Featured on Back Cover:
Seaside™ Ceiling Fan 310131 OZ*