



ET2 Contemporary Lighting



# ET2 Contemporary Lighting



All items in this catalog are ETL, ULListed and/or CSA Approved

COLLECTIONS AND MORE

- Anglex | 32
- Beam I | 45
- Beam II | 47
- Bijou | 13
- Edinburgh I | 37
- Edinburgh II | 38
- Hydrox | 20
- Inca | 11
- Jetson | 22
- Lattice | 21
- Linea | 26
- Lotus | 25
- Minx | 39
- Nordic | 27
- Novara | 19
- Pearl | 29
- Radiance | 33
- Salzburg | 24
- Sensé | 17
- Slyer | 31
- Spectre | 35
- Starburst | 1
- Under Cabinet ET-LED-D Series | 58
- Under Cabinet ET-LED-LP Series | 57
- Under Cabinet ET-Xenon-120VC Series | 56
- Under Cabinet ET-Xenon-12VLX Series | 55
- Voltaire | 23
- Vox | 36
- Zenith I | 49
- Zenith II | 52

LEGEND







**HCO** | Height from Center of Outlet  
**OA** | Overall Height  
**Incl** | Bulb(s) Included  
**Alum** | Aluminum

# STARBURST

It was Shakespeare that said, "The stars above us, govern our conditions." And so it is with this amazing multi-light pendant series. Each unique glass cover supports handmade glass starbursts- Chrome hardware and a satin nickel- finish canopy complete each structure, and every little piece is adjustable to enhance your galaxy in a variety of different ways.



79 Threaded Glass



<b>E20113-78,79</b>	
<b>19 - Light Pendant</b>	
Finish: <b>Satin Nickel</b> Glass: <b>See Image</b>	
Min OA: <b>24"</b> Max OA: <b>53"</b>	
 	
<b>19 x Max 10W G4</b> Xenon (Incl)	
 <ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 120 Lumens</li> </ul>	
	



78 Mesh




<b>E20112-78,79</b>	
<b>37 - Light Pendant</b>	
Finish: <b>Satin Nickel</b>	
Glass: <b>See Image</b>	
Min OA: <b>42"</b>	
MaxOA: <b>72"</b>	
<b>37 x Max 10W G4</b>	
Xenon (Incl)	
	<ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 120 Lumens</li> </ul>





**78 Mesh**




79 Threaded Glass



78 Mesh

<b>E20114-78,79</b>	
<b>7-Light Pendant</b>	
Finish: <b>Satin Nickel</b> Glass: <b>See Image</b>	
Min OA: <b>24"</b> Max OA: <b>54"</b>	
 	
<b>7 x Max 20W G4</b> Xenon (Incl) <ul style="list-style-type: none"> <li>▪ Bi-Pin</li> <li>▪ Clear</li> <li>▪ 12V</li> <li>▪ 320 Lumens</li> </ul>	





79 Threaded Glass










78 Mesh





79 Threaded Glass


<b>E20108-78,79</b>	
<b>1-Light Pendant</b>	
Finish: <b>Satin Nickel</b> Glass: <b>See Image</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
	
<b>1x Max 20W G4</b> Xenon (Incl)	
	<ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 320 Lumens</li> </ul>




<b>E20107-78,79</b>
<b>8-Light Pendant</b>
Finish: <b>Satin Nickel</b> Glass: <b>See Image</b>
Min OA: <b>18"</b> Max OA: <b>96"</b>

<b>8 x Max 20W G4</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 320 Lumens</li> </ul>






79 Threaded Glass




78 Mesh



<b>E20106-78,79</b>	
<b>9-Light Pendant</b>	
Finish: <b>Satin Nickel</b> Glass: <b>See Image</b>	
Min OA: <b>18"</b> Max OA: <b>96"</b>	
	
<b>9 x Max 20W G4</b> Xenon (Incl)	
 <ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 320 Lumens</li> </ul>	


**SQUARE**



6"

16"

79 Threaded Glass



78 Mesh

Legendary Incan tears of the sun encrust the clearest crystal cylinder producing a radiant glimmer of ancient riches. A gold glow of Xenon sparkles through a laser-cut metal sheath with precision, perfectly illuminating the treasures that adorn its outer transparent layer.



<b>E21301-10PC*</b>	
<b>9-Light Flush Mount</b>	
Finish: <b>Chrome</b> Shade: <b>Steel Web</b>	
<b>9 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
8.75"	
23.5"	

\*Ventilated Steel Shade

<b>E21308-10PC*</b>	
<b>9-Light Pendant</b>	
Finish: <b>Chrome</b> Shade: <b>Steel Web</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>9 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
8"	
23.5"	

\*Ships with 130" of wire, Ventilated Steel Shade





<b>E21300-10PC*</b>	
<b>7-Light Flush Mount</b>	
Finish: <b>Chrome</b> Shade: <b>Steel Web</b>	
<b>7 x Max 40W G9</b> Xenon (Incl) • Hallow Bi-Pin • Clear • 120V • 500 Lumens 	

\*Ventilated Steel Shade



<b>E21309-10PC*</b>	
<b>7-Light Pendant</b>	
Finish: <b>Chrome</b> Shade: <b>Steel Web</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>7 x Max 40W G9</b> Xenon (Incl) • Hallow Bi-Pin • Clear • 120V • 500 Lumens 	

\*Ships with 130" of wire, Ventilated Steel Shade






Bejeweled in thousands of crystals over gleaming K9 chrome, Bijou glitters with the unmistakable radiance of rare diamonds. Encasing warm, soft glow within, the smooth orbs of chrome come to life as light shimmers and dances off the crystal-encrusted surface. Whether pendant, sconce, or flush mount, Bijou adorns the room in beauty and richness.





<b>E21805-20PC</b>	
<b>10-Light Pendant</b>	
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
	
<b>10 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
5.25"	 25.5" Dia



<b>E21804-20PC</b>
<b>8-Light Pendant</b>
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>
Min OA: <b>18"</b> Max OA: <b>120"</b>

<b>8 x Max 40W G9</b> Xenon (Incl)
<ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>



<b>E21803-20PC</b>
<b>3-Light Pendant</b>
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>
Min OA: <b>18"</b> Max OA: <b>120"</b>

<b>3 x Max 40W G9</b> Xenon (Incl)
<ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>







<b>E21806-20PC</b>	
<b>3-Light Wall Mount</b>	
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>	
<b>3 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
	<p style="text-align: center;">7"</p>
	<p style="text-align: center;">5.25"</p> <p style="text-align: center;">13"</p>





<b>E21802-20PC</b>	
<b>9-Light Flush Mount</b>	
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>	
<b>9 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
	<p style="text-align: center;">6.25"</p> <p style="text-align: center;">21" Dia</p>



<b>E21800-20PC</b>	
<b>4-Light Flush Mount</b>	
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>	
<b>4 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
	



<b>E21801-20PC</b>	
<b>6-Light Flush Mount</b>	
Finish: <b>Chrome</b> Accent: <b>Clear Crystal</b>	
<b>6 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	
	

Biology meets technology in the Sensé life source. Chrome mirrored glass envelops a sphere of Xenon and seems to emanate the heart and soul of the space it inhabits. The clean, simple orb hovers closely or falls gracefully from the ceiling on its gently swirling lifeline.



<b>E21200-10PC*</b>	
<b>5-Light Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>Mirror Chrome</b>	
<b>5 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	

\*Crystal Drops Included



<b>E21205-10PC*</b>	
<b>5-Light Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Mirror Chrome</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
	<b>5 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>

\*Ships with 130" of wire, Crystal Drops Included

<b>E21201-10PC*</b>	
<b>6-Light Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>Mirror Chrome</b>	
<b>6 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	



\*Crystal Drops Included





<b>E21206-10PC*</b>	
<b>6-Light Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Mirror Chrome</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>6 x Max 40W G9</b> Xenon (Incl) <ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Clear</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	


\*Ships with 130" of wire, Crystal Drops Included

Novara's organic nature evokes an intriguing sense of movement and fluidity. Graceful tentacles coated with a textural finish spiral away from the base in a free-flowing, abstract path that leads to delicate bulbs of borosilicate flat glass. An artful twist on the traditional chandelier, Novara brings a touch of whimsy to the room.

<b>E21900-10BK</b>	
<b>10-Light Flush Mount</b>	
Finish: <b>Black</b> Glass: <b>Borosilicate</b>	
	
<b>10 x Max 20W G4</b> Xenon (Incl)	
	<ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 320 Lumens</li> </ul>



<b>E21901-10BK</b>	
<b>15-Light Pendant</b>	
Finish: <b>Black</b> Glass: <b>Borosilicate</b>	
Min OA: <b>30"</b> Max OA: <b>132"</b>	
	
<b>15 x Max 10W G4</b> Xenon (Incl)	
	<ul style="list-style-type: none"> <li>• Bi-Pin</li> <li>• Clear</li> <li>• 12V</li> <li>• 120 Lumens</li> </ul>



In a ballet of fluid grace, Hydrox drips from a spiraling pendant and pools into a transparent teardrop of soft light. A frosted glass core encases the gentle incandescent source for a sheer glow that dances and sways like the natural ebb and flow of the ocean.



BK Black

<b>E21501-09BK,WT*</b>	
<b>1-Light Pendant</b>	
Finish: <b>See Image</b> Glass: <b>Frost</b>	
Min OA: <b>30"</b> Max OA: <b>120"</b>	
 <b>1 x Max 100W MB</b> Incandescent (Not Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Frost</li> <li>• 1150 Lumens</li> </ul>	

\*Ships with 130" of wire, Steel Laquered Frame

<b>E21502-09BK,WT*</b>	
<b>1-Light Pendant</b>	
Finish: <b>See Image</b> Glass: <b>Frost</b>	
Min OA: <b>36"</b> Max OA: <b>120"</b>	
 <b>1 x Max 150W MB</b> Incandescent (Not Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Frost</li> <li>• 1400 Lumens</li> </ul>	

\*Ships with 130" of wire, Steel Laquered Frame



WT White

# LATTICE

Intricate laser-cuts transform thin sheets of chrome into artistic works of lace and lattice. Gentle incandescent light peeks through the negative space, illuminating a filigree of form and function. Draped from its lower edge, delicate crystals catch and cast the dancing light.

<b>E21701-69PC*</b>	
<b>1-Light Pendant</b>	
Finish: <b>Chrome</b> Shade: <b>Perferated Steel</b>	
Min OA: <b>24"</b> Max OA: <b>120"</b>	
 <b>1 x Max 100W MB</b> Incandescent (Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Clear</li> <li>• 1150 Lumens</li> </ul>	

\*Ships with 130" of wire



<b>E21700-69PC*</b>	
<b>1-Light Table Lamp</b>	
Finish: <b>Chrome</b> Shade: <b>Perferated Steel</b>	
 <b>1 x Max 100W MB</b> Incandescent (Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Clear</li> <li>• 1150 Lumens</li> </ul>	

\*8' power cord



Jetson launches lighting into a whole new dimension. Gleaming chrome layers seem to defy gravity, hovering over one another in perfect symmetry and balance. Diffused white light seeps through the tiers, refracting off mirrored surfaces for a cosmic show of shine and shimmer.



<b>E21601-69PC*</b>	
<b>1-Light Pendant</b>	
Finish: <b>Chrome</b> Shade: <b>Perforated Steel</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>1 x Max 100W MB</b> Incandescent (Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Clear</li> <li>• 1150 Lumens</li> </ul>	

\*Ships with 130" of wire

<b>E21600-69PC*</b>	
<b>1-Light Table Lamp</b>	
Finish: <b>Chrome</b> Shade: <b>Perforated Steel</b>	
<b>1 x Max 100W MB</b> Incandescent (Incl) <ul style="list-style-type: none"> <li>• A19</li> <li>• Clear</li> <li>• 1150 Lumens</li> </ul>	

\*8' power cord



# VOLTAIRE

Voltaire enters the room with confidence and purity. Bold bands of brushed aluminum or bronze showcase a soft circle of diffused fluorescent light. The effect poses a delicate balance of contrasts: light and dark, strength and beauty, heaven and earth.



**BZ Chocolate Brown**



**AL Aluminum**


<b>E21400-09AL,BZ*</b>	
<b>2-Light Pendant</b>	
Finish: <b>See Image</b> Glass: <b>Frost</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>1 x Max 40W T5 Circuline</b> <b>1 x Max 32W T5 Circuline</b> Fluorescent (Incl)	
<ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 5000 Total Lumens</li> <li>• 10,000 Rated Hours</li> </ul>	

\*Ships with 130" of wire, Chrome Canopy



With classy, understated elegance, Salzburg illuminates a room without calling attention to itself. Its sleek silhouette and mirrored chrome finish appeal to a contemporary sensibility, while its simplicity makes it at home among a vast array of décor styles. The versatile Novara pendant comes in either a single or quadruple LED configuration.




<b>E22211-10PC</b>	
<b>1-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>1 x 3W LED</b> LED (Incl) • 3500 K • 246 Total Lumens • 50,000 Hours • 76 CRI	



<b>E22213-10PC</b>	
<b>3-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>3 x 3W LED</b> LED (Incl) • 3500 K • 738 Total Lumens • 50,000 Hours • 76 CRI	

# LOTUS

A study in contrasts, Lotus combines the bold and the beautiful, masculine and feminine, strength and delicacy. A smooth sheath of chrome forms an impressive cylinder around a hidden incandescent light source. Soft, charcoal grey cloth tempers the stark metal with a subdued sheen, while an exquisitely etched lotus flower allows gentle light to blossom from within.


<b>E21047-20DG</b>	
<b>6-Light Pendant</b>	
Finish: <b>Chrome</b> Shade: <b>Grey Cloth</b>	
Min OA: <b>18"</b> Max OA: <b>134"</b>	
 <b>6 x Max 40W CA</b> Incandescent (Not Incl)	
 <ul style="list-style-type: none"><li>• B9.5</li><li>• Frost</li><li>• 384 Lumens</li></ul>	



Masterful minimalism. The simplicity of Linea's sconce and pendant creates the ideal stage to showcase hidden double LEDs. The diffused light emanates from a sleek bar of satin nickel for a stunning effect.



<b>E20963-10</b>	
<b>4-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> Glass: <b>Frost</b>	
HCO: <b>3.1"</b>	
<b>4 x 1W LED LED(Incl)</b> <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 350 Total Lumens</li> <li>• 73 CRI</li> </ul>	



<b>E20965-10SN</b>	
<b>10-Light Pendant</b>	
Finish: <b>Satin Nickel</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>10 x 1W LED LED(Incl)</b> <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 875 Total Lumens</li> <li>• 73 CRI</li> </ul>	

# NORDIC

With the grace and power of a majestic glacier, Nordic flows through space on a freeform journey. Soft LEDS glow from within white acrylic, flooding the room with icy warmth. Available in sconce, pendant or flush mount , Nordic blends arctic beauty with contemporary style.



<b>E21109-09PC*</b>	
<b>8-Light Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Frosted Acrylic</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>8 x 3W LED</b> LED (Incl) • 3500 K • 1,176 Total Lumens • 50,000 Hours • 76 CRI	<b>4.5"</b> <b>27.5"</b>

\*Ships with 130" of wire



<b>E21104-09PC</b>	
<b>4-Light Wall/Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>Frosted Acrylic</b>	
HCO: <b>1.8"</b>	
<b>4 x 1W LED</b> LED (Incl) • 3500 K • 356 Total Lumens • 50,000 Hours • 76 CRI	



<b>E21108-09PC*</b>	
<b>8-Light Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Frosted Acrylic</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>8 x 3W LED</b> LED (Incl) • 3500 K • 1,176 Total Lumens • 50,000 Hours • 76 CRI	

\*Ships with 130" of wire



A study in scale and symmetry, large clear beveled plates and smaller delicate frosted wafers encase multiple LED lights. The ingenious design causes diffused light to dance across the countless angles of chrome and glass, culminating in a pearlescent glow that highlights its geometric precision.



<b>E20920-10</b>	<p style="text-align: center;"><b>SQUARE</b></p>
<b>6-Light LED Wall Mount</b>	
Finish: <b>Chrome</b> Glass: <b>Clear/Frost</b>	
HCO: <b>4"</b>	
<b>6 x 1W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 524 Total Lumens</li> <li>• 72 CRI</li> </ul>	

<b>E20926-10PC*</b>	
<b>30-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear/Frost</b>	
Min OA: <b>33.5"</b> Max OA: <b>154.5"</b>	
<b>30 x 1W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 2,670 Total Lumens</li> <li>• 72 CRI</li> </ul>	

\*Ships with 144" of wire







<b>E20925-10*</b>	
<b>20-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear/Frost</b>	
Min OA: <b>18.5"</b> Max OA: <b>124.5"</b>	
<b>20 x 1W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 1,748 Total Lumens</li> <li>• 72 CRI</li> </ul>	

\*Ships with 144" of wire

<b>E20921-10*</b>	
<b>5-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear/Frost</b>	
Min OA: <b>18"</b> Max OA: <b>122"</b>	
<b>5 x 1W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 437 Total Lumens</li> <li>• 72 CRI</li> </ul>	

\*Ships with 144" of wire



<b>E20924-10*</b>	
<b>20-Light LED Pendant</b>	
Finish: <b>Chrome</b> Glass: <b>Clear/Frost</b>	
Min OA: <b>33.5"</b> Max OA: <b>122"</b>	
<b>20 x 1W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 3500 K</li> <li>• 50,000 Hours</li> <li>• 1,748 Total Lumens</li> <li>• 72 CRI</li> </ul>	

\*Ships with 144" of wire



A wisp of subtly curved white glass seems to float along the ceiling like a slip of paper sailing on a breeze. Slyer's thin panel and sloping edges hug energy-saving LEDs and belie the flush mounted hardware that suspends it firmly but mysteriously in place.



<b>E21030-10SN</b>	
<b>LED Flush Mount</b>	
Finish: <b>Satin Nickel</b> Glass: <b>White</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>18W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2250 Total Lumens</li> <li>• Equivalent to 150 Watts Incandescent</li> </ul>	



<b>E21031-10SN</b>	
<b>LED Flush Mount</b>	
Finish: <b>Satin Nickel</b> Glass: <b>White</b>	
Min OA: <b>18"</b> Max OA: <b>120"</b>	
<b>20W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2500 Total Lumens</li> <li>• Equivalent to 175 Watts Incandescent</li> </ul>	

Softly glowing from within a circle of frosted acrylic glass strategically set into a chrome and matte white tile, Anglex elevates the proverbial round peg in a square hole to a new level. The sleek, contemporary slab of luminescence inconspicuously hugs the ceiling while casting cool light throughout the room.





<b>E21010-10WT</b>	
<b>2-Light Flush Mount</b>	
Finish: <b>Matt White</b> Glass: <b>Acrylic</b>	
<b>1 x Max 22W T5 Circuline</b> <b>1 x Max 55W T5 Circuline</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 4200 Lumens</li> <li>• 10,000 Rated Hours</li> <li>• 3000 K</li> </ul>	





<b>E21011-10WT</b>	
<b>2-Light Flush Mount</b>	
Finish: <b>Matt White</b> Glass: <b>Acrylic</b>	
<b>1 x Max 22W T5 Circuline</b> <b>1 x Max 55W T5 Circuline</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 4200 Lumens</li> <li>• 10,000 Rated Hours</li> <li>• 3000 K</li> </ul>	

Smooth rings of polished chrome encircle frosty white disks of gleaming light. Oddly retro and contemporary at once, these stylish ceiling mounts look great in any room, and they utilize energy-saving LEDs, making them a smart choice for the environment..



<b>E21044-10PC</b>	
<b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	



<b>E21045-10PC</b>	
<b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
	
<b>18W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2250 Total Lumens</li> <li>• Equivalent to 150 Watts Incandescent</li> </ul>	



<b>E21041-10PC</b>	
<b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
<b>10W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1250 Total Lumens</li> <li>• Equivalent to 90 Watts Incandescent</li> </ul>	
	1.75" 9" Dia



<b>E21042-10PC</b>	
<b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	
	2" 12" Dia






<b>E21043-10PC</b>	
<b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
<b>18W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2250 Total Lumens</li> <li>• Equivalent to 150 Watts Incandescent</li> </ul>	
	2.5" 16" Dia

# SPECTRE

With an intriguingly slim profile and just a hint of mystery, Spectre's gleaming chrome and frosted glass glow from within. This sophisticated piece suits multiple decor styles, and the strategically concealed LEDs lend a soft light and dramatic ambience without demanding center stage.



<b>E21046-10PC</b> <b>LED Flush Mount</b>	
Finish: <b>Chrome</b> Glass: <b>White</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	

Streamlined and sensual the perfect descriptor for Vox, whose metal matte finish steel shade immediately sets it apart from the every day lighting fixture. while its glass diffuser provides ample light output.



<b>E20468-09BK</b> <b>8-Light Flush Mount</b>	<b>SQUARE</b>
Finish: <b>Black / Chrome</b> Glass: <b>Frosted</b>	
<b>8 x Max 25W G9</b> Xenon (Incl)	
<ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Frost</li> <li>• 120V</li> <li>• 240 Lumens</li> </ul>	

<b>E20461-09BK</b> <b>2-Light Flush Mount</b>	<b>SQUARE</b>
Finish: <b>Black / Chrome</b> Glass: <b>Frosted</b>	
<b>2 x Max 40W G9</b> Xenon (Incl)	
<ul style="list-style-type: none"> <li>• Hallow Bi-Pin</li> <li>• Frost</li> <li>• 120V</li> <li>• 500 Lumens</li> </ul>	



<b>E20465-09BK</b> <b>3-Light Flush Mount</b>	<b>SQUARE</b>
Finish: <b>Black / Chrome</b> Glass: <b>Frosted</b>	
<b>3 x Max 60W MB</b> Incandescent (Not Incl)	
<ul style="list-style-type: none"> <li>• A19</li> <li>• Frost</li> <li>• 610 Lumens</li> </ul>	



The art of geometry finds a perfect outlet in Edinburgh I's bold sconces. Sharp angles finished in satiny nickel support simply shaped linen shades for a smart minimalist look. Energy-saving fluorescent light glows warmly from within adding heart and soul to the angular structure.



<b>E21092-01SN</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> shade: <b>White</b>	
<b>1 x Max 26W GU24</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• Squat CFL</li> <li>• 10,000 Hours</li> <li>• 1680 Lumens</li> <li>• 2700 K</li> </ul>	



<b>E21090-01SN</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> Shade: <b>White</b>	
<b>1 x Max 26W GU24</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• Squat CFL</li> <li>• 10,000 Hours</li> <li>• 1680 Lumens</li> <li>• 2700 K</li> </ul>	



<b>E21091-01SN</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> Shade: <b>White</b>	
<b>2 x Max 26W GU24</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• Squat CFL</li> <li>• 10,000 Hours</li> <li>• 1680 Lumens</li> <li>• 2700 K</li> </ul>	



The art of geometry finds a perfect outlet in Edinburgh II's bold sconces. Sharp angles finished in satiny nickel support simply shaped linen shades for a smart minimalist look. Energy-saving fluorescent light glows warmly from within adding heart and soul to the angular structure.



<b>E21093-01SN</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> shade: <b>White</b>	
<b>1 x 18W 4-Pin Quad T4</b> Fluorescent(Not Included)	
<ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 900 Lumens</li> <li>• 10,000 Rated Hours</li> </ul>	



<b>E21094-01SN</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> shade: <b>White</b>	
<b>2 x 18W 4-Pin Quad T4</b> Fluorescent(Not Included)	
<ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 900 Lumens</li> <li>• 10,000 Rated Hours</li> </ul>	

<b>E21095-01SN</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>Satin Nickel</b> shade: <b>White</b>	
<b>1 x 18W 4-Pin Quad T4</b> Fluorescent(Not Included)	
<ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 900 Lumens</li> <li>• 10,000 Rated Hours</li> </ul>	



Minx embodies a collection of show-stopping, conversation-starting pendants that range from simple to chic. Featuring RapidJack, no wire, no hassle installation, available with single, triple, or quadruple Xenon light sources, these Minx pendants boast a variety of finishes, shapes, and functions that suit most any room.



EP96003-10SN




EP96008-09SN



EP96010-18SN




EP96007-69SN




**EP96003-10SN**  
Finish: **Satin Nickel**  
Glass: **Snow White**  
1 x 20w G4 Bulb  
4.25"W x 3.25"H



**EP96008-09SN**  
Finish: **Satin Nickel**  
Shade: **Brushed Silver**  
1 x 50w G6.35 Bulb  
6"W x 2.5"H



**EP96010-18SN**  
Finish: **Satin Nickel**  
Glass: **Clear**  
1 x 20w G4 Bulb  
4.5"W x 7.25"H



**EP96007-69SN**  
Finish: **Satin Nickel**  
Shade: **MSS Carved**  
1 x 50w G6.35 Bulb  
5.25"W x 6.25"H



EP96012-55SN




EP96013-56SN



EP96001-20SN



EP96002-20SN



**EP96012-55SN**  
Finish: **Satin Nickel**  
Shade: **Chrome**  
1 x 50w G6.35 Bulb  
4.25"W x 2.75"H



**EP96013-56SN**  
Finish: **Satin Nickel**  
Shade: **Chrome**  
1 x 50w G6.35 Bulb  
5"W x 3.75"H



**EP96002-20SN**  
Finish: **Satin Nickel**  
Shade: **Stainless Steel**  
1 x 50w G6.35 Bulb  
6"W x 5"H




**EP96001-20SN**  
Finish: **Satin Nickel**  
Shade: **Clear Crystal**  
1 x 50w G6.35 Bulb  
5.25"W x 4.75"H



EP96006-10SN



EP96015-56SN






EP96005-20SN




EP96011-54SN




EP96004-51SN



**EP96005-20SN**  
 Finish: **Satin Nickel**  
 Glass: **Frost**  
 1 x 50w G6.35 Bulb  
 3.25"W x 3.5"H



**EP96004-51SN**  
 Finish: **Satin Nickel**  
 Glass: **Frost**  
 1 x 50w G6.35 Bulb  
 4.75"W x 7"H



**EP96011-54SN**  
 Finish: **Satin Nickel**  
 Glass: **Radish**  
 1 x 50w G6.35 Bulb  
 4.25"W x 8.5"H



<b>EC95001-SN</b>	
<b>1-Light Canopy</b>	
Finish: <b>Satin Nickel</b>	



<b>EC95003-SN</b>	
<b>3-Light Canopy</b>	
Finish: <b>Satin Nickel</b>	



<b>EC95004-SN</b>	<p><b>SQUARE</b></p>
<b>4-Light Canopy</b>	
Finish: <b>Satin Nickel</b>	





<b>EC95013-SN</b>	
<b>3-Light Canopy</b>	
Finish: <b>Satin Nickel</b>	



<b>EC95014-SN</b>	
<b>4-Light Canopy</b>	
Finish: <b>Satin Nickel</b>	

As simple and sleek as a single ray of light, Beam I illuminates the room with unadorned purity. Flush wall mounts use stainless steel or oil rubbed bronze to border a flat panel of white acrylic. Energy-saving LEDs cast clean bright light that sheds clarity either indoors or outdoors.


<b>E53340-610I,SST</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	





**SST Stainless Steel**



**OI Oil Rubbed Bronze**

<b>E53341-610I,SST</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>20W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2500 Total Lumens</li> <li>• Equivalent to 175 Watts Incandescent</li> </ul>	







OI Oil Rubbed Bronze

<b>E53345-610I, SST</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	

12"  
6"

2.25"

<b>E53346-610I, SST</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>20W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 2500 Total Lumens</li> <li>• Equivalent to 175 Watts Incandescent</li> </ul>	

16"  
7.5"

2.75"



SST Stainless Steel

The Beam II Collection features low-profile wall lighting designed with versatility and energy saving technology. Fixtures are constructed of stainless steel to allow for outdoor installation, and with the low-profile design, the Beam Collection can also be used interior for corridors and hallways with ADA compliance. The fluorescent light source saves energy and allow for maintenance-free operation. The White acrylic lens is durable and strong. The metal is finished in either Stainless Steel or Oil Rubbed Bronze.



SST Stainless Steel

<b>E54340-610I, SST</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>1 x 13W 2GX7</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 840 Lumens</li> <li>• 10,000 Hours</li> </ul>	

12"



OI Oil Rubbed Bronze

<b>E54341-610I, SST</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>1 x 18W 2G11</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1125 Lumens</li> <li>• 10,000 Hours</li> </ul>	

16"



OI Oil Rubbed Bronze

<b>E54345-610I, SST</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>1 x 13W 2GX7</b> Flourescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 840 Lumens</li> <li>• 10,000 Hours</li> </ul>	

12"  
6"

2.25"

<b>E54346-610I, SST</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>1 x 18W 2G11</b> Flourescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1125 Lumens</li> <li>• 10,000 Hours</li> </ul>	


16"  
7.5"


2.75"




SST Stainless Steel


The ultimate in contemporary architecture coupled with bright, efficient LED lights, Zenith I brings bold style to outdoor lighting. Sturdy bars in silver or gray wrap around simple geometric shapes of white acrylic to form impressive sconces capable of withstanding the elements while projecting an air of class and confidence.

<b>E21022-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	




PL Platinum


<b>E21021-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	






PL Platinum




DG Dark Gray

<b>E21023-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	



<b>E21025-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	

12"







**DG Dark Gray**






**PL Platinum**

<b>E21024-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>14W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1750 Total Lumens</li> <li>• Equivalent to 130 Watts Incandescent</li> </ul>	




13.75"



<b>E21020-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>10W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1250 Total Lumens</li> <li>• Equivalent to 90 Watts Incandescent</li> </ul>	
 <p>12" Dia</p>	 <p>3.5"</p>



PL Platinum

<b>E21026-61DG,PL</b>	
<b>LED Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>10W LED</b> LED(Incl) <ul style="list-style-type: none"> <li>• 2800 K</li> <li>• 50,000 Hours</li> <li>• 1250 Total Lumens</li> <li>• Equivalent to 90 Watts Incandescent</li> </ul>	
 <p>12"</p>	 <p>3.5"</p>




DG Dark Gray

These contemporary, European-designed fluorescent outdoor fixtures are a perfect combination of energy efficiency and durability. The Zenith II Collection features die-cast metal frames painted with a polyurethane powder coat, finished in Platinum or Architectural Bronze. The durable white acrylic lens diffuses the light nicely. The fluorescent light source gives the ultimate in energy saving and long life.





PL Platinum

<b>E21052-61DG,PL</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>2 x 13W 2GX7</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1680 Lumens</li> <li>• 10,000 Hours</li> </ul>	
13.5"	






PL Platinum

<b>E21051-61DG,PL</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>2 x 13W 2GX7</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1680 Lumens</li> <li>• 10,000 Hours</li> </ul>	
13.5"	

<b>E21053-61DG,PL</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>2 x 13W 2GX7</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1680 Lumens</li> <li>• 10,000 Hours</li> </ul>	
13.75"	



DG Dark Gray




<b>E21055-61DG,PL</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>2 x 13W 2GX7</b> Fluorescent (Incl)	
 <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1680 Lumens</li> <li>• 10,000 Hours</li> </ul>	
12"	



DG Dark Gray



PL Platinum

<b>E21054-61DG,PL</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
	
<b>1 x 18W G24Q3</b> Fluorescent (Incl)	
 <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1125 Lumens</li> <li>• 10,000 Hours</li> </ul>	
13.75"	



<b>E21050-61DG,PL</b>	
<b>1-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>1 x 18W G24Q3</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1125 Lumens</li> <li>• 10,000 Hours</li> </ul>	



PL Platinum

<b>E21056-61DG,PL</b>	
<b>2-Light Wall Mount</b>	
Finish: <b>See Image</b> Glass: <b>White Acrylic</b>	
<b>2 x 13W 2GX7</b> Fluorescent (Incl) <ul style="list-style-type: none"> <li>• 2700 K</li> <li>• 1680 Lumens</li> <li>• 10,000 Hours</li> </ul>	



DG Dark Gray

# ET-Xenon-12VLX Series

Strength, durability and beautiful finish are features that set the ET-Xenon-12VLX Series apart with its extruded aluminum housing. These xenon under cabinet lights conceal long-lasting, low-voltage Xelogen bulbs that distribute a crisp bright light. Hinged tops allow for convenient bulb replacement, and push-in wire connectors in the junction box make either direct wire or plug-in installation quick and simple.

**Features**

- Airflow design keeps cabinets cool
- Hi-Low-Off adjustable light level switch
- Linkable without or with cord using InterLink4
- 12V, long lasting Xelogen bulbs included
- Strong and durable extruded aluminum housing
- Captured screws for quick and easy installation



**STARTER KIT INCLUDES**  
 • One InterLink4 Direct Wire Box  
 • One InterLink4 Connector Cord



**STARTER KITS**

**7" 1-Light 12V Xenon Starter Kit**  
**E57459AL** Aluminum  
**E57459BRZ** Bronze  
**E57459WT** White  
 7"L x 5"W x 1"H  
 1 x 18w Xenon Bulb (Included)

**13" 2-Light 12V Xenon Starter Kit**  
**E57461AL** Aluminum  
**E57461BRZ** Bronze  
**E57461WT** White  
 13"L x 5"W x 1"H  
 2 x 18w Xenon Bulbs (Included)

**21" 3-Light 12V Xenon Starter Kit**  
**E57462AL** Aluminum  
**E57462BRZ** Bronze  
**E57462WT** White  
 21"L x 5"W x 1"H  
 3 x 18w Xenon Bulbs (Included)

**30" 4-Light 12V Xenon Starter Kit**  
**E57463AL** Aluminum  
**E57463BRZ** Bronze  
**E57463WT** White  
 30"L x 5"W x 1"H  
 4 x 18w Xenon Bulbs (Included)

**ACCESSORIES**



**InterLink4 Power Cord**  
**E57880WT** White  
**E57880BK** Black  
 72"L



**InterLink4 Connector Cord**  
**24" E57878WT** White  
**24" E57878BK** Black  
**18" E57877WT** White  
**18" E57877BK** Black  
**9" E57876WT** White  
**9" E57876BK** Black

# ET-Xenon-12VLX Series

Strength, durability and beautiful finish are features that set the ET-Xenon-12VLX Series apart with its extruded aluminum housing. These xenon under cabinet lights conceal long-lasting, low-voltage Xelogen bulbs that distribute a crisp bright light. Hinged tops allow for convenient bulb replacement, and push-in wire connectors in the junction box make either direct wire or plug-in installation quick and simple.

### Features

- Airflow design keeps cabinets cool
- Hi-Low-Off adjustable light level switch
- Linkable without or with cord using InterLink4
- 12V, long lasting Xelogen bulbs included
- Strong and durable extruded aluminum housing
- Captured screws for quick and easy installation



### ADD-ONS

**7" 1-Light 12V Xenon**  
**E57449AL** Aluminum  
**E57449BRZ** Bronze  
**E57449WT** White  
 7"L x 5"W x 1"H  
 1 x 18w Xenon Bulb (Included)

**13" 2-Light 12V Xenon**  
**E57451AL** Aluminum  
**E57451BRZ** Bronze  
**E57451WT** White  
 13"L x 5"W x 1"H  
 2 x 18w Xenon Bulbs (Included)

**21" 3-Light 12V Xenon**  
**E57452AL** Aluminum  
**E57452BRZ** Bronze  
**E57452WT** White  
 21"L x 5"W x 1"H  
 3 x 18w Xenon Bulbs (Included)

**30" 4-Light 12V Xenon**  
**E57453AL** Aluminum  
**E57453BRZ** Bronze  
**E57453WT** White  
 30"L x 5"W x 1"H  
 4 x 18w Xenon Bulbs (Included)



**InterLink4 Direct Wire Box**  
**E57885WT** White  
**E57885BK** Black  
 2.25"L x 5"W x 1"H



**InterLink4 Connector Cord**  
**24" E57878WT** White  
**24" E57878BK** Black  
**18" E57877WT** White  
**18" E57877BK** Black  
**9" E57876WT** White  
**9" E57876BK** Black




**InterLink4 Power Cord**  
**E57880WT** White  
**E57880BK** Black  
 72"L

## ET-LED-LP Series

The crisp, bright light of the slip profile ET-LED-LP Series LED Under Cabinet light illuminates without shadows. With its extruded aluminum casing, strength, durability and beautiful finish are features that put this series in a class of its own. The frost lens conceals the LEDs while evenly distributes the light onto the counter surface. Easy installation with captured screws and InterLink4 technology, make this series convenient as well as beautiful.

### Features

- Warm white 2800 K light
- Cool to touch
- CRI 80-85 120° spread
- 50,000 life hours
- Linkable up to 80 watts without or with cord using InterLink4
- Dimmable



### 7" LED Under Cabinet Light

- E57922AL** Aluminum
- E57922BRZ** Bronze
- E57922WT** White
- 7"L x 3.35"W x .5"H
- 4w LED | 320 Lumens

### 13" LED Under Cabinet Light

- E57923AL** Aluminum
- E57923BRZ** Bronze
- E57923WT** White
- 13"L x 3.35"W x .5"H
- 8w LED | 640 Lumens

### 21" LED Under Cabinet Light

- E57924AL** Aluminum
- E57924BRZ** Bronze
- E57924WT** White
- 21"L x 3.35"W x .5"H
- 12w LED | 960 Lumens

### 30" LED Under Cabinet Light

- E57926AL** Aluminum
- E57926BRZ** Bronze
- E57926WT** White
- 30"L x 3.35"W x .5"H
- 16w LED | 1280 Lumens

### InterLink4 Connector Cord

- 24" **E57878WT** White
- 24" **E57878BK** Black
- 18" **E57877WT** White
- 18" **E57877BK** Black
- 9" **E57876WT** White
- 9" **E57876BK** Black



### InterLink4 Power Cord

- E57880WT** White
- E57880BK** Black
- 72"L



### InterLink4 Direct Wire Box

- E57885WT** White
- E57885BK** Black



### InterLink4 Power Supply with Dimmer

- E57929WT** White
- E57929BK** Black



## ET-LED-D Series

The ET-LED-D Series LED discs mount easily under any cabinet and can link multiple discs without additional hardware using InterLink1. The energy efficient LED disc requires no additional driver, and stays cool to the touch making it safer than both halogen and xenon. The warm white color lasts long, and the slip profile of the die cast aluminum casing compliments any room.

### Features

- Warm white 2800 K light
- Cool to touch
- CRI 80-85, 120° spread
- 50,000 life hours
- Linkable up to 12 discs using InterLink1
- Requires no additional driver (Cannot be dimmed)
- Easy to install with included hardware
- Slim, die cast aluminum casing
- 2 watts per disc



### LED Disc

- E57960AL** Aluminum
- E57960BRZ** Bronze
- E57960WT** White
- 3"D x .55"H
- 2w LED | 160 Lumens



**InterLink1 Connector Cord**  
**18" E57919WT** White  
**18" E57919BK** Black  
**9" E57918WT** White  
**9" E57918BK** Black



**InterLink1 Direct Wire Box**  
**E57903WT** White  
**E57903BK** Black



**InterLink1 Power Cord**  
**E57981WT** White  
**E57981BK** Black  
 72"L



**InterLink1 Coupler**  
**E57933WT** White  
**E57933BK** Black

E20106-78,79.....	9,10	E21501-09BK,WT.....	20	EP96006-10SN.....	41
E20107-78,79.....	7,8	E21502-09BK,WT.....	20	EP96007-69SN.....	39
E20108-78,79.....	6	E21600-69PC.....	22	EP96008-09SN.....	39
E20112-78,79.....	3,4	E21601-69PC.....	22	EP96010-18SN.....	39
E20113-78,79.....	1,2	E21700-69PC.....	21	EP96011-54SN.....	42
E20114-78,79.....	5	E21701-69PC.....	21	EP96012-55SN.....	40
E20461-09BK.....	36	E21800-20PC.....	16	EP96013-56SN.....	40
E20465-09BK.....	36	E21801-20PC.....	16	EP96015-56SN.....	41
E20468-09BK.....	36	E21802-20PC.....	15		
E20920-10.....	29	E21803-20PC.....	14		
E20921-10.....	30	E21804-20PC.....	14		
E20924-10.....	30	E21805-20PC.....	13		
E20925-10.....	30	E21806-20PC.....	15		
E20926-10PC.....	29	E21900-10BK.....	19		
E20963-10.....	26	E21901-10BK.....	19		
E20965-10SN.....	26	E22211-10PC.....	24		
E21010-10WT.....	32	E22213-10PC.....	24		
E21011-10WT.....	32	E53340-610I,SST.....	45		
E21020-61DG,PL.....	51	E53341-610I,SST.....	45		
E21021-61DG,PL.....	49	E53345-610I,SST.....	46		
E21022-61DG,PL.....	49	E53346-610I,SST.....	46		
E21023-61DG,PL.....	49	E54340-610I,SST.....	47		
E21024-61DG,PL.....	50	E54341-610I,SST.....	47		
E21025-61DG,PL.....	50	E54345-610I,SST.....	48		
E21026-61DG,PL.....	51	E54346-610I,SST.....	48		
E21030-10SN.....	31	E57449.....	56		
E21031-10SN.....	31	E57451.....	56		
E21041-10PC.....	34	E57452.....	56		
E21042-10PC.....	34	E57453.....	56		
E21043-10PC.....	34	E57459.....	55		
E21044-10PC.....	33	E57461.....	55		
E21045-10PC.....	33	E57462.....	55		
E21046-10PC.....	35	E57463.....	55		
E21047-20DG.....	25	E57876.....	55,56,57		
E21050-61DG,PL.....	54	E57877.....	55,56,57		
E21051-61DG,PL.....	52	E57878.....	55,56,57		
E21052-61DG,PL.....	52	E57880.....	55,56,57		
E21053-61DG,PL.....	52	E57885.....	56,57		
E21054-61DG,PL.....	53	E57903.....	58		
E21055-61DG,PL.....	53	E57918.....	58		
E21056-61DG,PL.....	54	E57919.....	58		
E21090-01SN.....	37	E57922.....	57		
E21091-01SN.....	37	E57923.....	57		
E21092-01SN.....	37	E57924.....	57		
E21093-01SN.....	38	E57926.....	57		
E21094-01SN.....	38	E57929.....	57		
E21095-01SN.....	38	E57933.....	58		
E21104-09PC.....	28	E57960.....	58		
E21108-09PC.....	28	E57981.....	58		
E21109-09PC.....	27	EC95001-SN.....	43		
E21200-10PC.....	17	EC95003-SN.....	43		
E21201-10PC.....	18	EC95004-SN.....	44		
E21205-10PC.....	17	EC95013-SN.....	44		
E21206-10PC.....	18	EC95014-SN.....	44		
E21300-10PC.....	12	EP96001-20SN.....	40		
E21301-10PC.....	11	EP96002-20SN.....	40		
E21308-10PC.....	11	EP96003-10SN.....	39		
E21309-10PC.....	12	EP96004-51SN.....	42		
E21400-09AL,BZ.....	23	EP96005-20SN.....	42		



ET2 Contemporary Lighting

LETCAT1001

\$5.00



**ET2 Contemporary Lighting**

253 North Vineland Avenue  
City of Industry, California  
91746  
USA

General Info: 626.956.4200  
Customer Service: 800.486.2946  
General Fax: 626.956.4235

Dallas Trade Mart: 214.748.8455  
Showroom: 3901  
Email: [info@et2online.com](mailto:info@et2online.com)  
Web: [www.et2online.com](http://www.et2online.com)

ET2 Contemporary Lighting and all designs, logos  
and images © 2010 ET2 Contemporary Lighting.  
All Rights Reserved.