

# access Lighting



Where Exclusivity   
Meets Affordability



At Access Lighting, we're committed to offering you, our valued customer, an extensive inventory of affordable lighting. Our comprehensive selection includes designs from all over the world, giving you Access to the latest industry trends. At Access, we strive for excellence!



# Contents

## Collections 323-354

<b>Mystical</b>	<b>323</b>
Kalista	324
Aero	328
Genesis	332
Icicle	334
Leilah	336
<b>Elements</b>	<b>341</b>
Krome	342
<b>Natural</b>	<b>346</b>
Safari	348
<b>Cosmopolitan</b>	<b>353</b>
Lacey	354

## Pendants 358-370

<b>Ceiling Fixtures Pendants</b>	
Enzo	358
Dinari	360
Acrolite Cord	362
Acrolite Rod	363
Luce	364
Tara	365
Lantern	366
Silk	367
Ostrich	368
Swirl	369
Etched Glass	370

## Products 372-396

<b>Ceiling Fixtures Flush Mounts</b>	
Ares	372
Skylark	372
Saloris	373
Ark	374
<b>Ceiling or Wall Fixtures</b>	
Sequoia	375
Vision	376
Sierra	378
<b>Vanity / Wall Fixtures</b>	
Nitro	379
Geneva	380
Piazzo	381
Aqueous	382
Zylinder	383
Nitro	384
Bo	384
Victoria	385
<b>Wall / Task Fixtures</b>	
Cyprus	386
<b>Outdoor</b>	
Nyz	389
Trident	390
Poseidon	391
Nyami	392
Totana	392
Zyxx	393
LED Orb	393
Tyro	394
Brick	395
Eclipse	395
<b>Cold Cathode Lamps</b>	
Reflector Series	397
Spiral Series	398
<b>Index</b>	<b>399</b>



# Mystical

Kalista  
Aero  
Genesis  
Icicle  
Leilah

# Kalista



## 50972 Kalista Crystal and Diamond Etched Pendant

**Lamping** 4Lt x 40w Halogen 120v JCD (G-9 Base)

**Finish** CH Glass BL WH

**Dimensions** D 13.75" x H 22" -60" canopy D 5"

**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods

**Option** 6"-16"-22" Rods

CETL Dry

# Kalista

## Kalista Diamond Etched Pendant

Finish CH Glass BL WH

Bottom Diffuser FST

Included Slope Adapter, 10ft Cord, 6"-16"-22" Rods

Option 6"-16"-22" Rods

CETL Dry

**50975** D 13.75" x H 15.5"-53.5" canopy D 5" (small)  
3Lt x 40w Halogen 120v JCD (G-9 Base)

**50976** D 17.75" x H 15.5"-53.5" canopy D 5" (large)  
6Lt x 40w Halogen 120v JCD (G-9 Base)



# Kalista



**50971 Kalista** Diamond Etched 3 Light Bar Cable-Pendant with Crystal Drops

**Lamping** 3Lt x 40w Halogen 120v JCD (G-9 Base)



**Finish** CH Glass BL WH

**Dimensions** D 6" x H 12" -120" canopy L 23.62" x W 5" x H 1.25"

**Included** 10ft of Transparent Cable

CETL Dry

# Kalista



**50970 Kalista** Diamond Etched Wall Sconce with Crystal Drops

**Lamping** 2Lt x 40w Halogen 120v JCD (G-9 Base)

**Finish** CH Glass BL WH

**Dimensions** H 10.5" x L 11.75" E 5.75"

CETL Damp

# Aero

**Aero** Flushmounts

Finish CH Glass OPL

CETL Damp Available in Fluorescent

**50142** D 12" x H 5"

1Lt x 100w Halogen 120v J118 (T-3 Base)

**50143** D 16" x H 5"

1Lt x 150w Halogen 120v J118 (T-3 Base)

**50144** D 19" x H 5.5"

1Lt x 200w Halogen 120v J118 (T-3 Base)

# Aero



## **Aero** Flushmounts

Finish CH Glass OPL

CETL Damp Available in Fluorescent

---

### **20670** Dia10" x H4"

Lamping 1Lt x 75w A-19 (E-26 Medium Base)

---

### **20671** Dia12.5" x H4"

Lamping 2Lt x 60w A-19 (E-26 Medium Base)

---


### **20672** Dia15.7" x H5.5"

Lamping 3Lt x 60w A-19 (E-26 Medium Base)

---



# Aero




**20673 Aero** Cable Pendant

**Lamping** 3Lt x 60w A-19 (E-26 Medium Base)

**Finish** CH **Glass** OPL

**Included** 10ft Transparent Cord & Aircraft Cable  
CETL Damp [Available in Fluorescent](#)




# Aero

## 20674 Aero Flush-Mount

**Lamping** 1Lt x 100w A-19 (E-26 Medium Base)

**Finish** CH **Glass** OPL

CETL Damp **Available in Fluorescent**




## 20675 Aero Cable Pendant

**Lamping** 1Lt x 100w A-19 (E-26 Medium Base)

**Finish** CH **Glass** OPL

**Included** 10ft Transparent Cord & Aircraft Cable

CETL Damp **Available in Fluorescent**



# Genesis



## Genesis Flush Mount

Finish BS Glass FST

CETL Damp Available in Fluorescent

**50133** Dia 12" H 5.5" (small)

Lamping 1 x 100w A-19 (E-26 Medium Base)

**50134** Dia 17.5" H 7" (medium)

Lamping 2 x 75w A-19 (E-26 Medium Base)

**50135** Dia 19" H 7" (large)


Lamping 3 x 75w A-19 (E-26 Medium Base)



# Genesis



**50132 Genesis** Wall Sconce  
**Lamping** 1 x 100w T-3 Halogen (J118 Base)  
**Finish** BS **Glass** FST  
CETL Damp *Available in Fluorescent*



# Icicle



## 50544 **Isicle** Bar Pendant

**Lamping** 3Lt x 40w Halogen 120v JCD (G-9 Base)

**Finish** CH Glass CLOP

**Dimensions Canopy** L25.5" W4.9"

**Glass** L9.5" D4.25"

**Included** 10ft of Transparent Cable  
CETL Dry

# Icicle

Mystical



## 50543 Icicle Single Pendant

**Lamping** 1Lt x 40w Halogen 120v JCD (G-9 Base)

**Dimensions Canopy** D5" H1"

**Glass** L9.5" D4.25"

**Finish** CH Glass CLOP

**Included** 10ft of Transparent Cable  
CETL Dry




## 50542 Icicle Wall Fixture

**Lamping** 1Lt x 40w Halogen 120v JCD (G-9 Base)

**Finish** CH Glass CLOP

CETL Dry



# Leilah

**Leilah** Scalloped Glass Cable Pendant

Finish BS Glass WHT

Included 10ft of Transparent Cord & Aircraft Cable  
CETL Damp Available in Fluorescent

**50958** Dia 17" x 6.5" H 12" to 120" (small)

Lamping 2 x 60w A-19 (E-26 Medium Base)

**50959** Dia 21" x 7.5" H 12" to 120" (large)

Lamping 4 x 60w A-19 (E-26 Medium Base)



# Leilah

Mystical



**Leilah** Flush Mount

Finish BS Glass WHT

CETL Damp Available in Fluorescent

**50956** Dia 17" H 6.5" (small)

Lamping 2 x 60w A-19 (E-26 Medium Base)

**50957** Dia 21" H 7.5" (large)

Lamping 4 x 60w A-19 (E-26 Medium Base)

# Leilah



## 50965 Leilah 6 Light Bar Pendant

Finish BS Glass WHT

6Lt x 40w Halogen 120v JCD (G-9 Base)

Dimensions **L** 19" x **W** 12.5" x **H** 10" - 120"

Included 10ft of Transparent Cable

CETL Dry

# Leilah

Mystical



**50963 Leilah** Single Light Pendant  
**Finish** BS Glass WHT  
1Lt x 40w Halogen 120v JCD (G-9 Base)  
**Dimensions** H 4.5" x D 4.25" x H 10" - 120"  
**Included** 10ft of Transparent Cable  
CETL Dry



**50964 Leilah** 4 Light Bar Pendant  
**Finish** BS Glass WHT  
4Lt x 40w Halogen 120v JCD (G-9 Base)  
**Dimensions** L 28.5" x W 4.75" x H 10" - 120"  
**Included** 10ft of Transparent Cable  
CETL Dry

# Leilah



## 50967 Leilah Flush Mount

**Lamping** 5Lt x 40w Halogen 120v JCD (G-9 Base)

**Dimensions** H6" W15" L15"

**Finish** CH Glass WHT

CETL Damp



## 50960 Leilah Wall Sconce

**Lamping** 1Lt x 40w Halogen 120v JCD (G-9 Base)


**Dimensions** H9.5" W6.5" E3"

**Finish** CH Glass WHT

CETL Damp [ADA](#)

# Elements

Krome



# Krome

## 50154 Krome Reflected Up Light Pendant


**Lamping** 3Lt x 150w Halogen 120v J118 (T-3 Base)

**Finish** CH

**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods

**Option** 6"-16"-22" Rods

CETL Damp




## 50150 Krome Semi-Flush with Up-Down Light

**Lamping** 1Lt x 150w Halogen 120v J118 (T-3 Base)

**Finish** CH Glass FST


CETL Damp




# Krome



**50151 Krome** Semi-Flush with Up and Down Light  
**Lamping** 1Lt x 150w Halogen 120v J118 (T-3 Base)  
**Finish** CH **Glass** FST  
CETL Damp




**50155 Krome** Pendant with Up and Down Light  
**Lamping** 1Lt x 200w Halogen 120v J118 (T-3 Base)  
**Finish** CH **Glass** FST  
**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods  
**Option** 6"-16"-22" Rods  
CETL Damp




# Krome

**50153 Krome** Reflected Up Light Semi-Flush  
**Lamping** 3Lt x 150w Halogen 120v J118 (T-3 Base)  
**Finish** CH  
CETL Damp




**50152 Krome** Reflected Up Light Semi-Flush  
**Lamping** 2Lt x 150w Halogen 120v J118 (T-3 Base)  
**Finish** CH  
CETL Damp




# Krome



**50156 Krome** Vanity Wall Sconce with Up Light  
**50158 Krome** Vanity Wall Sconce with Up and Down Light  
**Lamping** 1Lt x 100w Halogen 120v J118 (T-3 Base)  
**Finish** CH **Glass** FST  
CETL Damp



**50157 Krome** Vanity Wall Fixture with Up and Down Light  
**Lamping** 2Lt x 100w Halogen 120v J118 (T-3 Base)  
**Finish** CH **Glass** FST  
CETL Damp



# Natura

Natura

Safari



Natural

# Safari

Natural

Shown with Lights On

SAO (Silver Amber Opaline)  
Lights On



SARO (Silver Amber Ribbed Opaline)  
Lights On

## Safari Pendant Ball

**Lamping** 1Lt x 100w 120v A-19 (E-26 Medium Base)

**Pendant Finish** BRZ BS

**Glass Finish** SAO SARO

**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods

**Option** 6"-16"-22" Rods

CETL Damp

**23640** Dia 12" H11.75" (small)

**23642** Dia 14" H13.5" (Large)



SAO (Silver Amber Opaline)  
Lights Off

Shown with Lights Off



SARO (Silver Amber Ribbed Opaline)  
Lights Off

Natural

# Safari Opaline Spherical Mini Pendant

Natural



23650-BS/SAO  
23651-BS/SAO



23652-BRZ/GRO



23650-BS/SARO  
23651-BS/SARO



23650-BS/RRO  
23651-BS/RRO

## Safari Spherical Pendant

**Glass Dia** 5" **H** 3.5"

### Glass Finish

SAO (Silver Amber Opaline)

SARO (Silver Amber Ribbed Opaline)

GRO (Green Ribbed Opaline)

RRO (Red Ribbed Opaline)

### 23650

**Lamping** 35w 12v JC (GY6.35 Base)

**Finish** BS

**Included** 10ft Silicon Coated Coaxial Cable  
CETL DRY

### 23651

**Lamping** 40w 120v JCD (G-9 Base)

**Finish** BS

**Included** 10ft Clear Coated Cord  
CETL DRY


### 23652

**Lamping** 5w LED (Powered by Cree)


**Finish** BRZ BS

**Included** 10ft Coated Coaxial Cable  
(Grey with BS Black with Bronze)  
CETL DRY

# Opaline Spherical Wall Fixture Safari




SAO (Silver Amber Opaline)



GRO (Green Ribbed Opaline)



SARO (Silver Amber Ribbed Opaline)



RRO (RED Ribbed Opaline)

**23670** Safari Wall Fixture  
**Lamping** 40w 120v JCD (G-9 Base)  
**Finish** BRZ BS  
**Dimensions** H 6" Dia 5" E 6.25"  
**Glass**  
SAO SARO GRO RRO  
CETL Damp

Natural

# Safari

## Semi-Flush Bowl Pendant

Natural

23200-BRZ/AMZ



23200-BRZ/LAV



18"

20"

23200-BS/SLA



### 23200 Safari Semi-Flush Pendant Bowl

**Lamping** 3Lt x 60w A19 (E-26 Medium Base)

**Finish** BRZ BS **Glass** AMZ LAV SLA

**Dimensions** D 18" x H 20"

CUL Dry Available in Fluorescent



# Cosmopolitan

Lacey

Cosmopolitan

# Lacey



**50991 Lacey** Laser Cut Sphere Pendant

**Lamping** 1Lt x 100w A19 (E-26 Medium Base)

**Finish** CRM **Glass** OPL

**Dimensions** D 13.75" x H 15"

**Included** 10ft of Transparent Cord & Aircraft Cable  
CETL Damp



15"

13.75"

# Lacey



**50989 Lacey** Laser Cut Drum Pendant

**Lamping** 1Lt x 100w A19 (E-26 Medium Base)

**Finish** CRM **Glass** OPL

**Dimensions** D 14.5" x H 9.5"

**Included** 10ft of Transparent Cord & Aircraft Cable  
CETL Damp

# Lacey

**Lacey** Laser Cut Drum Flushmount

Finish CRM

Glass OPL

CETL Damp Available in Fluorescent

**50992** Dia 14.5" x H 5"

3Lt x 60w A19 (E-26 Medium Base)

**50993** Dia 20" x H 5"

3Lt x 60w A19 (E-26 Medium Base)

50992-CRM




50993-CRM

# Lacey

**Lacey** Laser Cut Wall Sconces  
Finish CRM  
CETL Damp [ADA](#) Available in Fluorescent

**50986** W 8" x H 7" Ext 4"  
1Lt x 40w Halogen 120v JCD (G-9 Base)

**50987** W 5" x H 17.75" Ext 4"  
2Lt x 40w Halogen 120v JCD (G-9 Base)



Front View 50986



Profile View 50987



# Pendants



10.5"

# Enzo



13"



16.25"

Ceiling Fixtures

Pendants

**55526 Enzo Acrylic and Glass Pendant (Large)**  
Lamping 1Lt x 150w 120v A-19 (E-26 Medium Base)  
Pendant Finish CH  
Acrylic Finish ACLR ASM Glass Finish FST  
Dimensions H13" Dia16.25" Canopy L10.5" x W1.5"  
Included 10ft Transparent Cord & Aircraft Cable  
CETL Damp



# Enzo

Ceiling Fixtures

Pendants

**55525 Enzo Acrylic and Glass Pendant (Small)**

**Lamping** 1Lt x 100w 120v A-19 (E-26 Medium Base)

**Pendant Finish** CH



**Acrylic Finish** ACLR **ASM Glass Finish** FST

**Dimensions** H13" **Dia**10" **Canopy** L10.5" x **W**1.5"

**Included** 10ft Transparent Cord & Aircraft Cable  
CETL Damp

Pendants

# Dinari



Ceiling Fixtures

Pendants

## 55528 Dinari Acrylic Pendant

**Lamping** 1Lt x 100w 120v A-19 (E-26 Medium Base)


**Pendant Finish** CH

**Acrylic Finish** AFR

**Dimensions** H12" Dia18"

**Included** 10ft Transparent Cord & Aircraft Cable  
CETL Damp

# Dinari



**55527** Dinari Acrylic Pendant

**Lamping** 1Lt x 100w 120v A-19 (E-26 Medium Base)

**Pendant** Finish CH

**Acrylic** Finish AFR

**Dimensions** H8" Dia11.75"

**Included** 10ft Transparent Cord  
CETL Damp

# Acrolite Cord



23760-SM

## **23760 Acrolite Cord Pendant**

**Lamping** 1Lt x 100w 120v G-40 (E-26 Medium Base)

**Pendant Finish** BS

**Acrolite Finish** APCL ASM AYEL AWH

**Dimensions** H13" Dia18"

**Included** 10ft Transparent Cord  
CETL Damp



23760-YEL



23760-WH

18"



23760-APCL

# Acrolite Rod

## 23761 Acrolite Rod Pendant

**Lamping** 1Lt x 100w 120v G-40 (E-26 Medium Base)

**Pendant Finish** BRZ BS

**Acrolite Finish** APCL ASM AYEL AWH

**Dimensions** H13" Dia18"

**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods

**Option** 6"-16"-22" Rods

CETL Damp



23761-SM



23761-YEL



23761-WH

18"

13"



23761-APCL

# Luce

Ceiling Fixtures

Pendants



23981-BS

13"

2.25"

23981-WH



23981-BL

## 28981 Luce Pendant

**Lamping** 40w 120v JCD (G-9 Base)

**Pendant Finish** BL BS WH

**Glass** OPL

**Dimensions** H13" Dia 2.25"

**Included** 10ft Cord

CETL Damp

# Tara



## 50124 Tara Pendant


**Lamping** 5Lt x 60w 120v A-19 (E-26 Medium Base)

**Finish** BS Glass OPL

**Included** Slope Adapter, 10ft Cord, 6"-16"-22" Rods

**Option** Rods up tp 10ft

CETL Damp Available in Fluorescent



For additional fixtures relating to this item see  
Catalog 22 Pg 68

# Lantern



Ceiling Fixtures

Pendants

## Lantern Incandescent Cord Pendant

**Pendant Finish** BS ORB

**Glass Finish** WHTLN

**Lamping** 1Lt x 100w A-19 (E-26 Medium Base)

**Included** 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord  
CETL Damp

**23643** Dia 8"

**23645** Dia 10"

**23646** Dia 12"

## Lantern Fluorescent Cord Pendant

**Pendant Finish** BS ORB

**Glass Finish** WHTLN

**Lamping** 1Lt x 18w CFL Self Ballasted (GU-24 Base)

**Included** 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord, 18w CFL Lamp  
CETL Damp **ENERGY STAR LISTED**

**23647** Dia 8"

**23648** Dia 10"

**23649** Dia 12"



# Silk



**23112 Silk** Glass Shade  
Finish AZT CRM CRN ICA OPL ORG RED LGR MYA PLM TRA  
Dimensions H 9" Dia 5.5"

**28212 Silk** Incandescent Cord Pendant  
Lamping 1Lt x 100w A-19 (E-26 Medium Base)  
Pendant Finish BS ORB  
Glass Dimensions H 9" Dia 5.5"  
Included 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord  
CETL Damp

**28812 Silk** Fluorescent Cord Pendant  
Lamping 1Lt x 18w CFL Self Ballasted (GU-24 Base)  
Pendant Finish BS ORB  
Glass Dimensions H 9" Dia 5.5"  
Included 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord, 18w CFL Lamp  
CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available


Ceiling Fixtures

Pendants

# Ostrich

WHFB (White FireBird)


PLFB (Plum FireBird)



AMFB (Amber FireBird)

LGRFB (LightGreen FireBird)

**23123 Ostrich Glass Shade**  
**Finish** AMBFB LGRFB PLMFB REDFB WHTFB  
 Compatible with all Maxi pendants




**28223 Ostrich Incandescent Cord Pendant**  
**Lamping** 1Lt x 100w A-19 (E-26 Medium Base)  
**Pendant Finish** BS ORB  
**Glass Finish** AMBFB LGRFB PLMFB REDFB WHFB  
**Glass Dimensions** H 9" Dia 6"  
**Included** 12ft Cord, BS supplied with Clear Cord, ORB supplied with Black Cord  
 CETL Damp

**28823 Ostrich Fluorescent Cord Pendant**  
**Lamping** 1Lt x 18w CFL Self Ballasted (GU-24 Base)  
**Pendant Finish** BS ORB  
**Glass Finish** AMBFB LGRFB PLMFB REDFB WHFB  
**Glass Dimensions** H 9" Dia 6"  
**Included** 12ft Cord, BS supplied with Clear Cord, ORB supplied with Black Cord, 18w CFL Lamp  
 CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available

# Swirl



**978ST** Swirl Glass Shade  
**Finish** PLC PLS  
Compatible with all Maxi pendants and 70012LED pendant


**28978 Swirl** Incandescent Cord Pendant  
**Lamping** 1Lt x 100w A-19 (E-26 Medium Base)  
**Pendant Finish** BS ORB  
**Glass Finish** PLC PLS  
**Glass Dimensions** H 7.25" Dia 4.75"  
**Included** 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord  
CETL Damp

**28878 Swirl** Fluorescent Cord Pendant  
**Lamping** 1Lt x 18w CFL Self Ballasted (GU-24  
Base)  
**Pendant Finish** BS ORB  
**Glass Finish** PLC PLS  
**Glass Dimensions** H 7.25" Dia 4.75"  
**Included** 12ft Cord, BS supplied with Clear Cord,  
ORB supplied with Black Cord, 18w CFL Lamp  
CETL Damp **ENERGY STAR LISTED**



Additional Pendant systems available

# 932V Etched Cylinder



Ceiling Fixtures

Pendants

## 932V -WHLN Etched Cylinder Glass

Dimensions H 10" Dia 3"  
Glass Finish WHLN

### 94932 Cylinder Mini Pendant

**Lamping** 1 Lt x 35w 12v JC (GY6.35 Base)  
**Pendant Finish** BRZ BS  
**Canopy Dimensions Dia** 5"  
**Glass** Finish WHLN  
**Glass Dimensions H** 10" **Dia** 3"  
**Included** 10ft Coated Cable  
(Black with Bronze, Grey with BS)  
CETL Dry

### 87215 (Uni-Jack Pentagon) Cylinder Mini Pendant

**Lamping** 5 Lt x 35w 12v JC (GY6.35 Base)  
**Pendant Finish** BS  
**Canopy Dimensions Dia** 14"  
**Glass** Finish WHLN  
**Glass Dimensions H** 10" **Dia** 3"  
**Included** 10ft Coaxial Cable  
CETL Dry

Additional Pendant systems available

# Sphere



87213-BS/WHLN



96979-BS/WHLN

## **87213 (Uni-Jack Tri-Pod System) Sphere Mini Pendant**

**Lamping** 3 Lt x 35w 12v JC (GY6.35 Base)

**Pendant Finish** BS

**Canopy Dimensions Dia** 9"

**Glass Finish** WHLN

**Glass Dimensions H** 3.5" **Dia** 5"

**Included** 10ft Coaxial Cable

CETL Dry

## **979WJ Etched Spherical Glass**

**Dimensions H** 3.5" **Dia** 5"

**Glass Finish** WHLN

## **96979 (Uni-Jack System) Sphere Mini Pendant**

**Lamping** 1 Lt x 35w 12v JC (GY6.35 Base)

**Pendant Finish** BS

**Canopy Dimensions Dia** 5"

**Glass Finish** WHLN

**Glass Dimensions H** 3.5" **Dia** 5"

**Included** 10ft Coaxial Cable

CETL Dry



Additional Pendant systems available

# Ares



## 20742 Ares Flush-Mount or Wall Fixture

**Lamping** 1Lt x 18w Par-38 (GX-53 Base)

**Finish** BS WH

**Dimensions** H 3" Dia 5"

**Included** GX-53 Cold Cathode Lamp

CETL Damp [ADA](#) [Energy Efficient](#)

# Skylark 18w CCFL ADAPTOR

## TB-18W27KCANADPT Skylark Downlight Can or Sheet Rock Retrofit Kit

**Lamping** 1Lt x 18w Par-38 (GX-53 Base)

**Finish** BS WH (White)

**Dimensions** H 3" Dia 5"

**Included** GX-53 Cold Cathode Lamp

CETL Dry [Energy Efficient](#)



### OPERATING CHARACTERISTICS

**DIMMING:** The lamp is dimmable with analog dimmers only, dimming range of 100% to 20%

**CYCLING:** The lamp life is not effected by on/off cycling

**OPERATING LIFE:** 25000 hours

**CRI:** ≥ 82

**KELVIN TEMPERATURE:** 2700k

**LUMEN OUTPUT:** 800

**POWER FACTOR:** High Power Factor (>.90)

**OPERATING TEMPERATURE:** 122°F (50°C) to 32°F (0°C)

See page 397 for lamp specifications

# Saloris



**Saloris** Flush Mount  
Finish BS Diffuser ACR  
CETL Damp Energy Efficient

**20740** Dia 17" H 4" (small)  
Lamping 1 x 22w + 1 x 32w T-9 (G10q 4 Pin T9 Circline)

**20741** Dia 23.25" H 5.25" (large)  
Lamping 1 x 32w + 1 x 40w T-9 (G10q 4 Pin T9 Circline)

# Ark



Opal glass panels on the base of the fixture provides a warm uplight



Bottom View



Side View

36"


## 31026 Ark Fluorescent Ceiling Fixture

Finish CH Glass FST

2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

Dimensions L 36" x W 8" x H 3" canopy 11" x 4.25"

CETL Dry Energy Efficient



# Sequoia



## Sequoia Ceiling or Wall/Vanity Fixtures

**Finish** BS **Diffuser** ACR

**Included** Floating Canopy for Off-Set  
Junction Boxes

CETL Damp **Energy Efficient**

**A 31031** W 15.5" H 5.5" Ext 3.6"

1Lt x 24w PLL HO Fluorescent (G10Q Base)

**B 31032** W 25.25" H 5.5" Ext 3.6"

2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

**C 31033** W 37" H 5.5" Ext 3.6"

2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

**D 31034** W 48.75" H 5.5" Ext 3.6"

2Lt x 54w T-5 HO Fluorescent (Bi-Pin Base)



**A**



**B**



**C**



Wall Fixtures

Wall Vanity



**A**



**B**

Ceiling Fixtures

Flush Mounts

**Vision** Ceiling or Wall/Vanity Fixtures

Finish BS Glass FST

CETL Damp ADA Energy Efficient


**A 31027** L 26.5" x W 5" x H 3" CANOPY L 23" x W 2.5" x H 1"  
1Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

**B 31028** L 26.5" x W 9.5" x H 3" CANOPY L 23" x W 2.5" x H 1"  
2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

# Vision



**A**



**B**

# Vision

**Vision** Ceiling or Wall/Vanity Fixtures

Finish BS **Glass** FST

CETL Damp **ADA** Energy Efficient

**A 31029** L 38" x W 5" x H 3" **CANOPY** L 34.5" x W 2.5" x H 1"  
1Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

**B 31030** L 38" x W 9" x H 3" **CANOPY** L 34.5" x W 2.5" x H 1"  
2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)

# Sierra



Wall Fixtures

Wall Vanity

**Sierra** Ceiling or Wall/Vanity Fixtures  
Finish BS ORB Glass ACR  
CETL Damp ADA Energy Efficient

**A 31021** L 24.75" W 4.5" Ext 2.5"

2Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

**B 31022** L 36.75" W 4.5" Ext 2.5"

2Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)




**31025 Sierra** Wall & Vanity

Lamping 1Lt x 18w FT18DL Lamp (2G11 Base)

Finish SAT ORB Glass ACR

CETL Damp ADA Energy Efficient



# Nitro

Wall Fixtures

Wall Vanity



A

**Nitro** Wall & Vanity  
Finish CH Glass OPL  
CETL Damp ADA

**A 62258** L 6.75" H 5" Ext 3.25"  
1Lt x 100w Halogen 120v J78 (T-3 Base)



B

**B 62259** L 15.9" H 5" Ext 3.25"  
2Lt x 100w Halogen 120v J78 (T-3 Base)



C

**C 62260** L 24.2" H 5" Ext 3.25"  
3Lt x 100w Halogen 120v J78 (T-3 Base)



D

**D 62262** L 42.5" H 5" Ext 3.25"  
5Lt x 100w Halogen 120v J78 (T-3 Base)

# Geneva

Wall Fixtures

Wall Vanity



B



A

## Geneva Wall & Vanity

Finish BS CH Glass OPL

Included Floating Canopy for Off-Set  
Junction Boxes

CETL Dry ADA Energy Efficient

**A 31010** W 24.5" H 4" Ext 3.5"

1Lt x 24w T-5 HO Fluorescent (Bi-Pin Base)

**B 31011** W 36.6" H 4" Ext 3.5"

1Lt x 39w T-5 HO Fluorescent (Bi-Pin Base)



A



A



B

**Piazzo** Wall Fixtures

Finish CH Glass CLOP

CETL Damp ADA Available in Fluorescent

**A 53343** W 12" x H 12" x Ext 2.75" canopy 9.25 x 7"  
1Lt x 150w Halogen 120v J118 (T-3 Base)

**B 53344** W 38.25" x H 8" x Ext 3" canopy 10 x 6.75"  
3Lt x 100w Halogen 120v J118 (T-3 Base)

# Piazzo

# Aqueous

Wall Fixtures



Wall Vanity



50566-BS



50567-BS



**50566 Aqueous** Wall & Vanity

Finish BS ORB Glass OPL

Lamping 1 x 18w FT18DL (2G11 Base)

CETL Damp Energy Efficient

**50567 Aqueous** Wall & Vanity

Finish BS ORB Glass OPL

Lamping 2 x 18w FT18DL (2G11 Base)

CETL Damp Energy Efficient

# Zylinder

Wall Fixtures



Wall Vanity



50569-BS



50570-ORB



## 50569 Zylinder Wall Fixture

Lamping 1 x 60w B-10 (E-26 Medium Base)

Finish BS ORB Glass OPL

CUL Dry Available In Fluorescent

## 50570 Zylinder Wall Fixture

Lamping 2 x 60w B-10 (E-26 Medium Base)

Finish BS ORB Glass OPL

CUL Dry Available In Fluorescent

# Nitros




## 62242 Nitros Wall & Vanity

Lamping 2 x 60w B-10 (E-26 Medium Base)

Finish BRZ BS Glass OPL

CUL Dry ADA



# Bo




## 62236 Bo Wall & Vanity

Lamping 1 x 100w Halogen J78 (T-3 Base)

Finish BS Glass OPL

CUL Dry ADA Available In Fluorescent



# Victoria

Wall Fixtures

Wall Vanity




## 20524 Victoria Wall Sconce

**Lamping** 1 x 60w B-10 (E-26 Medium Base)

**Glass** OPL

CUL Dry [ADA](#) Available In Fluorescent




## 20525 Victoria Wall Sconce

**Lamping** 1 x 60w B-10 (E-26 Medium Base)

**Glass** OPL

CUL Dry Available In Fluorescent



# Cyprus

Wall Fixtures

Wall Task



## 70017 Cyprus LED Swivel Wall Lamp

Finish CH Glass BL

Supplied with 4-Way Switch


Lamping 1Lt x 60w A19 (E-26 Medium Base)

1Lt x 3w Super White LED (3500K)

Hard Wire or Plug In

Supplied with Cord & Plug

CETL Dry




# Cyprus



Wall Fixtures

Wall Task



## 70016 Cyprus LED Gooseneck Wall Lamp

Finish CH Glass BL

Supplied with 4-Way Switch


Lamping 1Lt x 60w A19 (E-26 Medium Base)

1Lt x 3w Super White LED (3500k)

Hard Wire or Plug In

Supplied with Cord & Plug

CETL Dry




# Outdoor

Outdoor

Look for products bearing this Mark



For installations near coastal areas




### 20368MG Nyz Wall Fixture

Lamping 2Lt x 18w FT18DL Lamp (2G11 Base)

Finish BRZ SAT Glass OPL

CETL Wet Energy Efficient



### 20367MG Nyz Wall Fixture

Lamping 1Lt x 18w FT18DL Lamp (2G11 Base)

Finish BRZ SAT Glass OPL

CETL Wet Energy Efficient



Outdoor

# Trident


Outdoor




Front View



Profile View



**20388MG Trident** Wall Fixture  
**Lamping** 2Lt x 75w PAR-20 (E-26 Base)  
**Finish** BRZ SAT   
**Glass** CLR  
 CETL Wet Available in Fluorescent




**20389MG Trident** Wall Fixture  
**Lamping** 2Lt x 75w PAR-30 (E-26 Base)  
**Finish** BRZ SAT   
**Glass** CLR  
 CETL Wet Available in Fluorescent



Slide View

# Poseiden



## 20385MG Poseiden Wall Fixture

**Lamping** 2Lt x 35w Halogen 12v MR-16 (GU-5.3 Base)


**Finish** BRZ SAT

**Glass** CLR

**Included** 12v Transformer

CETL Wet

Marine  
Grade



## 20384MG Poseiden Wall Fixture

**Lamping** 1Lt x 35w Halogen 12v MR-16 (GU-5.3 Base)

**Finish** BRZ SAT

**Glass** CLR


**Included** 12v Transformer

CETL Wet

Marine  
Grade

Outdoor

# Nyami



## 20370MG Nyami Wall Fixture


Lamping 2Lt x 60w A19 (E-26 Medium Base)

Finish BRZ SAT Glass FST

CETL Wet Available in Fluorescent

Marine Grade

# Totana



## 20371MG Totana Wall Fixture

Lamping 1Lt x 60w A19 (E-26 Medium Base)

Finish BRZ SAT Glass OPL

CETL Wet Available in Fluorescent

Marine Grade

## 23064LED ZYXZ Wall Fixture


**Lamping** 2Lt x 3w High Output LED

**Finish** SAT BRZ

**Included** LED Driver

CETL Wet **ADA**

Marine Grade



## 20394LED LED ORB Wet Location Wall Fixture

**Lamping** 7.2w Super White LED 3000k 432lm

**Finish** SAT **Glass** ACR

**Dimensions** D 7.75" x **EXT** 2.5" canopy 4.25" x 1.25"

CETL Wet **ADA** **Energy Efficient**

Marine Grade

Outdoor

# Tyro



## 20373 Tyro Wet Location Wall Fixture

**Lamping** 1Lt x 100w A19 (E-26 Medium Base)

**Finish** BRZ SAT **Glass** OPL

**Dimensions** L 14.65" x H 5.25" x EXT 4"

CUL Wet [ADA Available in Fluorescent](#)

Outdoor



## 20372 Tyro Wet Location Wall Fixture

**Lamping** 1Lt x 60w A19 (E-26 Medium Base)

**Finish** BRZ SAT **Glass** OPL

**Dimensions** L 10.8" x H 5.7" x EXT 3.8"

CUL Wet [ADA Available in Fluorescent](#)



# Brick




## 20450 Brick Wall Fixture

**Lamping** 1Lt x 75w A19 (E-26 Medium Base)

**Glass** OPL

CUL Wet [ADA](#) Available in Fluorescent




# Eclipse

## 20449 Eclipse Wall Fixture

**Lamping** 1Lt x 75w A19 (E-26 Medium Base)

**Finish** BRZ SAT **Glass** OPL

CUL Wet [ADA](#) Available in Fluorescent



Outdoor

# CCFL Cold Cathode Energy Saving Lamps

**DynamicLux™** evolved from conventional Cold Cathode Fluorescent Lighting used as backlighting for LCD screens, laptops, copiers, printers and scanners. **DynamicLux™** Cold Cathode's are energy efficient, long-life, durable and have flashing capabilities, they are ultra energy-efficient and deliver high-quality lighting with consistent color suitable for most lighting applications.

**DynamicLux™** Technology enables high wattages with Cold Cathode Fluorescent lamps (CCFL) for general lighting applications. Featuring smooth dimming and **unlimited** on/of switching with no detrimental effect on life expectancy, unlike conventional Fluorescent lamps.



## Use of Amalgam

**Mercury** is an essential element in producing light in energy saving lamps. Compact Fluorescent Lamps normally require approximately 5mg of mercury to deliver quality luminance. **DynamicLux™** CCFL lamps use less Mercury whilst still providing excellent performance.

Instead of liquid mercury **DynamicLux™** employ the latest technology using **Amalgam** a “solid form” of mercury as a substitution, minimizing the impact to the environment.

**Amalgam** does not vaporize like **Liquid Mercury** at room temperature, when the energy saving lamps are broken accidentally or at end of life disposal, amalgam will not cause pollution to the environment.

Recycled properly, the **Amalgam** is re-usable.

**DynamicLux™** 13w Spiral lamp uses less than 1.7mg of amalgam, far below similar Fluorescent products available.

# CCFL Energy Saving Lamps

## Dimmable Reflector Series



**TB-CC18W27KGX53**

Base GX-53



**TB-CC18WP3827K**

Base GU-24 and E-26 (Medium Base)

### Features:

- Powered by DynamicLux™ Technology
- Dimming: Supports market available SCR dimmers that support incandescent bulbs (e.g. Leviton and Lutron)
- Long lasting: 25,000 hrs • On/Off: Unlimited switching, without negative effects
- Works with sensors and timers
- Energy Saving: Up to 80% saving over standard incandescent bulbs
- 2 year warranty



**TB-CC13WP3027K**

Base GU-24 and E-26 (Medium Base)

Model	Product Series	Watt (W)	Voltage (V)	MOL	Base Dia	Width	Lamp Base	Lumen Output (1m)	Color Temp (K) (11	CRI	Lifetime (hrs)	Dimming
<b>TB-CC18WP3827KE26</b> <b>CC18WP3827KGX53</b>	Reflector	18	110-120	4.94" 4.44"	2.95"	4.72"	E26 GU24	800	2700 K	≥ 80	25,000	20%
<b>TB-CC18W27KGX53</b>	Reflector	18	110-120	2.36"	4.92"	4.72"	GX53	800	2700 K	≥ 80	25,000	20%
<b>TB-CC13WP3027KGU24</b> <b>CC13WP3027KE26</b>	Reflector	13	110-120	5.1" 5.5"	2.95	3.93"	E26 GU24	585	2700 K	≥ 80	25,000	20%

# Cold Cathode Energy Saving Lamps Dimmable Series







**TB-CC18W27K**

Base GU-24 and E-26 (Medium Base)



**TB-CC13W27**

Base GU-24 and E-26 (Medium Base)

Comparison Chart		
	Cold Cathode	Incandescent
	Spiral 13w	60w
	Spiral 18w	75w
	PAR 13w	60w
	GX53 18w	70w



















	Model	Product Series	Wattage (W)	Voltage (V)	MOL	Base Dia	Width	Lamp Base	Lumen Output (1m)	Color Temp (K) (1l)	CRI	Lifetime (hrs)	Dimming
Cold Cathode Lamps	<b>TB-CC18W27KE26</b> <b>CC18W27KGU24</b>	Spiral	18	110-120	5.7" 5.8"	1.97"	2.36"	E26 GU24	1080	2700 K	≥ 80	20,000	20%
	<b>TB-CC13W27KE26</b> <b>CC13W27KG24</b>	Spiral	13	110-120	5" 5.12"	1.97"	2.36"	E26 GU24	715	2700 K	≥ 80	20,000	20%

# Index

Model No.	Page	Model No	Page	Model No	Page
20367MG	389	31022	378	50967	340
20368MG	389	31025	378	50970	327
20370MG	392	31026	374	50971	326
20371MG	392	31027	376	50972	324
20384MG	391	31028	376	50975	325
20385MG	391	31029	377	50976	325
20388MG	390	31030	377	50986	357
20389MG	390	50124	365	50987	357
23064LED	393	50132	333	50989	355
23094LED	393	50133	332	50991	354
20372	394	50134	332	50992	356
20373	394	50135	332	50993	356
20449	395	50142	328	53343	381
20450	395	50143	328	53344	381
20524	385	50144	328	55525	359
20525	385	50150	342	55526	358
20740	373	50151	343	55527	361
20741	373	50152	344	55528	360
20742	372	50153	344	62236	384
23200	352	50154	342	62242	384
23112	367	50155	343	62258	379
23640	348	50156	345	62259	379
23642	348	50157	345	62260	379
23643	366	50158	345	62262	379
23645	366	50542	335	70016LED	387
23646	366	50543	335	70017LED	386
23647	366	50544	334	923ST	368
23648	366	50566	382	932V	370
23649	366	50567	382	978ST	369
23650	350	50569	383	979WJ	371
23651	350	50570	383	TB-CC13W27KE26	398
23652	350	50956	337	TB-CC13W27KGU24	398
23670	351	50957	337	TB-CC13-PAR30 27K E26	397
28878	369	50958	336	TB-CC18W27KE26	398
28978	369	50959	336	TB-CC18W27KGU24	398
28981	364	50960	340	TB-CC18W27KGX53	397
31010	380	50963	339	TB-CC18WP3827KE26	397
31011	380	50964	339	TB-CC18WP3827KGU24	397
31021	378	50965	338	TB-18W27KCANADPT	372

<b>Marine Grade</b>	Wet Location, for use in extreme Saline conditions (sea front properties)
<b>Wet Location</b>	For outdoor use, not intended for applications near extreme Saline conditions
<b>Damp Location</b>	For use in applications not in direct contact with water, or not for use outdoors with Saline conditions (under cover but not close to sea front)
<b>Dry Location</b>	For use in indoor applications not in direct contact with moisture

### Finish Codes & Swatches

<b>ABRZ</b>	Antique Bronze	
<b>ALU</b>	Aluminum	
<b>BB</b>	Brushed Brass	
<b>BCHR</b>	Black Chrome	
<b>BL</b>	Black	
<b>BRZ</b>	Bronze	
<b>BS</b>	Brushed Steel	
<b>CH</b>	Chrome	
<b>MC</b>	Matte Chrome	
<b>ORB</b>	Oil-Rubbed Bronze	
<b>PB</b>	Polished Brass	
<b>RU</b>	Rust	
<b>SAT</b>	Satin	
<b>SC</b>	Satin Chrome	
<b>SILV</b>	Silver	
<b>SS</b>	Stainless Steel	
<b>ST</b>	Stone	
<b>WH</b>	White	

### Certifications

UL / CUL / CETL



Certified UL, CUL or CETL. All fixtures are certified by these accredited testing laboratories for wet, damp or dry locations as noted.

#### Available in Fluorescent

Fixtures with **Available in Fluorescent** can be converted to energy efficient lighting.

**Access Lighting** is a proud Energy Star Partner.

#### ADA Compliant

Fixtures with **ADA** comply with the Americans with Disabilities Act. (Extends 4" or less.)

### Glass Codes

<b>12C</b>	12mm Clear Glass	<b>FST</b>	Frosted
<b>8CL</b>	8mm Clear Glass	<b>GRO</b>	Green Ribbed Opaline
<b>ACR</b>	Acrylic	<b>ICA</b>	Inca
<b>APCL</b>	Clear Prismatic Acrylic	<b>IRD</b>	Iridescent
<b>ASM</b>	Smoked Acrylic	<b>LAV</b>	Lava
<b>AWH</b>	White Acrylic	<b>LFR</b>	Line Frosted
<b>AYEL</b>	Yellow Acrylic	<b>LGR</b>	Light Green
<b>AFR</b>	Frosted Acrylic	<b>LGRFB</b>	Light Green Fire Bird
<b>ALB</b>	Alabaster	<b>MFR</b>	Molded Frosted
<b>AMB</b>	Amber	<b>MFW</b>	Mirror / Frosted Windows
<b>AMBFB</b>	Amber Fire Bird	<b>MRB</b>	Marbleized
<b>AMM</b>	Amber Marble	<b>MTI</b>	Multi
<b>AMZ</b>	Amazon	<b>MTL</b>	Metal
<b>ASC</b>	Amber Scarvo	<b>MYA</b>	Maya
<b>AZT</b>	Aztec	<b>OPC</b>	Opal Inner / Clear Outer
<b>BDY</b>	Burgandy	<b>OPL</b>	Opal
<b>BLC</b>	Blanco	<b>OPM</b>	Opal Matte
<b>BLU</b>	Blue	<b>ORG</b>	Orange
<b>BLW</b>	Zebra	<b>ORO</b>	Gold
<b>BSC</b>	Brushed Steel Inner / Clear Outer	<b>PLC</b>	Plum Cloud
<b>CAM</b>	Clear & Amber Reflecting Lens	<b>PCL</b>	Clear Ribbed Acrylic
<b>CCL</b>	Clear Crystal	<b>PLM</b>	Plum
<b>CFR</b>	Clear / Center Frosted Ring	<b>PLMFB</b>	Plum Fire Bird
<b>CKF</b>	Checkered Frosted	<b>PLOP</b>	Purple Outer Opal Inner
<b>CLAM</b>	Clear Outer Amber Inner	<b>PLS</b>	Purple Swirl
<b>CLCB</b>	Clear Outer Cobalt Inner	<b>RED</b>	Red
<b>CLF</b>	Clear / Frosted Band	<b>RFR</b>	Ribbed Frosted
<b>CLM</b>	Clear / Perforated Metal Band	<b>RRO</b>	Red Ribbed Opaline
<b>CLOP</b>	Clear Outer Opal Inner	<b>SAF</b>	Stepped Acid Frosted
<b>CLR</b>	Clear	<b>SAO</b>	Silver Amber Opaline
<b>CLRDR</b>	Clear Outer Red Inner	<b>SARO</b>	Silver Amber Ribbed Opaline
<b>CLS</b>	Cream Linen Shade	<b>SLA</b>	Silver Amber
<b>COB</b>	Cobalt Blue	<b>TEX</b>	Textured Linen
<b>COG</b>	Cognac	<b>TRA</b>	Terra
<b>CRM</b>	Crème	<b>WHFB</b>	White Fire Bird
<b>CRN</b>	Carnival	<b>WHT</b>	White
<b>CRY</b>	Crystal Accents	<b>WHLN</b>	White Etched
<b>FCL</b>	Inner Frosted Crystal	<b>WHTLN</b>	White Lined
<b>FRA</b>	French Amber	<b>WRD</b>	White Raindrop
<b>FRC</b>	Frosted Inner Glass / Clear Outer	<b>WTP</b>	White Teardrop

# access

L I G H T I N G

Headquarters  
1200 Valencia Avenue  
Tustin, CA 92780 | USA  
800-828-5483 toll-free  
714-247-1270 phone  
714-247-1351 fax  
info@accesslighting.com email

Dallas Trademart  
2100 Stemmons Freeway | Suite 3939  
Dallas, TX 75207 | USA

[www.accesslighting.com](http://www.accesslighting.com)



\$15.00