




REFLECT **life**

Our popular Nova series white glass is finished off nicely with a mirrored glass ring, with an edge of glow at the ceiling

Mira 24: #9770MR




9 | 7 | 7 | 0 | M | R

Fixture Decor
9770 25" Dia. **MR** White/Mirror

- **Lamping**

() 3x 60W A19 Incand.
H2 2x 26W Quad 120V
V3 3x 13W GU-24 max

Mira 20: #9771MR



9 | 7 | 7 | 1 | M | R

Fixture Decor
9771 20" Dia. **MR** White/Mirror

- **Lamping**

() 2x 60W A19 Incand.
D2 2x 13W Quad 120V
V2 2x 13W GU-24 max



9770MR
White/Mirror



9771MR
White/Mirror



9772MR
White/Mirror



Mira 16: #9772MR



9 7 7 2 M R

Fixture Decor
9772 16" Dia. MR White/Mirror

- |
Lamping

() 1x 60W A19 Incand.
D1 1x 13W Quad 120V
V1 1x 13W GU-24 max

Handcrafted glass attaches with twist & lock bayonet method.

Aluminum fitter

Lamps not included

Incandescent models are suitable for dimming.

90°C supply wire required

Location: DRY or DAMP,
interior only

CFL information: Pg. 258






909739-AL
Opal Glossy/Clear

GLOSSY halo

Skillfully-blown glossy Opal glass with stunning clear edge effect.

Luma 12: #9095




9 | 0 | 9 | 5 | 3 | 9

Fixture Decor
9095 11.875" **39** Opal Glossy/Clear

- **L** -
Lamping
() 1x 60W A19 Incand.
D1 1x 13W Quad 120V
V1 1x 13W GU-24 max
More CFL options: Pg. 260

- **M** -
Metal Finish
AL Br. Alum
WH White

Luma 14: #9096



9 | 0 | 9 | 6 | 3 | 9

Fixture Decor
9096 14.375" **39** Opal Glossy/Clear

- **L** -
Lamping
() 2x 60W A19 Incand.
D2 2x 13W Quad 120V
V2 2x 13W GU-24 max
More CFL options: Pg. 260

- **M** -
Metal Finish
AL Br. Alum
WH White


Opal Glossy/Clear



Opal Glossy/Clear



Luma 18: #9097



9 | 0 | 9 | 7 | 3 | 9

Fixture Decor
9097 17.75" **39** Opal Glossy/Clear

- **L** -
Lamping
() 3x 60W A19 Incand.
H2 2x 26W Quad 120V
V3 3x 13W GU-24 max
More CFL options: Pg. 260

- **AL** -
Metal Finish
AL Br. Alum
WH White

Deep pan design creates soft ceiling glow, and offers incandescent or CFL lamping.

Handcrafted glass attaches with twist & lock bayonet method.

Aluminum fitter
 90°C supply wire required


Lamps not included
 Incandescent models are suitable for dimming.

Location: DRY or DAMP,
 interior only



CFL information: Pg. 258

Finish Options:



luma slim (cfl)




Opal Glossy/Clear

Luma 12 Slim: #9095



1	C	S	-	9	0	9	5	3	9	-	L
Fixture				Decor				Lamping			
1CS 1 Light				909539 Opal Glossy/Clear				D1 1x 13W Quad 120V V1 1x 13W GU-24 max			

Luma 14 Slim: #9096




2	C	S	-	9	0	9	6	3	9	-	L
Fixture				Decor				Lamping			
2CS 1 Light				909639 Opal Glossy/Clear				D2 2x 13W Quad 120V V2 2x 13W GU-24 max			

Luma 18 Slim: #9097



3	C	S	-	9	0	9	7	3	9	-	L
Fixture				Decor				Lamping			
3CS 1 Light				909739 Opal Glossy/Clear				H2 2x 26W Quad 120V V3 3x 13W GU-24 max			



May be wall mounted (interior only)



Edge detail

"Slim" design features a low profile pan specifically for CFL lamps.

Handcrafted glass attaches with twist & lock bayonet method.

90°C supply wire required

Aluminum fitter

Lamps not included

Location: **DRY** or **DAMP**, interior only

CFL information: Pg. 258



slipstream slim (cfl)



White Damask



Opal Matte



Cosmic




White Rings

"Slim" design features a low profile pan specifically for CFL lamps.
 Handcrafted glass attaches with twist & lock bayonet method.
 90°C supply wire required
 Aluminum fitter
 Lamps not included
Location: DRY or DAMP, interior only
 CFL information: Pg. 258




Slipstream 11 Slim: #9038




1	C	S	-				-				L
Fixture	Decor				Lamping						
1CS 1 Light	903807	Opal Matte	D1	1x 13W Quad 120V							
	9038CS	Cosmic	V1	1x 13W GU-24 max							
	9038WB	White Rings									
	9038WD	White Damask									

Slipstream 13 Slim: #9039



2	C	S	-				-				L
Fixture	Decor				Lamping						
2CS 1 Light	903907	Opal Matte	D2	2x 13W Quad 120V							
	9039CS	Cosmic	V2	2x 13W GU-24 max							
	9039WB	White Rings									
	9039WD	White Damask									

Slipstream 16 Slim: #9040



3	C	S	-				-				L
Fixture	Decor				Lamping						
3CS 1 Light	904007	Opal Matte	H2	2x 26W Quad 120V							
	9040CS	Cosmic	V3	3x 13W GU-24 max							
	9040WB	White Rings									
	9040WD	White Damask									

slipstream



White Damask
9039WD-AL

Opal Matte




Cosmic




White Rings



Slipstream 11: #9038



Slipstream 13: #9039




9 0 3 8			
Fixture	Decor	Lamping	Metal Finish
9038 11" Dia.	07 Opal Matte	() 1x 60W A19 Incand.	AL Br. Alum
	CS Cosmic	D1 1x 13W Quad 120V	WH White
	WB White Rings	V1 1x 13W GU-24 max	
	WD White Damask	<i>More CFL options: Pg. 260</i>	

-		-	

9 0 3 9			
Fixture	Decor	Lamping	Metal Finish
9039 13.4" Dia.	07 Opal Matte	() 2x 60W A19 Incand.	AL Br. Alum
	CS Cosmic	D2 2x 13W Quad 120V	WH White
	WB White Rings	V2 2x 13W GU-24 max	
	WD White Damask	<i>More CFL options: Pg. 260</i>	



Slipstream 16: #9040



9 0 4 0	-	-	
Fixture	Decor	Lamping	Metal Finish
9040 16.5" Dia.	07 Opal Matte	() 3x 60W A19 Incand.	AL Br. Alum
	CS Cosmic	H2 2x 26W Quad 120V	WH White
	WB White Rings	V3 3x 13W GU-24 max	
	WD White Damask	<i>More CFL options: Pg. 260</i>	

Deep pan design creates soft ceiling glow, and offers incandescent or CFL lamping.

Handcrafted glass attaches with twist & lock bayonet method.

Aluminum fitter


90°C supply wire required

Lamps not included

Incandescent models are suitable for dimming.

Location: DRY or **DAMP**, interior only

CFL information: Pg. 258



Twist and lock bayonet glass


tamburo 16 & 16v2



Chalk
1KM-4008KR-SN




Mosaic Onyx
1KM-4007MX-SN



Stone Gold Foil
1KM-4391GF-SN

Tamburo 16:

Glass: 15.75" Dia. x 11.75" H
Lamp: 3x 60W A19




Fixture	Decor	Lamping	Metal Finish
1KM Ceiling	400707 Opal Matte 400780 Amber Matte 4007BK Black Matte 4007CF Copper Foil 4007CH Cherry 4007GF Gold Foil 4007HB Habanero 4007KR Chalk 4007MA Magma 4007MG Marble Grigio 4007MX Mosaic Onyx 4007OK Oak 4007SF Silver Foil 4007TN Titan 4007VM Vanilla Matte 4007WB White Rings 439000 Clear Stone 4390CF Stone Copper Foil 4390GF Stone Gold Foil 4390OS Opal Stone 4390SF Stone Silver Foil	() 3x 60W A19 V3 3x 13W GU-24 max	BR Bronze SN Satin Nickel



Tamburo 16v2:

Glass: 15.75" Dia. x 7.875" H
Lamp: 3x 60W A19



"Near Ceiling" design creates soft ceiling glow, and offers incandescent or CFL lamping.

90°C supply wire required

Lamps not included

Includes frosted glass glare shield

Incandescent models are suitable for dimming.

Location: DRY or DAMP, interior only

CFL information: Pg. 258



Fixture	Decor	Lamping	Metal Finish
1KM Ceiling	400807 Opal Matte 400880 Amber Matte 4008BK Black Matte 4008CF Copper Foil 4008CH Cherry 4008GF Gold Foil 4008HB Habanero 4008KR Chalk 4008MA Magma 4008MG Marble Grigio 4008MX Mosaic Onyx 4008OK Oak 4008SF Silver Foil 4008TN Titan 4008VM Vanilla Matte 4008WB White Rings 439100 Clear Stone 4391CF Stone Copper Foil 4391GF Stone Gold Foil 4391OS Opal Stone 4391SF Stone Silver Foil	() 3x 60W A19 V3 3x 13W GU-24 max	BR Bronze SN Satin Nickel

nova




White



Carrera




Nova 16: #9770



9	7	7	0		C
Fixture		Decor			
9770 15.75" Dia.		07 White			
		19 Carrera			

-	L
Lamping	
() 3x 60W A19 Incand.	
H2 2x 26W Quad 120V	
V3 3x 13W GU-24 max	
More CFL options: Pg. 260	


Nova 13: #9771



9	7	7	1		C
Fixture		Decor			
9771 12.5" Dia.		07 White			
		19 Carrera			

-	L
Lamping	
() 2x 60W A19 Incand.	
D2 2x 13W Quad 120V	
V2 2x 13W GU-24 max	
More CFL options: Pg. 260	

Nova 10: #9772



9	7	7	2		C
Fixture		Decor			
9772 10.25" Dia.		07 White			
		19 Carrera			

-	L
Lamping	
() 1x 60W A19 Incand.	
D1 1x 13W Quad 120V	
V1 1x 13W GU-24 max	
More CFL options: Pg. 260	



Handcrafted glass attaches with twist & lock bayonet method.
 Aluminum fitter
 60W A19 120V Lamps not included
 Incandescent models are suitable for dimming.
 90°C supply wire required
Location: DRY or DAMP, interior or exterior protected from direct precipitation

CFL information: Pg. 258



ring



White/Frost

White Nova Series glass diffuser with decorative glass ring, attaches with twist & lock bayonet method.

Aluminum fitter

Lamps not included

Incandescent models are suitable for dimming.


90°C supply wire required

Location: **DRY** or **DAMP**, interior or exterior protected from direct precipitation

CFL information: Pg. 258



Ring 19: #9770



9 7 7 0 | | **C**

Fixture
9770 19.0" Dia.

Ring Decor
25 White/Frost
CF White/Copper Foil
GF White/Gold Foil
SF White/Silver Foil

- | **Lamping**

() 3x 60W A19 Incand.
H2 2x 26W Quad 120V
V3 3x 13W GU-24 max
More CFL options: Pg. 260



White/Silver Foil




White/Copper Foil




White/Gold Foil

Ring 15: #9771



Ring 13: #9772



9	7	7	1		C			
Fixture		Ring Decor			Lamping			
9771	15.5" Dia.	25	White/Frost			() 2x 60W A19 Incand.		
		CF	White/Copper Foil			D2 2x 13W Quad 120V		
		GF	White/Gold Foil			V2 2x 13W GU-24 max		
		SF	White/Silver Foil			More CFL options: Pg. 260		

9	7	7	2		C			
Fixture		Ring Decor			Lamping			
9772	13.25" Dia.	25	White/Frost			() 1x 60W A19 Incand.		
		CF	White/Copper Foil			D1 1x 13W Quad 120V		
		GF	White/Gold Foil			V1 1x 13W GU-24 max		
		SF	White/Silver Foil			More CFL options: Pg. 260		

trio



White



Marble




White Starpoint




Glass detail

Trio 20: #9680




9	6	8	0			
Fixture			Decor		Lamping	Metal Finish
9680	19.75" Dia.	07	White		() 3x 100W A19 Incand.	BR Bronze
		52	Marble		B2 2x 150W Halogen	PN Polished Nickel
		53	White Starpoint		H2 2x 26W Quad 120V	SN Satin Nickel
					W3 3x 18W GU-24 max	WH White
More CFL options: Pg. 260						

Trio 16: #9681



9	6	8	1			
Fixture			Decor		Lamping	Metal Finish
9681	15.75" Dia.	07	White		() 2x 100W A19 Incand.	BR Bronze
		52	Marble		B1 1x 150W Halogen	PN Polished Nickel
		53	White Starpoint		H2 2x 26W Quad 120V	SN Satin Nickel
					W2 2x 18W GU-24 max	WH White
More CFL options: Pg. 260						

Trio 12: #9682



9	6	8	2			
Fixture			Decor		Lamping	Metal Finish
9682	11.875" Dia.	07	White		() 1x 100W A19 Incand.	BR Bronze
		52	Marble		B1 1x 150W Halogen	PN Polished Nickel
		53	White Starpoint		E1 1x 18W Quad 120V	SN Satin Nickel
					W1 1x 18W GU-24 max	WH White
More CFL options: Pg. 260						

Handcrafted glass

100W A19 120V Lamps, *not included*

Halogen: 150W 3.125" Double-ended 120V, thermally protected, *included*

Incandescent and halogen models are suitable for dimming.

90°C supply wire required

Location: **DRY** or **DAMP**, interior only

CFL information: Pg. 258




Alternate-design clips (3x) included

katie



Opal Matte


Katie 12: #9450



9 4 5 0 0 7 C
 Fixture Decor
9450 12.0" Dia. **07** Opal Matte

- **Lamping**
 () 2x 60W A19 Incand.
D2 2x 13W Quad 120V
V2 2x 13W GU-24 max
 More CFL options: Pg. 260

Katie 10: #9451



9 4 5 1 0 7 C
 Fixture Decor
9451 10.5" Dia. **07** Opal Matte

- **Lamping**
 () 1x 60W A19 Incand.
D1 1x 13W Quad 120V
V1 1x 13W GU-24 max
 More CFL options: Pg. 260


Handcrafted glass attaches with set-screws.
 Aluminum fitter
 Lamps not included
 Incandescent models are suitable for dimming.
 90°C supply wire required
Location: DRY or **DAMP**, interior or exterior,
 protected from direct precipitation
 CFL information: Pg. 258






Satin Frost

Sonya 13 #8417:




8	4	1	7	2	5	-	-
Fixture	Decor	Lamping	Metal Finish				
8417 13.0"	25 Satin Frost	B1 1x 100W G9 Halogen V1 1x 13W GU-24 max	BR Bronze PN Polished Nickel SN Satin Nickel WH White				

Sonya 17 #8418:



8	4	1	8	2	5	-	-
Fixture	Decor	Lamping	Metal Finish				
8418 17.0"	25 Satin Frost	B2 2x 100W G9 Halogen W2 2x 18W GU-24 max	BR Bronze PN Polished Nickel SN Satin Nickel WH White				

Sonya 20 #8419:



8	4	1	9	2	5	-	-
Fixture	Decor	Lamping	Metal Finish				
8419 20.875"	25 Satin Frost	B3 3x 100W G9 Halogen W3 3x 18W GU-24 max	BR Bronze PN Polished Nickel SN Satin Nickel WH White				




Handcrafted glass
Twist-lock clips
Halogen G9 120V Lamps, *included*
Halogen models are suitable for dimming.
90°C supply wire required
Location: DRY or DAMP,
interior only

CFL information: Pg. 258






Sola 19: #9433



9	4	3	3		C
Fixture		Decor			
9433	19.0" Dia.	07	Opal Matte		
		52	Marble		

	-	
Lamping		
()	3x 60W A19 Incand.	
H2	2x 26W Quad 120V	
V3	3x 13W GU-24 max	
<i>More CFL options: Pg. 260</i>		

Sola 16: #9430



9	4	3	0		C
Fixture		Decor			
9430	16.0" Dia.	07	Opal Matte		
		39	Opal-Clear		
		52	Marble		

	-	
Lamping		
()	3x 60W A19 Incand.	
H2	2x 26W Quad 120V	
V3	3x 13W GU-24 max	
<i>More CFL options: Pg. 260</i>		



Opal Matte



Opal-Clear




Edge detail




Marble

Sola 12: #9431



Sola 10: #9432



9	4	3	1		C	-	
Fixture		Decor			Lamping		
9431	12.5" Dia.	07	Opal Matte	()			1x 60W A19 Incand.
		39	Opal-Clear	D2			2x 13W Quad 120V
		52	Marble	V2			2x 13W GU-24 max
<i>More CFL options: Pg. 260</i>							

9	4	3	2		C	-	
Fixture		Decor			Lamping		
9432	10.0" Dia.	07	Opal Matte	()			1x 60W A19 Incand.
		39	Opal-Clear	D1			1x 13W Quad 120V
		52	Marble	V1			1x 13W GU-24 max
<i>More CFL options: Pg. 260</i>							

Handcrafted glass attaches with set-screws.
 Aluminum fitter
 Lamps not included
 Incandescent models are suitable for dimming.
 90°C supply wire required

Location: DRY or **DAMP**, interior or exterior,
 protected from direct precipitation


CFL information: Pg. 258





Marble

Bobbi 12: #9110




9	1	1	0	5	2	C
Fixture			Decor			
9110 12.0" Dia.			52 Marble			

- **Lamping**

- () 2x 60W A19 Incand.
- D2** 2x 13W Quad 120V
- V2** 2x 13W GU-24 max
- More CFL options: Pg. 260*

Bobbi 10: #9111



9	1	1	1	5	2	C
Fixture			Decor			
9111 10.0" Dia.			52 Marble			

- **Lamping**

- () 1x 60W A19 Incand.
- D1** 1x 13W Quad 120V
- V1** 1x 13W GU-24 max
- More CFL options: Pg. 260*

Handcrafted glass attaches with set-screws.
 Aluminum fitter
 Lamps not included
 Incandescent models are suitable for dimming.
 90°C supply wire required
Location: DRY or **DAMP**, interior or exterior
 protected from direct precipitation


CFL information: Pg. 258





Opal Matte

Geo 11: #888307




8 | 8 | 8 | 3 | 0 | 7 | C

Fixture Decor
8883 11.0" Sq. 07 Opal Matte

- |
Lamping

() 2x 60W A19 Incand.
D2 2x 13W Quad 120V
V2 2x 13W GU-24 max
More CFL options: Pg. 260

Geo 9: #888407



8 | 8 | 8 | 4 | 0 | 7 | C

Fixture Decor
8884 9.0" Sq. 07 Opal Matte

- |
Lamping

() 1x 60W A19 Incand.
D1 1x 13W Quad 120V
V1 1x 13W GU-24 max
More CFL options: Pg. 260

Ideal for humid bath or laundry areas,
not for use inside showers areas.

Handcrafted glass attaches with set-screws.

Aluminum fitter

Lamps not included

Incandescent models are suitable for dimming.

90°C supply wire required

Location: DRY or DAMP, interior or exterior
protected from direct precipitation

CFL information: Pg. 258

