

UNIQUE LIGHTING SYSTEMS®

*Professional Low Voltage Lighting
Product Catalog*



UNIQUE LIGHTING SYSTEMS, INC.

We didn't invent low voltage lighting, we reinvented it...



Contents At a Glance

How To Order.....page 1

Why Unique.....page 2-3

Consumer Buyer Protection Plan.....page 4

What's New.....page 5

Unique Milestones.....pages 6 - 7

Unique Wiring Systems.....pages 8 - 9

Wiring Comparison.....pages 10-11

Hubs.....page 12

Odyssey Fixtures.....pages 13-38

Signature Series Fixtures.....pages 39-48

Copper Knights Fixtures.....pages 49-58

Brass Knights Fixtures.....pages 59-66

Finishes.....page 67

Well Lights.....page 68

Transformers.....pages 69 - 70

Lamps.....page 71

Support.....page 72



Lighting Assets



Peace of Mind

Unique Lighting Systems holds more industry leading product patents than any other company in the industry.

Unique Lighting Systems holds the ONLY patent for the Equalizer Hub Method of Wiring. PATENT # 7,699,481

Unique Lighting was the first to develop the Multi-Tap Transformer.

Unique Lighting Systems is the ONLY manufacturer to offer a Specification Design and Support Program.

Unique Lighting Systems is the ONLY manufacturer to offer a Consumer Buyer Protection Plan.

Unique Lighting Systems is locally owned with a local factory workforce.



the invention throughout the United States of America for a term of seventeen years, or twenty years if filed on or after the filing date of this patent, subject to the payment of fees as provided by law.

United States Patent
- US 7,699,481 B2 -
Method Of Wiring
Lighting Fixtures
To Achieve Uniform
Voltage Drop

What Is Claimed Is:



1. A method for wiring an outdoor lighting fixture, comprising:



Lighting Assets



Lighting Assets



Landscape Lighting Design and Consultation

Vision, concept, and years of experience play a key role in the presentation of lighting. Unique Lighting Systems offers a service called Specification Design Support Program (SDSP). This system can assist you with your lighting design from concept to install.

Unique wants all of their customers to be satisfied with their products. To ensure this satisfaction, Unique has developed the Consumer Buyer Protection Plan which guarantees both high quality installation and a high quality product. All Unique products are built from the highest quality materials and are designed to last as long as your home. Unique has placed a lifetime warranty on both Odyssey and Signature Series lines, solidifying their belief that their products are truly superior.



A professionally landscaped property is a sure ticket to quick resale. It gives a home curb appeal, a sense of place and value. It's the first thing you see... That first impression can add 20 percent to your home's value, a figure that rivals the return on a new kitchen or bath.

Safety and Security

Landscape lighting is one of the most practical and effective ways to prevent crime in or around your home or office. In fact, statistics show that a well-lit property cannot prevent malicious activity or guarantee personal safety, but crimes are less likely to occur because lighting is an excellent deterrent. A landscape lighting system is a deterrent because it exposes the criminal, making them feel vulnerable and insecure. Criminals most likely look for areas with little to no lighting, for obvious reasons. Homeowners on the other hand, can benefit from a landscape lighting system that can brighten an otherwise overlooked and dark surrounding.



A Quality Investment

More and more homeowners are realizing the importance of quality. This is why at Unique Lighting Systems, all of our products are made to stand the test of time. We view our products as a lifetime investment.





Product Comparison



Unique Product Ordering



Use this chart to compare Unique Lighting products to the competitors.

FEATURE	Signature Series	Odyssey	Copper Knights	Brass Knights	Competitor X
Warranty	Lifetime	Lifetime	15 Year	15 Year	
Construction	Solid Brass	Solid Brass	Stamped Copper	Stamped Brass	
Socket Construction	Beryllium	Beryllium	Beryllium	Beryllium	
Pre Greased Sockets	Yes	Yes	Yes	Yes	
Lenses Included	Yes	Yes	No	No	
Hex louvers Included	Yes	Yes	No	No	
Equalizer Hub Ready	Yes	Yes	Yes	Yes	
CBPP	Yes	Yes	Yes	Yes	
25 Foot Wire Leads	Yes	Yes	Yes	Yes	
Greased O Rings	Yes	Yes	Yes	Yes	
Borosilicate Glass	Yes	Yes	Yes	Yes	
Convex Lenses	Yes	Yes	Yes	Yes	
Shrouds	Yes	Yes	Yes	Yes	
Mounting Hardware	Yes	Yes	Yes	Yes	
Brown Intelli-Flex Wire	Yes	Yes	No	No	
Orbital Lock Nut	Yes	Yes	Yes	Yes	
Tree Stratosphere	Yes	Yes	Yes	Yes	
Orbital Ball Mount	No	Yes	No	No	
24 Volt System	Yes	Yes	Yes	Yes	

Product Ordering Information

PULSAR - B25 - 35 - WB - PACKAGING OPTION - MOUNTING OPTION - LENS OPTION - RISER OPTION - VOLTAGE

MODEL - PULSAR

MATERIAL/WIRE - (B) Brass (25) 25 Feet

LAMP - (35) 35 Watt MR-16 36 Degree 12 volt See price list for other lamp options.

FINISH - (WB) Weathered Brass (NB) Natural Brass (TT) Tucson Tan (VG) Verde Green (BK) Black (WH) White (CC) Custom Color

PRODUCT OPTIONS (Please place adders in this sequence when ordering).

PACKAGING OPTION ADDER - (6PK) 6 Pack (C6PK) Commercial 6 Pack

MOUNTING OPTION ADDER - See mounting options

LENS OPTION ADDER - See lens options

RISER OPTION ADDER - (06) 6" Riser (12) 12" Riser (24) 24" Riser (36) 36" Riser

VOLTAGE - (24V) 24 Volt

*12 Volt default

Riser Option

ADDER	RISER
06	6" Riser
12	12" Riser
24	24" Riser
36	36" Riser

Mounting Option

ADDER	PRODUCT
UB	Unibacket
ST	Strat-bracket
SB	Sphere Base
ZG	Zero G
WZ	Zero G WB
SS	Stabilizer Stake
GS	Gravity Stake
FS	Fusion Stake

Lens Option

ADDER	LENS
TL	True Lite
BL	Blue
YL	Yellow
GL	Green
RL	Red
AL	Amber (Turtle Friendly)
OL	Orange (Turtle Friendly)

Fixture part numbers contain vital information regarding model, material, wire length, lamp size, finish and other available options. Above is a diagram of where this information is placed in the part number sequence when ordering.



Why Unique?



Why Unique?



S.M.A.R.T.E.R

As one of the low voltage lighting industry leaders for over 15 years, Unique Lighting Systems, Inc. continually strives to identify and incorporate the necessary principles of manufacturing to effectively develop innovative and durable products. Our theory of innovation is:

SEPARATION: The motivating force behind innovation is to develop products that are distinctly different from the standard.

MATERIAL: The use of materials that are most likely to withstand any environment or climate. All of our products are manufactured of the highest quality materials; Brass and Copper.

AWARENESS: Ease of product usability will help any user clearly identify the basic principles of design, installation and maintenance.

RUGGEDNESS: In addition to material selection, the quality of the individual components of our products will help ensure the longest life of the system.

TESTING: Before our products are tested using the ETL and TUV testing laboratories, they are put through our rigorous Total Quality Assurance Program. This program includes up to 62 separate testing procedures ranging from research and development to field performance testing.

ENERGY: Energy & resource conservation is our priority in the development of our INTELLI-SYSTEM and Green Lite products.

RELIABILITY: With our Warranties, Consumer Buyer Protection Plan, System Integration AND numerous contractor and design support services, Unique Lighting Systems, Inc. is your best solution to low voltage lighting.

S.M.A.R.T.E.R: The theory behind innovation

The Products

Unique Lighting Systems' highest commitment is to set the standard for manufacturing innovative and quality products. This commitment is evident through our detailed inspection processes and extensive field testing. From the initial design process of each product, to the final assembly of each custom-made individual part, our manufacturing process accomplishes the highest level of performance and durability carried through to final delivery to the end user. Durable construction and beautiful styling make Unique fixtures the ideal solution for any residential and/or commercial application. Unique Lighting already holds numerous product patents and we are constantly developing innovative ideas to help expand the lighting industry.

The System

Exclusive to Unique Lighting, the **Power Management System** was inspired by years of experience and expertise in the landscape lighting industry. Using the **Power Management System** will enable the installer to overcome voltage drop, prevent fuse corrosion and increase ease of fixture adjustability and placement.

Support and Protection

Unique Lighting is dedicated to quality control by providing extensive training support and comprehensive protection programs. Our **Consumer Buyer Protection Plan** guarantees the system and confirms our commitment to Contractors, Designers and Homeowners. Through these various support programs you can be assured that every Unique Lighting system will remain safe, beautiful and functional.



Unique Consumer Buyer Protection



What Is It?

The Consumer Buyer Protection Plan is a simple yet thoroughly drafted plan for the installer to go through a few procedures to guarantee "Zero Call Backs" to the job site. Along with a 100% perfectly installed system. If an installer uses only Unique Lighting Products for the complete lighting system (transformer, fixtures, wire, connectors and hubs) we are now able to ensure the system against corrosion, wicking, oxidation and polarity issues.

How It Works

Since we are unable to warranty workmanship the Consumer Buyer Protection Plan serves as a check system to ensure your contractor is installing your system correctly. The key is the Verification Forms; the installer must perform 3 critical functions to ensure us and the client:

- No Overloads
- No Shorts
- 11.5 or 23.5 volts to the lamps
- Not to be under-volted
- Not to be over-volted
- No blown fuses
- THE PERFECT INSTALLATION

It's as Easy as 1-2-3:

- 1st - Fill out the Verification Form
- Check the primary amps on the transformer with an Amp Probe (not to exceed the max. rating)
- Makes sure there are no more than 16 amps on secondary side 12 or 24 volts to the Hub
- 2nd - Complete the Lamp Replacement Chart
- 3rd - Complete the As-Built

When the installer has completed this thorough inspection process, the system's integrity can be ensured. Please contact a representative at 800-955-4831 for more Consumer Buyer Protection Plan benefits!



Product Focus New Products



Unique Lighting Systems commitment to manufacturing quality and innovative products is evident in that we hand build and test every fixture and transformer we sell. This commitment begins with the design process and is accomplished through the manufacturing of each proprietary, custom-made part that goes into each and every one of our fixtures and transformers and is carried through to final delivery of our products to the end-user.



The H-Force is the newest design in transformers. Available in three different wattage options, 1120, 1500 and 1838, the H-Force is the most powerful transformer in the low voltage lighting industry. **Features Include:** Individually fused commons for each tap, 2 piece drop-in mounting system, hardware compartment, SNPC ready and a hinged lid and front panel for easy access. Available in 12 and 24 volt. The H-Force is PATENT PENDING.



Our new series of architectural bollards combines contemporary styling with durable, vandal resistant construction. Provides smooth, 360 degree symmetrical low level illumination with available cutoff optics. An excellent choice for walkways, entrances, promenades, plazas, courtyards, driveways, bridges and landscaped areas. Available in numerous styles and housings. Available in 120 volt.



Unique Lighting Systems' Subterranean transformer is fully potted and sealed making it completely waterproof. Equipped with primary fuse protection and optional secondary in-line fusing, the Subterranean is ideal for commercial projects or residential applications where concealing the powersource is necessary. **Features Include:** Single unit design, compact footprint, removable plug in lid for fixture mounting - 1/2-14 NPSM and separated primary and secondary compartments.



UPB is a Patented technology that provides an inexpensive and reliable solution for residential automation. No other Powerline carrier technology can compare to UPB in cost per node and reliability. The UPB method of communication is 100 ~ 1000 times more reliable than current X-10 technology. No need to "FIX" the electrical system by adding couplers, repeaters or filters. UPB is over 99.9% reliable out of the box.



The Intelli-Hub is the ultimate in in-line fuse protection allowing you to size the fuse according to the load or wire size. Unique includes 5 replaceable fuses and a 20 amp fuse at the point of connection to make troubleshooting accessible, convenient and fast. The Intelli-Hub ensures proper voltage distribution and can be used with one or more fixtures.



Our revolutionary Intelli-Fiber lighting system allows you to add a 24 volt fiber optic light source and fixtures within 5 feet of pools, spas, and water features. Our Intelli-Fiber Kits provide 24 volt light sources guided through fiber optic cable that terminate in our custom designed fixtures. Fiber Optic produces no voltage or heat at the fixture, making it NEC code compliant for pool, spa, and water features. You can now legally put lights in places you may have previously never thought possible.



Unique 12 Volt Equalizer Hub System

Exclusive to Unique Lighting, The Power Management System was designed from years of experience and expertise in the landscape lighting industry. Unique's Power Management System was designed to overcome some of the most common hurdles experienced in landscape lighting which include, voltage drop, fuse corrosion, inability to easily move fixtures, leaving the homeowner unable to continue to have a dynamic lighting portrait as the landscape grows and changes.

How The Power Management System Works (12 or 24 volt)



The Multi-Matic Power Transformer

With independent voltage taps ranging from 12 to 24 volts the Multi-Matic compensates for voltage drop from the transformer to the hub and delivers proper voltage to each hub with the ability to have multiple hubs.



The Satellite Hub and Galaxy Hub

Distributes the proper voltage evenly to every fixture and protects wire connections below ground. The secondary in-line fuse at the hub allows fuse protection with varying fuse sizes according to amp load and wire size.



The Fixtures

The fixtures complete the system...all Unique fixtures include 25' lead wires, factory sealed and connected (additional lengths available upon request). The wire leads eliminate the need for sealed wire nuts. All connections are sealed and protected at the Satellite or Galaxy Hub.



Unique 24 Volt Hub System

With conservation efforts at the forefront of global consumption concerns, Unique Lighting Systems, Inc. has made a commitment not only to conserve energy and raw materials, but also to bring value to the consumer. Our new 24 volt System does just that. With our new Astro-Green lamps, Intelli-Matic transformers, Intell-Flex wire and Hub Wiring System, you will now experience twice the benefits and twice the savings than that of a Unique 12-Volt system. Unique Lighting Systems' 24 volt system combines the advantages of a line voltage system with the ease and safety of a low voltage system. The Hub Method of wiring combines design flexibility with efficiency; you will also experience reduced material costs, labor reductions and energy savings. We are the first and only lighting manufacturer to develop and promote these intelligent, resource-minded products.

BENEFITS OF A 24 VOLT HUB SYSTEM:

- Save Up to 80% on wire expenses
 - Labor savings from less wire runs & lighter gauge wire
 - Wire cost savings from less wire runs & lighter gauge wire.
- Transformer Efficiency- Reduces energy usage up to 20%
- Secondary Amperage load reduced by 50%
- Voltage Drop reduced by 50%
- Color Rendition- Lumen output is more consistent with lower voltage loss between lamps.
- Halogen Regeneration Cycle is expanded:
 - 12-Volt- 10.8 to 12 Volts (1.2V Range)
 - 24-Volt- 21.6 to 24 Volts (2.4V Range)
- PATENT # 7,699,481



Wire
12/2 Intell-Flex high wattage
cable with 480 watt max. at 24 volts.

The Satellite Hub
Distributes proper voltage evenly to every lamp and eliminates wire connections below ground.



The Fixtures with Astro-Green Lamps
The fixtures complete the Intelli-System. All Unique fixtures come pre-wired from 25 to 75 feet.



Wiring Comparison



Wiring Comparison



1. UNIQUE LIGHTING 24V HUB METHOD PROPER VOLTAGE

2. UNIQUE LIGHTING 12V EQUALIZER HUB METHOD PROPER VOLTAGE

3A. 12V COMPETITOR X UNDER VOLTED ALL 12/2 WIRE

3B. 12V COMPETITOR X UNDER VOLTED 12/2 & 10/2 WIRE

3C. 12V COMPETITOR X PROPER VOLTAGE 12/2, 10/2 & 8/2 WIRE

RUN NUMBER	NUMBER OF FIXTURES	LENGTH OF WIRE FROM FIXTURE TO P.O.C.	BRANCH RUN	WIRE FROM FIXTURE TO FIXTURE	CONNECTIONS	WIRING METHOD	WIRE SIZE	HOMERUN WATTS	BRANCH WATTS	VOLTS	AMPS	VOLTAGE DROP	ADD ONE VOLT DROP	TOTAL VOLTAGE DROP	PLUS 12 OR 24	TAP NEEDED	AVAILABLE TAP	VOLTAGE AT P.O.C.	COST OF WIRE AND CONNECTIONS
1	5	65	0	2	H	12	12	480	24	20	4.21	1	5.21	24	29	29	23.8		\$21.25
1	5	50	0	2	H	12	12	115	12	10	1.55	1	2.55	12	15	15	12.45		
2	5	75	0	2	H	12	12	115	12	10	2.33	1	3.33	12	15	15	11.67		
3	3	115	0	2	H	12	12	105	12	9	3.26	1	4.26	12	16	16	11.74		
4	5	130	0	2	H	12	12	145	12	12	5.09	1	6.09	12	18	18	11.91		
1	5	70	40	10	T	12	12	115	12	9.58	2.17	1	3.17	12	15	14	10.83		\$112.50
2	5	95	40	10	T	12	12	115	12	9.58	2.95	1	3.95	12	16	14	10.05		
3	3	115	30	6	T	12	12	105	12	8.75	3.26	1	4.26	12	16	14	9.74		
4	5	130	40	10	T	12	12	145	12	12.1	5.09	1	6.09	12	18	14	7.91		
1	5	70	40	10	T	10	10	115	12	9.58	1.45	1	2.45	12	14	14	11.55		\$230.00
2	5	95	40	10	T	10	10	115	12	9.58	1.97	1	2.97	12	15	14	11.03		
3	3	115	30	6	T	10	10	105	12	8.75	2.17	1	3.17	12	15	14	10.83		
4	5	130	40	10	T	10	10	145	12	12.1	3.39	1	4.39	12	16	14	9.61		
1	5	70	40	10	T	10	10	115	12	9.58	1.45	1	2.45	12	14	14	11.55		\$291.50
2	5	95	40	10	T	8	8	115	12	9.58	1.17	1	2.17	12	14	14	11.83		
3	3	115	30	6	T	10	10	105	12	8.75	1.29	1	2.29	12	14	14	11.71		
4	5	130	40	10	T	8	8	145	12	12.1	2.01	1	3.01	12	15	14	10.99		
																			\$414.50

24 VOLT SYSTEM LABOR SAVINGS: \$7777


YOU SAVE ON: Fixtures/Connections
Homerun Pulling
Transformer Hookup
Wire Burial

TOTAL SAVINGS:	1 Over 2	1 Over 3A	1 Over 3B	1 Over 3C
	\$112.50	\$230.00	\$291.00	\$414.00
	- \$21.25	- \$21.25	- \$21.25	- \$21.25
	= \$91.25	= \$208.75	= \$269.75	= \$392.75
	+ \$777777	+ \$777777	+ \$777777	+ \$777777
TOTAL	= \$91.25	= \$208.75	= \$269.75	= \$392.75

1. UNIQUE: 24V HUB METHOD

2. UNIQUE: 12V EQUALIZER-HUB METHOD

3A./B./C. COMPETITOR X: T-METHOD



**1. UNIQUE LIGHTING
INTELLI-HUB METHOD
PROPER VOLTAGE
ALL 12/2 Wire
TOTAL WIRE COST: \$21.25**

**2. UNIQUE LIGHTING
EQUALIZER HUB METHOD
PROPER VOLTAGE
ALL 12/2 Wire
TOTAL WIRE COST: \$112.50**

**3A. COMPETITOR X
T-METHOD
UNDER VOLTED
ALL 12/2 WIRE
TOTAL WIRE COST: \$230.00**

**3B. COMPETITOR X
T-METHOD
UNDER VOLTED
12/2 & 10/2 WIRE
TOTAL WIRE COST: \$291.00**

**3C. COMPETITOR X
T-METHOD
PROPER VOLTAGE
12/2, 10/2 & 8/2 WIRE
TOTAL WIRE COST: \$414.50**



Unique Hubs



Features & Benefits

In addition to having the highest quality parts, you need to have an integrated system to create a cohesive lighting portrait. There are three main problems that can ruin a great lighting portrait; poor light output, wicking and corrosion at the point of connection. To eliminate these problems, Unique has developed the Equalizer Hub Wiring System. Using the Multi-Matic Power Transformer, the Equalizer Hub Wiring System and our top of the line fixtures, Unique has created the only system that produces even lighting output at every fixture and allows for relocation of fixtures at any time. The Hub System ensures proper voltage distribution and can be used with one or more fixtures. Unique Lighting's Odyssey and Signature Series fixtures come with a 25 to 75 foot wire lead that taps into the Hub, creating a simple and maintenance-free lighting system.



Equalizer Hub



Satellite Hub



Galaxy Hub



Intelli-Hub



Odyssey Series Fixtures



Unique Lighting Systems' Odyssey line of fixtures is the final step in creating the perfect outdoor atmosphere. The pride of Unique Lighting Systems, the Odyssey line is the result of years of research, development and determination to create the most elite lighting fixtures available. Experience the marriage of beauty and durability as each Odyssey fixture is built from solid brass and designed to last a lifetime. Coupled with Unique's Power Management System, the Odyssey line is one of the most dependable and beautiful lighting systems on the market.

All Odyssey Fixtures Come Standard With

25 to 50 foot Intelli-Flex wire leads on all fixtures with Anti-Moisture Migration Connections
 Mounting hardware or stakes
 Full assortment of tempered designer lenses
 Glare control device
 Pre-greased sockets
 Lamps
LIFETIME WARRANTY





Brass Up Light Pulsar



Model Shown: PULSAR-B25-35-WB



Product Description

One of the most resourceful fixtures in the Odyssey line, the Pulsar offers style and function without compromise. Its sleek straight lines, lock and load shroud feature and Hex Louver insert make the Pulsar an essential fixture when lighting palms, trees, columns and other tall elements in the landscape.

The Pulsar can be also utilized for back lighting, graze lighting, shadow lighting or simply as a directional up light.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Knuckle: Cast Brass, Adjustable
Socket: Beryllium Copper, pre-greased
Shroud: Lock and Load, 360° Rotation
Mounting: Brown PVC Gravity Stake
Weight: 2.35 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW,
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty
PATENT # D495,079

Designer Lenses



Included



Brass Up Light Probe-OBM



Model Shown: PROBE-OBM-B25-20-WB



Product Description

The Probe is enhanced by a revolutionary ball and joint Orbital Mount allowing a 360° rotation, thus giving 100% accuracy when dialing in the proper lighting angle. The Probe is ideal when up-lighting is challenged by a small installation area. Featuring a lock and load shroud the Probe is enhanced by a revolutionary ball and joint swivel mount allowing a 360° rotation, thus giving 100% accuracy when dialing in the proper lighting angle. The petite die cast brass body houses a MR16, 20 Watt Halogen bulb.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Knuckle: Ball and Joint, 360° Orbital Mount
Mounting: Brown Gravity Stake
Weight: 1.7 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty
PATENT # D519,662

Designer Lenses



Included



Revolutionary ball and joint Orbital Mount.





Brass Up Light Polaris

Model Shown: POLARIS-B25-20-WB



Product Description

The Polaris is ideal when up lighting is challenged by a small installation area. Featuring a lock and load shroud the Polaris is enhanced by a revolutionary ball and joint swivel mount allowing a 360° rotation, thus giving 100% accuracy when dialing in the proper lighting angle. The petite die cast brass body houses a 20 Watt MR-11 Halogen bulb or a 20 Watt Astro-Brite.

The Polaris is the perfect fixture for graze lighting, cross lighting or simple accent lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Knuckle: Ball and Joint, 360° Orbital Mount
Mounting: Fusion Stake
Weight: 1.65 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamps: 20 Watt Astro-Brite/Astro-Green
 20 Watt MR-11
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty

Designer
Lenses



Brass Up Light Starburst

Model Shown: STARBURST-B25-35-WB



Product Description

Capable of the most versatile installation applications, the Starburst functions as both a directional up-light or a wall washer fixture. This 8 in 1 fixture features an unprecedented dual socket mount system allowing you to install a vertical MR-16 for directional up-lighting or a horizontal Astro-Brite lamp for wall washing when necessary. Both lamps are included with every Starburst for maximum design adaptability.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Knuckle: Cast Brass, Adjustable
Sockets: Beryllium Copper, pre-greased
Mounting: Brown PVC Gravity Stake
Weight: 4.1 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamps: 35 Watt MR-16 FMW or
 35 Watt Astro-Brite/Astro-Green(Both Included)
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty
PATENT # D550,877

Designer
Lenses



Front Mounted MR16 Side Mounted Astro-Brite



Brass Up Light Stellar



Model Shown: STELLAR-B25-20-WB



ORBITAL
Lock Nut

Product Description

The Stellar is one of the most versatile fixtures in the Odyssey line. The Stellar mini wall washer is a powerful fixture. Featuring a small die cast brass body, this undersized power house is able to illuminate planter areas, short retaining walls, step landings or any other area needing a soft glow. Advanced applications include under eaves or second story level lighting*.

*Sphere Base needed when installing the Stellar on a surface mount application.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Knuckle: Cast Brass, Adjustable
Mounting: Fusion Stake
Weight: 1.55 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Full Lens Kit
Lifetime Warranty
PATENT # D551,789

Designer
Lenses



Included



Brass Up Light Big Bang



Model Shown: BIGBANG-B25-35-WB



ORBITAL
Lock Nut



Product Description

A powerful and heavy duty directional up-light, the Big Bang is perfect when illuminating trees, tall structures and vast spaces. The stainless steel lamp retainer secures lamp and lens in place, while the dual o-ring and locking shroud make installation fast and easy. The Big Bang can be ordered with a PAR 36 or MR-16 lamp.

The Big Bang can be used in numerous applications including back, shadow or graze lighting. It is also the perfect directional light to use when up lighting columns.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Shroud: 360° Rotation, Locking Hex Screw
Knuckle: Cast Brass, Adjustable
Mounting: Brown PVC Gravity Stake
Weight: 4.7 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL or 50 Watt MR-16
Other Lamps Available Upon Request
Full Lens Kit and Hex Louver
Maximum Wattage: 50 Watts
Lifetime Warranty
PATENT # D90979

Designer
Lenses



Included





Brass Well Light Apollo

Model Shown: APOLLO-C25-35-WB



Shown with Apollo Glare Shield option

Product Description

Simple, discrete and versatile describes the Apollo's design and function. A powerful in-ground well light, the Apollo uses a PAR 36, 35 watt wide flood lamp to cast an ample beam spread against any landscape element. Its dual cut body allows for surface flush or angled installation options. The featured patented stainless steel gimble ring holds the lamp in place while allowing vertical and horizontal adjustments within the composite body. The Apollo also features a 2" brass debris guard to allow for above ground installation.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass & ABS Composite
Finish: Weathered Brass
Housing: Terra Thermo Composite
Debris Guard: 2" Brass Debris Guard
Mounting: In Ground
Weight: 3.96 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL Halogen
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty
PATENT # 6,502,967

Designer
Lenses



Model Shown: NOVA-B25-20-WB



Shown with NOVA INFINITYRING and NOVASTARGRATE accessories.



Cast brass ring Included

Product Description

Designed to provide in-ground lighting solutions, the Nova is ideal for up-lighting a variety of elements, from trees and shrubs to pillars and other vertical structures. The die cast brass shroud is a standard accessory designed to minimize glare while the designer lenses allow maximum design control by creating various beam spreads and light output.

Use the Nova as a back, side or accent light for the perfect grazing or shadow effect. Recess the Nova in hardscaping areas by utilizing the included PBT sleeve.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Mounting: In Ground, PBT Concrete Sleeve Included
Weight: 2.3 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Shroud: (2) Cast Brass Shroud Included with Captivated Screws
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty

Designer
Lenses



Brass Well Light Nova





Brass Well Light Nova Star



Model Shown: NOVASTAR-B25-20-WB



Shown with NOVAINFINITYRING accessory.



Product Description

Designed to provide in-ground lighting solutions, the Nova Star is ideal for up-lighting a variety of elements, from trees and shrubs to pillars and other vertical structures. The die cast brass grate is a standard accessory designed to minimize glare while the designer lenses allow maximum design control by creating various beam spreads and light output.

Use the Nova Star as a back, side or accent light for the perfect grazing or shadow effect. Recess the Nova Star in hardscaping areas where an above ground light can't be used by utilizing the supplied PBT sleeving.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Mounting: In Ground, PBT Concrete Sleeve Included
Weight: 2.3 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Shroud: Cast Brass Grate Included with Captivated Screws
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty

Designer
Lenses



Included




Brass Down Light Comet & Comet-HG



Model Shown: COMET-B25-20-WB

Model Shown: COMETHG-B25-20-WB



Product Description

Perfect for those hard to install under eave areas, the Comet is compact and versatile featuring a revolutionary ball and joint swivel mount allowing a 360° rotation. The Orbital Mount swivel is removable for a flush or recessed mounting option.

The Comet is also available with a 1" brass chain to be used as a hanging fixture (COMETHG).

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Knuckle: Ball and Joint, 360° Orbital Mount
Mounting: Cast Brass Sphere Base
 1" Brass Hanging Chain (COMETHG)
Weight: 2.7 lbs. (COMET), 2.51 lbs. (COMETHG)
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available
Full Lens Kit and Hex Louver
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty

Designer
Lenses



Included





Brass Down Light

Lunar



Model Shown: LUNAR-B25-35-WB

Product Description

Perfect for when installation conditions are recessed back or greater glare control is needed, the Lunar features a lock and load extended shroud. The versatile revolutionary ball and joint swivel mount allows a 360° rotation. The Lunar comes with the patented Stratosphere Bracket.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Knuckle: Cast Brass, 360° Orbital Mount
Mounting: Stratosphere Bracket
Weight: 2.85 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Lifetime Warranty
Dark Sky Compliant
Patent Pending

Designer
Lenses



Included



Brass Down Light

Quasar 1



Model Shown: QUASAR1-B25-35-WB

Product Description

Perfect for when installation conditions are recessed back or greater glare control is needed, the Quasar 1 features a lock and load extended shroud. The versatile revolutionary ball and joint swivel mount allows a 360° rotation. The Quasar 1 has a slightly smaller shroud than the Lunar, giving it a wider beam spread. The Quasar 1 comes with the cast brass sphere base.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Knuckle: Cast Brass, 360° Orbital Mount
Mounting: Cast Brass Sphere Base
Weight: 2.95 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Dark Sky Compliant
Lifetime Warranty
Patent Pending

Designer
Lenses



Included





Brass Down Light

Quasar 2



Model Shown: QUASAR2-B25-35-WB

Product Description

A square version of the Quasar 1, the Quasar 2 offers down lighting solutions when lighting overhead structures, walls or any similar shaped item. The mounting bracket secures the fixture while still allowing front and back adjustments. The included selected designer lenses are perfect for the desired light pattern output.

Use the Quasar 2 for down lighting entryways, columns, pathways or simply as an area light.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Knuckle: Solid Brass Screws
Mounting: Surface Mount
Weight: 2.4 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Full Lens Kit and Hex Louver
Dark Sky Compliant
Lifetime Warranty

Designer
Lenses
Included



Brass Down Light

Probe-OSM



Model Shown: PROBE-OSM-B25-20-WB

Product Description

The Probe is ideal when down lighting is challenged by a small installation area. Featuring a lock and load shroud, the Probe is enhanced by a revolutionary ball and joint swivel mount allowing a 360° rotation, thus giving 100% accuracy when dialing in the proper lighting angle. The petite die cast brass body houses a MR16, 20 Watt Halogen bulb.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Knuckle: Ball and Joint, 360° Orbital Mount
Mounting: Cast Brass Sphere Base
Weight: 2.9 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Full Lens Kit and Hex Louver
Dark Sky Compliant
Lifetime Warranty
PATENT # D519,662

Designer
Lenses
Included





Brass Down Light North Star

Model Shown: NORTHSTAR-B25-20-WB



Model Shown: NORTHSTAR-OSM-B25-20-WB



Product Description

The North Star is ideal when down lighting is challenged by a small installation area. Featuring a lock and load shroud, the North Star is enhanced by a revolutionary ball and joint swivel mount allowing a 360° rotation, thus giving 100% accuracy when dialing in the proper lighting angle. The petite die cast brass body houses a 20 Watt MR-11 Halogen bulb or a 20 Watt Astro-Brite.

The North Star is the perfect fixture for graze lighting, cross lighting or simple accent lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Knuckle: Ball and Joint, 360° Orbital Mount
Mounting: Cast Brass Sphere Base
Weight: 2.1 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 20 Watt Astro-Brite/Astro-Green
 20 Watt MR-11

Other Lamps Available Upon Request
Full Lens Kit and Hex Louver
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Brass Area Light Centaurus 4 & 6



Model Shown: CENTAURUS6-B25-20-WB



Product Description

Simple yet elegant, the Centaurus offers versatile light output. The frosted Borosilicate Glass lens minimizes glare while the 20 watt Astro-Brite lamp provides sufficient light to cast a soft glow on any path or walking area. The Centaurus features a new threaded removable glass lens and an o-ring retention collar. Ideal for walkways, the Centaurus is also perfect for planter areas in need of lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Machined Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Machined Brass
Collar: Machined Brass
Mounting: Brown PVC Stabilizer Stake
Weight: 2.5 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: CENTAURUS4-B25-20-WB



Brass Area Light

Centaurus 8 & 12



Model Shown: CENTAURUS12-B25-20-WB

Product Description

Simple yet elegant, the Centaurus offers versatile light output. The frosted Borosilicate Glass lens minimizes glare while the 20 watt Astro-Brite lamp provides sufficient light to cast a soft glow on any path or walking area. The Centaurus features a new threaded removable glass lens and an o-ring retention collar. Ideal for walkways, the Centaurus is also perfect for planter areas in need of lighting.


Specifications

Voltage: 12 & 24 Volt
Construction: Machined Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Machined Brass
Collar: Machined Brass
Mounting: Brown PVC Stabilizer Stake
Weight: 4.4 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: CENTAURUS8-B25-20-WB

Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE, EXOBRACKET and HUBBLE. Stem Lengths - 12", 24", 36", 48"



Brass Area Light

Saturn & Constellation



Model Shown: SATURN-B25-20-WB

Product Description

The Saturn offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the 20 Watt Astro-Brite lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for walkways, the Saturn is also perfect for when planter areas need lighting. The adjustable settings give maximum design flexibility by creating numerous beam spreads with one fixture.

Reminiscent of a starry night, the Constellation features a star and moon pattern on an 8 inch cylindrical shroud. The aesthetic design creates a beautiful pattern of light on any pathway or surface area.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: Machined Brass
Mounting: Brown PVC Stabilizer Stake
Weight: Saturn: 3.35 lbs. Constellation: 2.81 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: CONSTELLATION-B25-20-WB

Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE, EXOBRACKET and HUBBLE. Stem Lengths - 12", 24", 36", 48"



Brass Area Light

Mercury 4 & 7



Model Shown: MERCURY4-B25-20-WB

Product Description

Simple, yet elegant, the Mercury offers soft level lighting. The frosted Borosilicate Glass lens minimizes glare while the 20 Watt Astro-Brite lamp provides sufficient light to cast a soft glow on any path or walking area. Ideal for walkways, the Mercury is also perfect for when planter areas need lighting. The adjustable three-tier settings give maximum design flexibility by creating 3 different beam spreads with one fixture.

The Mercury is the perfect fixture for soft area lighting or simply as a color enhancement light.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: 3 Adjustable Settings
Mounting: Brown PVC Stabilizer Stake
Weight: 2.51 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Intelli-Brite
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: MERCURY7-B25-20-WB

Brass Path Light

Jupiter & Solaris



Model Shown: SOLARIS-B25-20-WB

Product Description

Elegant and stylish, the Solaris features a fully articulating shroud allowing maximum design control. The 5.5 inch bell shape shroud tilts and rotates to illuminate walkways or any other walking area with high efficiency. It's 20 Watt Astro-Brite lamp is ideal for creating a soft glow.

Standing 24 inches tall and featuring a soft curve stem, the Jupiter's sleek design is able to cast light patterns of up to 15 feet in surface area. The bell shape shroud houses a small, yet powerful, 20 watt Astro-Brite lamp.

Specifications

Voltage: 12 & 24 Volt
Construction: Machined Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Machined Brass
Collar: Fully Adjustable, 360° Rotation (Solaris)
Mounting: Brown PVC Stabilizer Stake
Weight: 2.3 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Lifetime Warranty



Model Shown: JUPITER-B25-20-WB

Unique exclusive fully articulating collar.



Brass Path Light Venus & Neptune



Model Shown: VENUS-B25-20-WB



Model Shown: NEPTUNE-B25-20-WB

Product Description

The half-moon shaped Venus is graceful and efficient. With its rounded top, this traditional path light emits soft lighting on paths, planters or any other surface area.

Delicate and sophisticated, the Neptune's tulip shaped shroud adds beauty and class to any landscape design. Standing 24 inches tall and featuring a soft curve stem, the Neptune's sleek design is able to cast soft light patterns.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Brass
Mounting: Brown PVC Stabilizer Stake
Weight: Venus: 2.71 lbs. Neptune: 3.16 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Brass Niche Light Gemini & Viking



Model Shown: GEMINI-B25-20-WB



Model Shown: VIKING-B25-20-WB



Unique exclusive
Multi-Adjustment Mount.

Unique exclusive
Lock and Load function.

Product Description

The Viking features a lock and load cover allowing installation to be free of exposed screws and other mounting hardware. The compact puck light is perfect for illuminating stairs, benches, posts, and other niche locations. The Viking's louvered cover directs and spreads light to the intended area.

The Gemini offers a half dome lock and load cover which directs parallel light output. It's frosted designer lens softens the beam spread to create a warm glow while still being powerful enough to provide safety and security.

Both fixtures come standard with a specially designed foam mounting gasket for even mounting on uneven surfaces.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load, 360° Rotation
Mounting: Flush Mount with Foam Surface Gasket
Weight: 1.85 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Lifetime Warranty
PATENT # D566,885 #D563,588





Brass Niche Light

Voyager 5 & 8

Model Shown: VOYAGER5-B25-20-WB-L



Model Shown: VOYAGER8-B25-40-WB-L



Adjustable face plate bracket



Available face plate options



Product Description

A new cast brass design on an old favorite. The Voyager is a classic recessed step light. Perfect to illuminate stairs, benches, short retaining walls and other niche locations. The Voyager's pane and louvered cover direct and spread light to the intended area. The mounting box secures the fixture while still allowing face plate adjustments. The included selected designer lenses are perfect for the desired light pattern output.

Specifications

Voltage: 12 & 24 Volt

Construction: Cast Brass Cover, PBT Injection Molded Housing

Finish: Weathered Brass

Mounting: Surface Mount With Adjustable Face Plate

Socket: Beryllium Copper, pre-greased

Weight: VOYAGER 5: 2.35 lbs., VOYAGER 8: 3.0 lbs.

Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections

Default Lamp: VOYAGER 5: 20 Watt Astro-Brite/Astro-Green (1)

Default Lamp: VOYAGER 8: 20 Watt Astro-Brite/Astro-Green (2)

Other Lamps Available

Maximum Wattage: VOYAGER 5: 20 Watts, VOYAGER 8: 40 Watts

Full Lens Kit Available with Different Faceplates

Lifetime Warranty

Brass Wall Sconce

Orion Series



Models Shown: ORION12-B0-0-WB
ORION9-B0-0-WB
ORION6-B25-20-WB
ORION4-B25-20-WB



Dark Sky Lens Option



Product Description

Designed to eliminate the glare associated with glass porch light fixtures, the Orion series directs light output in an up/down beam spread. The brass body construction makes these fixtures durable and efficient.

Advanced applications include mounting a horizontal series of Orions to create a beautiful pattern of light. Available in 4 inch, 6 inch, 9 inch and 12 inch heights, these wall sconce fixtures are the perfect addition to any lighting portrait.

Specifications

Voltage: 12 & 24 Volt

Construction: Brass

Finish: Weathered Brass

Socket: Beryllium Copper, pre-greased

Mounting: Surface Mounted

Weight: Orion4: 1.51 lbs., Orion6: 2.11 lbs.,

Orion9: 4.7 lbs., Orion12: 6.2 lbs.

Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections

Lamp: 20 Watt Astro-Brite/Intelli-Brite (4 & 6 Only)

Maximum Wattage: See Notes

Lenses: Clear and Frosted

Dark Sky Lens Option Available

Lifetime Warranty



Notes:

Orion 4 - 12V Includes 1-20W Lamp, Dimensions: 4x3.25x2.25 (20 Watt Max.)

Orion 6 - 12V Includes 2-20W Lamps Up/Down, Dimensions: 6x3.5x3.0 (40 Watt Max.)

Orion 9 - 120V No Lamp Supplied, Dimensions: 9.1x6.1x3.6 (80 Watt Max.)

Orion 12 - 120V No Lamp Supplied, Dimensions: 12x9.1x5.1 (120 Watt Max.)



Brass Niche Light Observer



Signature Series Fixtures



Product Description

The Observer is a brass hanging fixture with 1 foot of chain and a new lock and load shroud. It is ideal for trees, gazebos or other structures. Because the spread lens evenly displaces the light, the Observer is the perfect choice when you need a softly lit environment. Equipped with a 20 watt Astro-Brite Halogen lamp, 25' of Intelli-Flex wire and a Lifetime Warranty, this simple design is sure to satisfy even the toughest critic.

Specifications

Voltage: 12 & 24
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Lock & Load
Mounting: 1' Hanging Chain and Brass Hook
Weight: 2.55 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Lens: Frosted
Maximum Wattage: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: OBSERVER-B25-20-WB

Unique Lighting Systems' Signature Series line is the end result of an interminable effort to create the perfect lighting fixture. Each Unique Signature Series fixture is built for a specific purpose and designed to last a lifetime. The Signature Series line was born out of a desire to create only the most superior lighting fixtures available for the most discerning end user. When used in conjunction with Unique's Power Management System, the Signature Series line is one of the most dependable and refined lighting systems on the market.

All Signature Series Fixtures Come Standard With

25 to 75 feet, Intelli-Flex Wire with Anti-Moisture Migration Connections
 Mounting hardware or stakes
 Full assortment of tempered designer lenses
 Glare control devices
 Pre-greased sockets
 Lamps
LIFETIME WARRANTY





Brass Well Light

Apollo Star



Product Description

Tough and resilient describes the Apollo Star's design and function. A strong and powerful in-ground well light, the Apollo Star uses a 35 Watt PAR 36 Halogen, wide flood lamp to cast an ample beam spread against any landscape element. Its Commercial Brass Grate gives it a rugged quality without compromising aesthetic design, while the lens retainer clip holds designer lenses to create a variety of beam spreads with the use of just one lamp. The featured patented stainless steel gimble ring holds the lamp in place while allowing vertical and horizontal adjustments within the composite body.


Specifications

Voltage: 12 & 24 Volt
Construction: Terra Thermo Composite
Debris Guard: Cast Brass Debris Guard
Finish: Weathered Brass
Mounting: In Ground
Weight: 5.8 lbs.
Wire: 25 Feet, Intelli-Flex Wires
Default Lamp: 35 Watt PAR 36 Halogen
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
Full Lens Kit
Lifetime Warranty
PATENT # 6,502,967

Designer
Lenses



Included



Shown with INFINITYRING accessory



Putting Green Light

Augusta



Model Shown: AUGUSTA-C75-20-WH

Product Description

The Augusta is a putting green light, designed to provide a visual queue to the putting cup and enhance your nighttime putting experience. The Augusta sits flush in the putting green and lights upward through the base, illuminating the cup, flagstick and flag. The flag is easily removed to retrieve golf balls.

The Augusta carries a 5 year warranty on all composite components and a lifetime warranty on the brass Nova light fixture.

Specifications

Voltage: 12 & 24 Volt
Construction, Putting Green Light Enclosure: High-Impact PBT
Construction, Fixture: Cast Brass
Finish: Bright White Cup, Pin and Flag
Light Includes: Pin, Cup Housing & Fixture
Socket: Beryllium Copper, pre-greased
Weight: 7.91 lbs.
Wire: 75 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Lifetime Warranty*
PATENT # 7,594,859



*Lifetime Warranty is limited to only Nova fixture, not cup housing, internal parts, pin, or flag.



Underwater Light Nautilus

Model Shown: NAUTILUS-SS50-35-SS



Product Description

Made from machined stainless steel, this underwater light is non-toxic to fish and can be used in depths of up to 8 feet. The pre-set angles allow for 30, 45 or 90 degree mounting positions while the optional base plate (included) gives you even greater flexibility.

Along with its pre-set angles, the Nautilus weighs in at an unprecedented 9.2 lbs. ensuring that this fixture will stay in the exact position as it was installed.

Specifications

Voltage: 12 & 24 Volt
Construction: Machined Stainless Steel
Finish: Stainless Steel
Socket: Beryllium Copper, pre-greased
Shroud: Stainless Steel
Mounting: 10" 14 Gauge Stainless Steel Base
Weight: 9.2 lbs.
Wire: 50 Feet, 16/2 STOW Black SO Cord
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
Full Lens Kit
Lifetime Warranty

Designer
Lenses



Included



Safely tested in depths up to eight feet.



Brass Area Light Endeavour



44.2



Model Shown: ENDEAVOUR12-B25-20-WB



Also available with Saturn top
 Model: EXPEDITION-B25-20-WB



Perma Post Included

Product Description

Whether you are lighting a BBQ area, deck or simply would like a decorative area light, the Endeavour's versatility is sure to meet the challenge. Standing just over an impressive five feet tall, the Endeavour is equipped with a powerful 20 Watt Astro-Brite lamp emitting plenty of light to illuminate an entire cooking area, not just the grill. As with all Signature Series fixtures the Endeavour carries a Lifetime Warranty.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: Machined Brass
Mounting: Zero-G Docking Post (Perma Post)
Weight: 5.51 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Dark Sky Compliant
Lifetime Warranty





Hanging Light Envoy & Enterprise



Hanging Light Saturn-I



Model Shown: ENTERPRISE-B25-20-WB



Model Shown: ENVOY-B25-20-WB

Product Description

The Envoy and Enterprise both offer soft level lighting with an elegant look. The frosted lens minimizes glare while the 20 Watt Astro-Brite lamp provides sufficient light to cast a soft glow on any area. Ideal for ceilings or walls, both fixtures are perfect above outside barbecues, seating and outside entertainment areas. These fixtures bring lighting to the next level without forcing you to use a bullet down light for softer down lighting applications.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: Machined Brass
Mounting: Cast Brass Sphere Base
Weight: Envoy: 3.60 lbs. Enterprise: 3.25 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Lifetime Warranty
PATENT # D590979



Product Description

The Saturn-I offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the 20 Watt Astro-Brite lamp provides sufficient light to cast soft glows on ceilings or gazebos. Ideal for outdoor entertaining areas, the Saturn-I is also perfect for when overhang areas need lighting. The adjustable settings give maximum design flexibility by creating numerous beam spreads with one fixture.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: Machined Brass
Mounting: Cast Brass Dome Base
Weight: 3.3 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Lifetime Warranty



Model Shown: SATURN-I-B25-20-WB



Address Light Voyager Address Kit

Model Shown: VOYAGER8-B25-5-WB-O-AK



Shown illuminated



Adjustable face plate bracket

Product Description

This kit will allow you to use the Voyager 8 in any of your hardscape surfaces to create an illuminated address plaque. Use the numbers with a Voyager 8 and open faceplate on your house, your steps or on any curbside hardscaping to create a clean and effective lit number sign. This product can either be ordered as a full fixture (shown), or as a faceplate kit. Three sets of heat resistant vinyl numbers are included.

Specifications

Voltage: 12 & 24 Volt
Construction: Cast Brass Cover, PBT Injection Molded Housing
Finish: Weathered Brass
Mounting: Surface Mount With Adjustable Face Plate
Socket: Beryllium Copper, pre-greased
Weight: 3.0 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 5 Watt Astro-Brite/Astro-Green (2)
Other Lamps Available
Maximum Wattage: 10 Watts
Full Number Kit (3 Sets)
Lifetime Warranty



Hardscape Tiki Islander

Model Shown: ISLANDER-B25-35-WB



35 watt Astro-Brite inside



Also Available in Copper Perma Post Included

Product Description

Whether you are lighting a BBQ area, deck or simply would like a decorative area light, this elegant brass tropical inspired torch and down light will help to create a beautiful resort right in your own back yard. Its removable wick assembly and threaded collar make the torch easy to remove and fill. The 35 watt Astro-Brite is protected from the elements. Its braided fiberglass wick will not unravel or blow out. As with all Signature Series fixtures the Islander carries a Lifetime Warranty.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Snuff Cap & Chain: Brass
Wick: 8" x 1/2" Braided Fiberglass
Collar: Machined Brass
Fluid Capacity: 22 oz. (Vertical Position)
Mounting: Zero-G Docking Post (Perma Post)
Weight: 8.65 lbs. (Without Fluid)
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
Lifetime Warranty





Hardscape Light Vanguard 5 & 8



Product Description

The Vanguard is a step beyond the normal recessed wall light. Perfect for illuminating short retaining walls and other niche locations. The Vanguard cover directs and spreads light to the intended area. The extendable mounting plate secures the fixture while still allowing face plate adjustments. The mounting plate is removable for mounting under railings and other tight fitting spaces. The frosted lens is perfect for the desired light output. The Vanguard 5 & 8 are also available in copper.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Collar: Machined Brass
Mounting: Recessed, Under Wall Cap
Weight: VANGUARD 5: 1.5 lbs. VANGUARD 8: 2.1 Lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: VANGUARD 5: (1) 10 Watt Astro-Brite/Astro-Green
VANGUARD 8: (2) 10 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: VANGUARD 5: 10 Watts
VANGUARD 8: 20 Watts
Dark Sky Compliant
Lifetime Warranty



Model Shown: VANGUARD5-B25-10-WB

Model Shown: VANGUARD8-B25-20-WB

Copper Knights Fixtures



Add a touch of elegance to the outdoor atmosphere with the Copper Knights Line from Unique Lighting Systems. Made from high quality polished copper, the Copper Knights line is designed to withstand the test of time and look beautiful while doing it. By fabricating the fixtures from copper, Unique has created a long-lasting product that develops an attractive appearance naturally over time. The complex structure of copper changes when exposed to outdoor conditions, bathing the fixture's exterior in shades of blues and greens for a vintage and naturally aged look.

All Copper Knights Fixtures Come Standard With

25 foot Intelli-Flex wire leads on all fixtures with Anti-Moisture Migration Connections
 Mounting hardware or stakes
 Pre-greased sockets
 Lamps
15 YEAR WARRANTY





Copper Up Light Oxford



Model Shown: OXFORD-COP25-35-NC



Product Description

A powerful and heavy duty directional up-light, the Oxford is perfect when illuminating trees, tall structures and vast spaces.

The Oxford can be used in numerous applications including back, shadow or graze lighting. It is also the perfect directional light to use when up lighting columns.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper
Finish: Natural Copper
Shroud: 360° Rotation
Knuckle: Cast Brass, Adjustable
Mounting: Brown PVC Gravity Stake
Weight: 3.4 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
15 Year Warranty



Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE, STABILIZER STAKE, STRAT-BRACKET, and RISERS - 6", 12", 24", 36"



Copper Up/Down Light Guardian & Crusader

Model Shown: GUARDIAN-COP25-35-NC

Product Description

The Guardian offers style and function without compromise. Its sleek straight lines and single gasket shroud feature make the Guardian an essential fixture when lighting palms, trees, columns or other tall structures.

The Crusader offers a practical solution to most down light applications. Featuring a single O-ring supported shroud, this down-light fixture uses the Universal Mounting Bracket to make installation fast and easy.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper Housing with Cast Brass Base
Finish: Natural Copper
Knuckle: Cast Brass, Adjustable
Socket: Beryllium Copper, pre-greased
Shroud: 360 Rotation
Mounting: Brown PVC Gravity Stake (Guardian)
Mounting: Brass Mounting Bracket (Crusader)
Weight: Guardian: 2.5 lbs., Crusader: 2.7 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
15 Year Warranty



Model Shown: CRUSADER-COP25-35-NC



Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE, STABILIZER STAKE, STRAT-BRACKET, UNIBRACKET and RISERS - 6", 12", 24", 36"



Copper Path Light

Canterbury & Windsor



Model Shown: CANTERBURY-COP25-20-NC

Product Description

Elegant and stylish, the Canterbury features a fully articulating shroud allowing maximum design control. The 5.45 inch bell shape shroud tilts and rotates to illuminate walkways or any other walking area with high efficiency. Its 20 watt Astro-Brite lamp is ideal for creating soft glow lighting.

A miniature version of the Canterbury, the Windsor mini wall washer is a powerful fixture. Featuring a small spun copper body, this undersized power house is able to illuminate planter areas, short retaining walls, step landings or any other area needing a soft glow.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper Housing with Machined Brass Collar
Finish: Natural Copper
Socket: Beryllium Copper, pre-greased
Shroud: Fully Adjustable, 360° Rotation
Mounting: Brown PVC Stabilizer Stake
Weight: **Canterbury:** 2.65 lbs., **Windsor:** 2.15 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Intelli-Brite
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
15 Year Warranty



Unique exclusive fully articulating collar.

Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE and HUBBLE.



Copper Area Light

Cambridge & Camelot



Model Shown: CAMBRIDGE-COP25-20-NC

Model Shown: CAMELOT-COP25-20-NC

Product Description

The Cambridge offers soft level lighting with an elegant look. The frosted cylindrical lens minimizes glare while the 20 Watt Astro-Brite lamp provides sufficient light to cast soft glows on any path or walking area. Ideal for walkways, the Saturn is also perfect for when planter areas need lighting. The adjustable settings give maximum design flexibility by creating numerous beam spreads with one fixture.

Reminiscent of a starry night, the Camelot features a star and moon pattern on an 8 inch cylindrical shroud and Borosilicate glass lens. The aesthetic design allows light to emanate a beautifully lit pattern on any pathway or surface area.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper
Finish: Natural Copper
Socket: Beryllium Copper, pre-greased
Collar: 3 Adjustable Height Settings
Mounting: Brown PVC Stabilizer Stake
Weight: **CAMBRIDGE:** 3.65 lbs., **CAMELOT:** 2.4 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
15 Year Warranty



Mounting Options / Accessories: ZEROG / ZEROGWB, SPHEREBASE, EXOBRACKET and HUBBLE. Stem Lengths - 12", 24", 36", 48"



Copper Area Light Illuminator 4 & 6



Model Shown: ILLUMINATOR6-COP25-20-NC

Product Description


The Illuminator 6 and 4 offer versatile light output. The frosted Borosilicate glass lens minimizes glare while the 20 watt Astro-Brite lamp provides sufficient light to cast soft glows on any path or walking area. Ideal for walkways, the Illuminator 6 and 4 are also perfect for when planter areas need lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper Housing with Cast Brass Collar
Finish: Natural Copper
Collar: Cast Brass
Socket: Beryllium Copper, pre-greased
Mounting: Brown PVC Stabilizer Stake
Weight: Illuminator6: 3.5 lbs., Illuminator4: 2.4 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
15 Year Warranty



Model Shown: ILLUMINATOR4-COP25-20-NC



Copper Well Light Gallant



Model Shown: GALLANT-COP25-35-NC

Product Description

Simple, discreet and versatile describes the Gallant's design and function. A powerful in-ground well light, the Gallant uses a PAR 36, 35 watt wide flood lamp to cast an ample beam spread against any landscape element. Its dual cut body allows for surface flush or angled installation options. The featured patented stainless steel gimble ring holds the lamp in place while allowing vertical and horizontal adjustments within the composite body. The Gallant also features a 2" copper debris guard to allow for above ground installation.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper & ABS Composite
Construction: ABS Composite
Debris Guard: 2" Natural Copper with Clear Lens
Mounting: In - Ground
Weight: : 3.85 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL Halogen
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
15 Year Warranty
PATENT # 6,502,967





Copper Wall Sconce

Chamberlain Series

Models Shown:
CHAMBERLAIN12-COP0-0-NC
CHAMBERLAIN9-COP0-0-NC
CHAMBERLAIN6-COP25-20-NC
CHAMBERLAIN4-COP25-20-NC



Product Description

Designed to eliminate the glare associated with glass porch light fixtures, the Chamberlain series directs light output in an up/down beam spread. The copper body construction makes these fixtures durable and efficient.

Advanced applications include mounting a horizontal series of Chamberlains to create a beautiful pattern of light. Available in 4 inch, 6 inch, 9 inch and 12 inch heights, these wall sconce fixtures are the perfect addition to any lighting portrait.

Specifications

Voltage: 12 & 24 Volt
Construction: Copper
Finish: Natural Copper
Socket: Beryllium Copper, pre-greased
Mounting: Surface Mounted
Weight: Chamberlain 4: 1.51 lbs., Chamberlain 6: 2.11 lbs., Chamberlain 9: 4.7 lbs., Chamberlain 12: 6.2 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Lamp: 20 Watt Astro-Brite/Astro-Green
Maximum Wattage: See Notes
Lenses: Clear and Frosted
15 Year Warranty



Notes:

Chamberlain 4 - 12V Includes 1-20W Lamp, Dimensions: 4x3.25x2.25 (20 Watt Max.)
Chamberlain 6 - 12V Includes 2-20W Lamps Up/Down, Dimensions: 6x3.5x3.0 (40 Watt Max.)
Chamberlain 9 - 120V No Lamp Supplied, Dimensions: 9.1x6.1x3.6 (80 Watt Max.)
Chamberlain 12 - 120V No Lamp Supplied, Dimensions: 12x9.1x5.1 (120 Watt Max.)



Copper Niche Light

Londoner 5 & 8



Model Shown: LONDONER5-COP25-20-NC-L



Product Description

A new copper design on an old favorite. The Londoners are a classic recessed step light. Perfect to illuminate stairs, benches, short retaining walls and other niche locations. The Londoners pane and louvered cover direct and spread light to the intended area. The mounting box secures the fixture while still allowing face plate adjustments. The included frosted lens is perfect for the desired light pattern output.

Specifications

Voltage: 12 & 24 Volt
Construction: Copper Cover, PBT Injection Molded Housing
Finish: Natural Copper
Mounting: Surface Mount With Adjustable Face Plate
Socket: Beryllium Copper, pre-greased
Weight: LONDONER 5: 2.35 lbs., LONDONER 8: 3.0 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: LONDONER 5: 20 Watt Astro-Brite/Intelli-Brite (1)
Default Lamp: LONDONER 8: 20 Watt Astro-Brite/Intelli-Brite (2)
Other Lamps Available
Maximum Wattage: LONDONER 5: 20 Watts, LONDONER 8: 40 Watts
Frosted Lens
15 Year Warranty

Model Shown: LONDONER8-COP25-20-NC-L



Adjustable face plate bracket



Open faceplate available





Hanging Down Light Lancaster

Model Shown: LANCASTER-COP25-20-NC



Product Description

The Lancaster is a copper hanging fixture with a new lock and load shroud. It is ideal for trees, gazebos or other structures. The Lancaster is the perfect choice when you need a softly lit environment.

Equipped with a 20 watt MR-16 Halogen lamp, 25' of Intelli-Flex wire and a 15 year warranty, this simple design is sure to satisfy even the toughest critic.

Specifications

Voltage: 12 & 24 Volt
Construction: Natural Copper Housing with Cast Brass Base
Finish: Natural Copper
Socket: Beryllium Copper, pre-greased
Shroud: 360 Rotation
Mounting: Natural Brass Eyelit, Brass Hook, Brass Chain Links (2)
Weight: 2.1 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt MR-16 BAB
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
15 Year Warranty



Brass Knights Fixtures



Add a touch of elegance to the outdoor atmosphere with the Brass Knights Line from Unique Lighting Systems. Made from high quality brass the Brass Knights line is designed to withstand the test of time and look beautiful while doing it. By fabricating the fixtures from brass Unique has created a long-lasting product that develops an attractive appearance naturally over time. The complex structure of brass changes when exposed to outdoor conditions, bathing the fixture's exterior with a naturally aged look.

All Brass Knights Fixtures Come Standard With

25 foot Intelli-Flex wire leads on all fixtures with Anti-Moisture Migration Connections
 Mounting hardware or stakes
 Pre-greased sockets
 Lamps
15 YEAR WARRANTY





Brass Up Light Bishop

Model Shown: BISHOP-B25-35-WB



Product Description

A powerful and heavy duty directional up-light, the Bishop is perfect when illuminating trees, tall structures and vast spaces.

The Bishop can be used in numerous applications including back, shadow or graze lighting. It is also the perfect directional light to use when up lighting columns.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Shroud: 360° Rotation
Knuckle: Cast Brass, Adjustable
Mounting: Brown PVC Gravity Stake
Weight: 3.45 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
15 Year Warranty



Model Shown: INTREPID-B25-35-WB



Product Description

The Intrepid offers style and function without compromise. Its sleek straight lines and dual gasket shroud feature make the Intrepid an essential fixture when lighting palms, trees, columns or other tall structures. The Conquest offers a practical solution to most down light applications. Featuring an O-ring supported shroud this down-light fixture uses the Universal Mounting Bracket to make installation fast and easy.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Knuckle: Cast Brass, Adjustable
Socket: Beryllium Copper, pre-greased
Shroud: 360 Rotation
Mounting: Brown PVC Gravity Stake (Intrepid)
Mounting: Brass Mounting Bracket (Conquest)
Weight: Intrepid: 2.5 lbs., Conquest: 1.2 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 35 Watt MR-16 FMW
Other Lamps Available Upon Request
Maximum Wattage: 35 Watts
15 Year Warranty



Model Shown: CONQUEST-B25-35-WB



Brass Up/Down Light Intrepid & Conquest



Brass Area Light

Lancer 4 & 6

Model Shown: LANCER6-B25-20-WB



Model Shown: LANCER4-B25-20-WB

Product Description

Simple yet elegant, the Lancer offers versatile light output. Featuring a rotating adjustable height setting, the Lancer allows various beam spreads. The frosted Borosilicate glass lens minimizes glare while the 20 watt Astro-Brite lamp provides sufficient light to cast soft glows on any path or walking area. Ideal for walkways, the Lancer is also perfect for when planter areas need lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Machined Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Machined Brass
Collar: Machined Brass with Rotating Height
Mounting: Brown PVC Stabilizer Stake
Weight: Lancer 4: 2.7 lbs., Lancer 6: 3.15 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
15 Year Warranty



Brass Area Light

Excalibur & Monarch

Model Shown: EXCALIBUR-B25-20-WB



Model Shown: MONARCH-B25-20-WB

Product Description

Elegant and stylish, the Excalibur features a fully articulating shroud allowing maximum design control. The 5.5 inch bell shape shroud tilts and rotates to illuminate walkways or any other walking area with high efficiency. Its 20 watt Astro-Brite lamp is ideal for creating soft glow lighting.

A smaller version of the Excalibur, the Monarch mini wall washer is a powerful fixture. Featuring a small spun brass body, this undersized power house is able to illuminate planter areas, short retaining walls, step landings or any other area needing a soft glow.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Fully Adjustable, 360° Rotation
Mounting: Brown PVC Stabilizer Stake
Weight: Excalibur: 2.65 lbs., Monarch: 2.2 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
15 Year Warranty





Brass Area Light

Entropic & Chancellor



Model Shown: ENTROPIC-B25-20-WB



Model Shown: CHANCELLOR-B25-20-WB

Product Description

The Entropic offers soft level lighting with an elegant look. The 20 Watt Astro-Brite lamp provides sufficient light to cast soft glows on any path or walking area. The Entropic is perfect for planter areas.

Simple, yet elegant, the Chancellor offers versatile light output. The frosted glass lens minimizes glare while the 20 watt Astro-Brite lamp provides sufficient light to cast soft glows on any path or walking area. Ideal for walkways, the Chancellor is also perfect for when planter areas need lighting.

Specifications

Voltage: 12 & 24 Volt
Construction: Machined Brass
Finish: Weathered Brass
Socket: Beryllium Copper, pre-greased
Shroud: Machined Brass
Collar: Machined Brass
Mounting: Brown PVC Stabilizer Stake
Weight: Entropic: 4.7 lbs. Chancellor: 1.5 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: 20 Watt Astro-Brite/Astro-Green
Other Lamps Available Upon Request
Maximum Wattage: 20 Watts
Dark Sky Compliant
15 Year Warranty



Model Shown: CARDINAL-B25-35-WB



Brass Well Light

Cardinal



Product Description

Simple, discreet and versatile describes the Cardinal's design and function. A powerful in-ground well light, the Cardinal uses a PAR 36, 35 watt wide flood lamp to cast an ample beam spread against any landscape element. Its dual cut body allows for surface flush or angled installation options. The featured patented stainless steel gimble ring holds the lamp in place while allowing vertical and horizontal adjustments within the composite body. The Cardinal also features a 1" brass debris guard to allow for above ground installation.

Specifications

Voltage: 12 & 24 Volt
Construction: Brass & ABS Composite
Construction: ABS Composite
Debris Guard: 1" Brass
Mounting: In - Ground
Weight: : 2.7 lbs.
Wire: 25 Feet, Intelli-Flex Wire
Default Lamp: 35 Watt PAR 36 WFL
Other Lamps Available Upon Request
Maximum Wattage: 50 Watts
15 Year Warranty
PATENT # 6,502,967






Brass Niche Light Sovereign 5 & 8



Fixture Finishes



Model Shown: SOVEREIGN5-B25-20-WB-L



Product Description

A new brass design on an old favorite. The Sovereigns are a classic recessed step light. Perfect to illuminate stairs, benches, short retaining walls and other niche locations. The Sovereigns' louvered face plate directs and spreads light to the intended area. The mounting box secures the fixture while still allowing face plate adjustments. The included frosted lens is perfect for the desired light pattern output.



Model Shown: SOVEREIGN8-B25-20-WB-L



Adjustable face plate bracket

Specifications

Voltage: 12 & 24 Volt
Construction: Brass Cover, PBT Injection Molded Housing
Finish: Weathered Brass
Mounting: Surface Mount With Adjustable Face Plate
Socket: Beryllium Copper, pre-greased
Weight: Sovereign 5: 2.00 lbs., Sovereign 8: 2.55 lbs.
Wire: 25 Feet, Intelli-Flex Wire, Anti-Moisture Migration Connections
Default Lamp: Sovereign 5: 20 Watt Astro-Brite/Astro-Green (1)
Default Lamp: Sovereign 8: 20 Watt Astro-Brite/Astro-Green (2)
Other Lamps Available
Maximum Wattage: Sovereign 5: 20 Watts, Sovereign 8: 40 Watts
15 Year Warranty



Standard Finishes



WB - Weathered Brass



NB - Natural Brass

Stock Powder Coated Colors*



TT - Tucson Tan



WH - White



BK - Black



VG - Verde Green

Custom Colors



Supply us with your custom PMS color and we will match it.

*Stock powder coated colors displayed are subject to varying lead-times and will incur an additional cost. A Limited Warranty applies to all powder coated products. Custom colors are available upon request. Please inquire about cost and lead-times.

Please note that all Unique Lighting fixtures have a "Living Finish," and can be expected to vary in hue over time. Our fixtures come standard with our one-of-a-kind Weathered Brass finish or in a Natural Brass.

Additional colors may be achieved through a powder coating process. These colors are subject to varying lead times and will incur an added cost. A Limited Warranty applies to all powder coated products.

Custom colors are also available upon request. All custom color orders must come supplied with specific color documentation and are subject to varying lead times and costs.



Unique Well Lights

A powerful in-ground well light, the F225 uses a PAR 36 35 watt wide flood lamp to cast an ample beam spread along any landscape element. Its dual cut body allows for surface flush or angled installation options. The featured patented stainless steel gimble ring holds the lamp in place while allowing vertical and horizontal adjustments within the ABS body.

The F125 also uses a PAR 36 wide flood lamp and comes standard with a rubber gimble ring and PVC Composite debris guard.

All Unique Lighting Well Lights are now available in brown (LB).



F225-BK-G



Patented Stainless
Steel Gimble Ring
PATENT # 6,502,967



F225-LB-G



F225-BK



F225-LB



Rubber Gimble Ring



F125-BK



F125-LB



Unique Transformers



MULTI-MATIC SERIES - 12 VOLT

PART #	WATTS	AVAILABLE TAPS
300SS	300 Watt	12 and 13 Volt
360SS	360 Watt	12, 13, 14 and 15 Volt
500SS	500 Watt	12, 13, 14, 15, 16 and 17 Volt
600SS	600 Watt	12, 13, 14, 15, 16 and 17 Volt
840SS	840 Watt	12, 13, 14, 15, 16, 18, and 20 Volt
1120SS	1120 Watt	12, 13, 14, 15, 16, 18, 20 and 22 Volt

I-FORCE - 12 VOLT

PART #	WATTS	AVAILABLE TAPS
360IF	360 Watt	12, 13, 14 and 15 Volt
500IF	500 Watt	12, 13, 14, 15, 16 and 17 Volt
600IF	600 Watt	12, 13, 14, 15, 16 and 17 Volt
840IF	840 Watt	12, 13, 14, 15, 16, 18 and 20 Volt

H-FORCE - 12 VOLT

PART #	WATTS	AVAILABLE TAPS
1120	1120 Watt	12, 13, 14, 14.5, 15, 15.5, 16, 17, 18, 19, 20, 21 and 22 Volt
*1500	1500 Watt	12, 13, 14, 14.5, 15, 15.5, 16, 17, 18, 19, 20, 21 and 22 Volt
*1838	1838 Watt	12, 13, 14, 14.5, 15, 15.5, 16, 17, 18, 19, 20, 21 and 22 Volt

AQUATIC POOL & SPA SERIES - 12 VOLT

PART #	WATTS	AVAILABLE TAPS
360PST	360 Watt	12, 13, 14 and 15 Volt
840PST	840 Watt	12, 13, 14, 15, 16, 18 and 20 Volt

SUBTERRANEAN IN-GROUND SERIES - 12 VOLT

PART #	WATTS	AVAILABLE TAPS
360DB	360 Watt	12, 13, 14 and 15 Volt
500DB	500 Watt	12, 13, 14, 15, 16 and 17 Volt
600DB	600 Watt	12, 13, 14, 15, 16 and 17 Volt
840DB	840 Watt	12, 13, 14, 15, 16, 18 and 20 Volt
1120DB	1120 Watt	12, 13, 14, 15, 16, 18, 20 and 22 Volt

INTELLI-MATIC SERIES - 24 VOLT

PART #	WATTS	AVAILABLE TAPS
300SS	300 Watt	24 and 25 Volt
360SS	360 Watt	24L, 24, 25 and 26 Volt
600SS	600 Watt	24L, 24, 25, 26 and 27 Volt
840SS	840 Watt	24L, 24, 25, 26, 27, and 28 Volt
1120SS	1120 Watt	24L, 24, 25, 26, 27, 28, 29 and 30 Volt

INTELLI-MATIC I-FORCE - 24 VOLT

PART #	WATTS	AVAILABLE TAPS
360IF	360 Watt	24L, 24, 25 and 26 Volt
600IF	600 Watt	24L, 24, 25, 26 and 27 Volt
840IF	840 Watt	24L, 24, 25, 26, 27, 28 and 30 Volt

INTELLI-MATIC H-FORCE - 24 VOLT

PART #	WATTS	AVAILABLE TAPS
1120	1120 Watt	24L, 24L, 24, 24, 25, 25, 26, 26, 27, 27, 28, 29 and 30 Volt
*1500	1500 Watt	24L, 24L, 24, 24, 25, 25, 26, 26, 27, 27, 28, 29 and 30 Volt
*1838	1838 Watt	24L, 24L, 24, 24, 25, 25, 26, 26, 27, 27, 28, 29 and 30 Volt

SUBTERRANEAN IN-GROUND SERIES - 24 VOLT

PART #	WATTS	AVAILABLE TAPS
360DB	360 Watt	24L, 24, 25 and 26 Volt
600DB	600 Watt	24L, 24, 25 and 26 Volt
840DB	840 Watt	24L, 24, 25, 26, 27, and 28 Volt
1120DB	1120 Watt	24L, 24, 25, 26, 27, 28, 29 and 30 Volt

*1500 watt and 1838 watt H-Force and Intelli-Matic H-Force transformers must use a 5-20 receptical when using a power cord. These models also require a 20 amp dedicated circuit.

Other voltage options are available upon request.





Unique Transformers

H-Force Horizontal Transformer

The H-Force is the newest design in transformers. Available in three different wattage options, 1120, 1500 and 1838, the H-Force is the most powerful transformer in the low voltage lighting industry.

Features Include:

- Individually fused commons for each tap.
- 2 piece drop-in mounting system
- Hardware compartment
- SNPC ready
- Hinged lid and front panel for easy access
- PATENT PENDING

Subterranean In Ground Series

Unique Lighting Systems' Subterranean transformer is fully potted and sealed making it completely waterproof. Equipped with primary fuse protection and optional secondary in-line fusing the Subterranean is ideal for commercial projects or residential applications where concealing the power source is necessary.

Features Include:

- Single unit design
- Compact footprint
- Removable plug in lid for fixture mounting - 1/2-14 NPSM
- Separated primary and secondary compartments
- Conduit flats on all four sides



I-Force Inverted Transformer

Unique Lighting Systems continues to offer lighting professionals Innovative Lighting Solutions that Last a Lifetime. Introducing a newer member to the Unique family of multi-tap transformers...The I-Force Inverted Transformer.

Unprecedented in the industry, the I-Force transformer offers ease of installation unlike any other in the market today.

Features Include:

- Industry First top mounted installation capability
- Industry First hidden wire chase allowing trouble-free entrance and access to multiple low voltage cables
- Industry First Line voltage wiring compartment for hard wire capability
- A spacious work compartment
- Oversized colored terminal lugs ideal for multiple connections at each tap.
- Snap-in photocell ready
- Available in Weathered Brass (WB)

All available in 12 and 24 volt.

Unique Lamps



Longest Lamp Life Available

Two key items to consider before making your landscape lighting decision are lamp life and color of light emitted from the bulb. Being the innovator in the field, Unique uses lamps that produce the best illumination while lasting the longest period of time. All of Unique's Odyssey fixtures come with a high quality Halogen or Astro-Brite lamp that will last between 4,000 to 20,000 hours, giving you years of trouble-free operation. Most importantly, the lamps produce beautiful white light that preserves the natural color and aesthetics of your landscape and property.

Exclusive To Unique - Green Light & Astro-Brite Lamps

Unique's Green Light and Astro-Brite lamps give adequate light levels with minimum energy usage, ensuring Level 1 light output onto hard surfaces. With it's up to 20,000 hour rating, the Green Light and Astro-brite will out-last any other lamp. In addition, unlike halogen, the Green Light and Astro-Brite are unaffected by the oils on your fingers. All bi-pin sockets are beryllium copper to last a lifetime, along with being factory greased to prevent corrosion and pitting. They also incorporate a extra heavy-duty ceramic socket rated for 25 amps. All components are replaceable.

Technical support at 1.800.955.9851
Lights that last a LIFETIME.





Unique Support & Protection



Support & Protection

With the highest quality fixtures and transformers, along with our Lifetime Warranty and Consumer Buyer Protection Plan, Unique Lighting Systems is your best choice in low voltage lighting.

If you have any questions about our products or services, please feel free to call Unique Lighting Systems at 800.955.9851 or visit us on the web at www.uniquelighting.com.

Unique Lighting is dedicated to supporting our customers. With our Power Management System and superior lighting components, performance and versatility are guaranteed.

Our Consumer Buyer Protection Plan guarantees our system and ensures you that we stand behind our products.

Along with our Protection Plan, Unique Lighting provides technical assistance, design help and contractor referrals to ensure that your lighting portrait remains beautiful for a lifetime.



In This Photo:



North Star
Frosted lens
Sphere base



Lunar
Frosted lens
Stratosphere bracket



Probe-OSM
Frosted lens
Stratosphere bracket



In This Photo:

*Intelli-Fiber Optic lights
used to illuminate within
10' radius of pool.



Comet
Frosted lens
Sphere base



Probe-OSM
Linear lens
Stratosphere bracket



Crusader
Mounting bracket



Pulsar
Frosted lens
Hex louver



Centaurus 6
Area Enhancement
24", 36" & 48" stems
Frosted lens



Envoy
8" stem



Enterprise
Frosted lens



Polaris
Frosted lens



Gemini/Viking



Orion
Frosted lens



Stellar
TruLite lens
Unibracket
6" riser



Comet
Frosted lens
Flush mount



Augusta

In This Photo:



Crusader
Mounting bracket



Lancaster



Guardian



Oxford
6" riser



Illuminator 4
Frosted lens



In This Photo:

Probe-OBM
Linear lens
Stratosphere bracket

Probe-OSM
Frosted lens
Stratosphere bracket

Stellar
TruLite lens
20K hr. Green Light lamp
Stratosphere bracket

Nova
Frosted lens
Nova Star Grate

Apollo
Frosted lens
Eclipse Glare Shield

In This Photo:

Orion
Frosted lens

Gemini/Viking

Augusta

Nova
Frosted lens

Stellar
Spread lens
Sphere base

Comet
Frosted lens
Flush mount

Centaurus 6
Frosted lens
24" stem



Unique Product Warranty

In This Photo:



Probe-OSM
Frosted lens
Sphere base



Quasar 2
Frosted lens



Voyager
Frosted lens
20K hr. Green Light lamp



Endeavour
60" tall

TRANSFORMERS

Transformers have a lifetime warranty for repair or replacement. This warranty covers all parts and components, with the exception of the timer and the photo-cell. Those items carry their original manufacturer's warranty.

ODYSSEY FIXTURES

Odyssey fixtures have a lifetime warranty for repair or replacement. This warranty covers all parts and components, with the exception of the lamp. Fixtures in Natural and Weathered Brass are a living finish and are intended to change color or patina over time.

COPPER KNIGHTS FIXTURES

Copper Knights fixtures have a 15 year warranty for repair or replacement. This warranty covers all parts and components with the exception of the lamp. Fixtures in Natural Copper are a living finish and are intended to change color or patina over time.

BRASS KNIGHTS FIXTURES

Brass Knights fixtures have a 15 year warranty for repair or replacement. This warranty covers all parts and components with the exception of the lamp. Fixtures in Natural and Weathered Brass are a living finish and are intended to change color or patina over time.

SIGNATURE SERIES FIXTURES

Signature Series fixtures have a lifetime warranty for repair or replacement. This warranty covers all parts and components with the exception of the lamp. Fixtures in Natural and Weathered Brass are a living finish and are intended to change color or patina over time.

POWDER COATING

Unique upholds a 10 year warranty for stock powder coated and additional color powder coated finishes. No warranty is included on the finish of custom colors.

CUSTOMER RETURNED GOODS PROCEDURES

To facilitate your return of warranty product, please follow the procedures as listed below:
Contact Unique Lighting at 800-955-4831. Request to speak with Technical Service. Technical Service will guide you through any possible troubleshooting measures. In the event that we are unable to solve the product problem, Technical Service will issue a Returned Material Authorization number (RMA). It is suggested that you keep a record of your RMA number for future reference. We also recommend your noting of the tracking information, this will assist should we or you need to follow up on the shipping and receipt of product. Should you have any questions regarding an outstanding RMA, please contact Customer Service at 800-955-9851.

UNIQUE LIGHTING SYSTEMS®

Professional Low Voltage Lighting Product Catalog



UNIQUE LIGHTING SYSTEMS, INC.

Always original....

Always first.