



WILMETTE  LIGHTING
COMPANY





IN THE FINEST TRADITION

Have you ever owned, restored or toured a historic home and marveled at the craftsmanship of the original fixtures—the ageless beauty of the silhouettes, the perfect scale and precise patterns, the quality of the materials, the care taken in every detail? Vintage fixtures are more than tangible objects. They are an authentic representation of our past. How wonderful it would be to find a lighting resource that both deeply honored the integrity of this tradition and provided you with illumination that was brand new, technologically advanced, accessible, and with a multitude of energy efficient options.

This is Wilmette Lighting Company.

As you browse this catalog, we hope to inspire you with our period pendants, sconces, ceiling fixtures and low-voltage monorail systems in a wide array of sizes, colors and finishes. Each is an investment, created to complement, enhance, and invite warmth into your unique home, office, retail or hospitality environment. All are backed by historical research and personalized service and will stand the test of time.

By selecting Wilmette Lighting Company products, not only are you choosing the best in class in period lighting, but you are also choosing a brand that is backed by the industry leader, Tech Lighting.

HOW TO BUY WILMETTE

Lighting Professional?


Our products are available through a network of knowledgeable Sales Representatives. For a Representative in your area, please visit, www.wilmettelighting.com, or call us at (847) 410-4400.

Consumer?

Our products are available through lighting showrooms throughout North America. For showrooms in your area, please visit, www.wilmettelighting.com.

More Information?

Our Full Line Catalog is very extensive, however, more information is available. For detailed specification sheets, product instructions, bill of material reference guides and much more, please visit, www.wilmettelighting.com.



HOW TO USE THE ITEM NUMBER GRIDS

This catalog features item number grids for ease of ordering. For example, here is the grid for a Mini Mission Pendant:

The default parts of the number are bold.

600	SYSTEM	MMSN	COLOR	FINISH	TYPE
	FJ FreeJack		A Amber	Z Antique Bronze	Halogen
	MO MonoRail		F Frost	N Polished Nickel	-LED LED
				S Satin Nickel	

Select from the choices below each option field to build the complete item number.

W I L M E T T E  L I G H T I N G
C O M P A N Y

PRODUCT OFFERING

LED 8-13

Introduction to our low-voltage LED offering.

Ceiling & Suspension Fixtures 14-47

Our collection of classic ceiling and suspension fixtures.

Wall & Bath Fixtures 48-83

Period-inspired sconces offered in a range of colors and styles for both indoor and outdoor use.

Low-Voltage Pendants & Heads 84-129

Our collection of low-voltage vintage pendants and architectural heads.

Accessories & Optical Controls 130-131

Extensive offering of decorative accessories and optical controls.

MonoRail System 132-147

Historically inspired low-voltage rail system that can be shaped by hand to follow any architectural feature.






FreeJack System 148-153

Low-voltage monopoint canopy options that offer the ultimate in ease and versatility.

Transformers & Lamps 154-157

Technical information regarding our low-voltage transformers and lamps.

Ceiling & Suspension Fixtures



This icon indicates throughout the catalog which fixtures are suitable for outdoor or wet locations. The rest of the fixtures on this page are suitable for damp locations.

Wall Fixtures

 Acorn Wall p. 73	 Admiral Classic Wall p. 70	 Admiral Simple Wall p. 72	 Belmont Guard Wall p. 81	 Belmont Split Wall p. 82	 Belmont Visor Wall p. 83
 Bridgeport Wall p. 64	 Drake Wall p. 62	 Drake Simple Wall p. 61	 Grove Wall p. 68	 LaSalle Wall p. 66	 Linden Wall p. 50
 Mariner Oval Wall p. 80	 Mariner Round Wall p. 79	 Montrose Guard Wall p. 78	 Montrose Visor Wall p. 76	 Sutton Wall p. 58	 Van Buren Wall p. 75
 Victorian Wall p. 56	 Webster Wall p. 60	 Wrightwood Wall p. 74			

Bath Fixtures


 Belden Bath p. 54	 Linden Bath p. 52
---	---





This icon indicates throughout the catalog which fixtures are suitable for outdoor or wet locations. The rest of the fixtures on this page are suitable for damp locations.

Low-Voltage Pendants & Heads

HOLOPHANE PENDANTS



PENDANTS




HEADS



LED HEAD



 This icon indicates throughout the catalog which fixtures are available in LED.

*Shown accessorized. See pp. 130-131 for accessories and optical controls.

Fulton Pendant White, Polished Nickel / G9 Lamp





LED

The idea of sustainability reaches back far beyond the history represented by our fixtures. While the pieces in this collection remain true to the periods that inspired them, they also break new ground in energy saving, eco-friendly technology. After years of research, development and testing, Tech Lighting is introducing an expansive offering of functional LED fixtures into its Wilmette line, making LED a realistic choice for applications previously not ready for solid state lighting.

Our new LED fixtures utilize two proprietary 5.8 watt LED modules — one for our LED pendants and one for our LED head. They reduce energy consumption over 80%, are dimmable, and do not contain any mercury or other hazardous materials.

With 23 pendant options in myriad color, material and finish options and a dedicated LED directional head with nine different shade options, we are proud to introduce the largest selection of period-inspired LED lighting in the industry.

KEY FEATURES

- Reduces energy consumption over 83% compared to a 35 watt halogen bi-pin or MR-16 lamp
- Two proprietary LED lamp modules - one for pendants, one for heads - easily field replaceable
- Integrated power conditioning board to manage constant current
- No UV rays
- Dimmable
- Minimum waste – heat sink stays with fixture at end of lamp module life
- No mercury and RoHS compliant - no hazardous materials of any kind

For additional features and technical specifications visit www.wilmettelighting.com

We are offering the largest selection of period-inspired LED pendants in the industry with 23 unique low-voltage pedants in a wide selection of colors and finishes. Refer to pg. 11 for an overview of our LED pendant offering. Refer to pg. 129 for details on our high performance LED Cargo Head including compatible accessories.

LED CARGO HEAD (Pg. 129)

Power Consumption:	6 watts
Color Temperature:	3000K
Lumens:	275 lms
Lumens/Watt:	46 lms/watt
Color Rendering Index:	85 CRI
Rated Average Life:	>30,000 hours to 70%
Center Beam Candle Power:	25° - 1200; 40° - 500




LED PENDANT ASSEMBLY

Power Consumption:	6 watts
Color Temperature:	3000K
Lumens:	275 lms
Lumens/Watt:	46 lms/watt
Color Rendering Index:	85 CRI
Rated Average Life:	>30,000 hours to 70%
Center Beam Candle Power:	25° - 1200; 40° - 500





COMPATIBLE LED ELEMENTS

HOLOPHANE PENDANTS




PENDANTS



LED HEAD



 This icon indicates throughout the catalog which fixtures are available in LED.

*Shown accessorized. See pp. 130-131 for accessories and optical controls.

ORDERING AN LED SYSTEM

Ordering an LED system is easy. All of the hardware components are shared with our standard low-voltage systems other than the transformer. Therefore, simply order a regular MonoRail or FreeJack system, and be sure to order a transformer that is compatible with our LED elements.



This icon indicates throughout the catalog which fixtures are available in LED.

COMPATIBLE LED TRANSFORMERS

All of our magnetic transformers will work with our LED heads and pendants. Our electronic transformers will not work with our LED heads and pendants unless they end in -LED. Therefore, anytime a FreeJack canopy or electronic transformer ends in -LED, this indicates that it is compatible with our LED elements. For a list of compatible transformers, please refer to the chart below:

ITEM NUMBER	DESCRIPTION	WATTAGE	Compatible 5.8 watt Elements		COMPATIBLE DIMMERS	PAGE #
			MIN	MAX ²		
REMOTE TRANSFORMER						
600AT075T	Magnetic	75W	1	12	Low-Voltage Magnetic, 600 watts	p. 142
600AT150T	Magnetic	150W	1	25	Low-Voltage Magnetic, 600 watts	p. 142
600AT300T	Magnetic	300W	1	51	Low-Voltage Magnetic, 600 watts	p. 142
MONORAIL SURFACE TRANSFORMERS						
600MOFRT60E (Z, N, S) -LED¹	Electronic Flush	60W	2	10	Low-Voltage Electronic, 600 watts	p. 143
600MOSRT60E (Z, N, S) -LED	Electronic Surface	60W	2	10	Low-Voltage Electronic, 600 watts	p. 143
600MOSRT100E (Z, N, S) -LED	Electronic Surface	100W	5	17	Low-Voltage Electronic, 600 watts	p. 143
600MOSRT75D (Z, N, S)	Magnetic Surface	75W	1	12	Low-Voltage Magnetic, 600 watts	p. 143
600MOSRT15D (Z, N, S)	Magnetic Surface	150W	1	25	Low-Voltage Magnetic, 600 watts	p. 143
600MOSRT30D (Z, N, S)	Magnetic Surface	300W	1	51	Low-Voltage Magnetic, 600 watts	p. 143
FREEJACK (MONOPOINT) CANOPIES WITH TRANSFORMER						
600FJ4RF (Z, N, S) -LED¹	4" Round Flush Canopy	10W	1	1	Low-Voltage Electronic, 600 watts	p. 152
600FJ2SQ67 (Z, N, S) -LED	2" Square Flush Canopy	10W	1	1	Low-Voltage Electronic, 600 watts	p. 152
600FJSF4 (Z, N, S) -LED	Surface Canopy	10W	1	1	Low-Voltage Electronic, 600 watts	p. 152

FINISH OPTIONS

(Z) Antique Bronze (N) Polished Nickel (S) Satin Nickel

IF YOU HAVE ANY QUESTIONS ABOUT DESIGNING AN LED SYSTEM, PLEASE CONTACT OUR TECHNICAL SUPPORT GROUP AT (847) 410-4400.

¹ Transformer fits inside standard 4" junction box

² Maximum recommended run length is 100' for MonoRail with a single LED compatible transformer

Mini Clybourn Pendant Frost, Antique Bronze / FreeJack 4" Round Flush Canopy / LED Lamp Module







CEILING & SUSPENSION


When you choose a Wilmette Lighting Company ceiling or suspension fixture, you know that every element of the piece, from the hand blown glass to the metal detail - every dome, canopy, stem, cap and clip has been imparted with lasting beauty and value born of historical relevance, design integrity, and artisinal craftsmanship.

www.wilmettelighting.com



This icon indicates throughout the catalog which fixtures are suitable for outdoor or wet locations.

Clark Pendant



havana brown with polished nickel




*Clark Ceiling
p. 18*



*white with
satin nickel*



*clear with
antique bronze*




Inspired by a vintage lamp socket with a classic cylinder in clear, havana brown, or white glass. Includes 120 volt 40 watt medium base, Classic Edison Style lamp, integral on/off switch, and six feet of field-cutable cable. Dimmable with standard incandescent dimmer. Suitable for damp locations.

600CLKP	COLOR	FINISH
C	Clear	Z Antique Bronze
B	Havana Brown	N Polished Nickel
W	White	S Satin Nickel

Clark Pendants Clear, Polished Nickel / Classic Edison Style A-lamps





Clark Pendant
p. 16



clear with polished nickel



clear with
antique bronze



havana brown
with antique bronze



white with
antique bronze

Classic cylinder in either clear, havana brown, or white glass. Incandescent includes 120 volt 40 watt medium base Classic Edison Style lamp; fluorescent includes 18 watt GX24Q-2 base, triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.


600CLKC	COLOR	FINISH	LAMP
C	Clear	Z Antique Bronze	Classic Edison Incandescent
B	Havana Brown	N Polished Nickel	-CF Compact Fluorescent*
W	White	S Satin Nickel	*White glass only

Clark Ceiling Havana Brown / Classic Edison Style A-Lamp





{circa 1930}



frost with polished nickel



*Mini Pullman
Pendant
p. 105*



*Compatible with
industrial hang
straight p.131*



*frost with
antique bronze*




Vintage Holophane® prismatic glass with rich oak leaf details diffuses light to reduce glare and enhance visual comfort. General area light designed to evenly illuminate ceilings, walls, and floors. Incandescent includes 120 volt 100 watt mini-candelabra base lamp; fluorescent includes 32 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 26 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600PMNS	LENGTH (A)	COLOR	FINISH	LAMP
24	24"	F Frost	Z Antique Bronze	Incandescent
36	36"		N Polished Nickel	-CF Compact Fluorescent
48	48"		S Satin Nickel	



Victorian Pendant



frost with satin nickel



*Mini Victorian Pendant /
Victorian Wall
p. 89 and p. 56*



*frost with
antique bronze*

Decorative oak leaf detailed brass cap recreated through a lost wax casting process; Victorian-inspired fluted glass with a soft frost finish to diffuse light. Incandescent includes 120 volt 40 watt mini-candelabra base lamp; fluorescent includes 18 watt GX24Q-2 base, triple tube lamp and electronic ballast. Each includes six feet of field-cuttable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600VCTP	COLOR	FINISH	LAMP
	F Frost	Z Antique Bronze S Satin Nickel	Incandescent -CF Compact Fluorescent

Victorian Pendant Frost, Satin Nickel / Mini-Candelabra Base Lamp



Linden Pendant



white frit with polished nickel




*Linden Wall /
Linden Bath
p. 50 and p. 52*



*frost with
antique bronze*



*frost with
polished nickel*




Nineteenth century, neoclassical-inspired metal cast detail with an elegant blown glass cylinder. Incandescent includes 120 volt 40 watt medium base, T10 lamp; fluorescent includes 18 watt 2G11 base, twin tube lamp and electronic ballast. Each includes six feet of field-cuttable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600LNDP	COLOR	FINISH	LAMP
F	Frost	Z	Antique Bronze
W	White Frit	N	Polished Nickel
		S	Satin Nickel
			Incandescent
			-CF Compact Fluorescent



Location: Lafayette Hill, PA Photographer: Baldo Photography - Don Baldo - Phoenixville, PA Designer: Interior Options - Joy Brokow - Philadelphia, PA

Bridgeport Pendant



white with antique bronze



*Mini Bridgeport Pendant /
Bridgeport Wall
p. 94 and p. 64*



*amber with
satin nickel*



*white with
satin nickel*



*amber with
antique bronze*




Carriage light inspired hand-welded metal cap with cylindrical glass shade and metal ring detail. Incandescent includes 120 volt 60 watt G9 base, halogen lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600BRGP	COLOR	FINISH	LAMP
A	Amber	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	

Bridgeport Pendants White, Polished Nickel / G9 Lamps



Benton Pendant



white with satin nickel



Carriage light inspired hand-welded metal cap with tapered glass shade and metal ring detail. Incandescent includes 120 volt 60 watt G9 base, halogen lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600BENP	COLOR	FINISH	LAMP	
A	Amber	Z	Antique Bronze	Incandescent
W	White	N	Polished Nickel	-CF Compact Fluorescent
		S	Satin Nickel	

SAMPLE COLOR AND FINISH COMBINATIONS




amber with antique bronze



*Mini Benton Pendant
p. 97*

Fulton Pendant



amber with antique bronze

Carriage light inspired hand-welded metal cap with rounded glass shade and metal ring detail. Incandescent includes 120 volt 60 watt G9 base, halogen lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600FULTP	COLOR	FINISH	LAMP
A	Amber	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	



SAMPLE COLOR AND FINISH COMBINATIONS




white with polished nickel



*Mini Fulton Pendant
p. 96*

Claremont Pendant



white with antique bronze

Elegant fabric shade topped with hand-welded decorative metal detail. Incandescent includes 120 volt 100 watt medium base, A19 lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cuttable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600CLRP	COLOR	FINISH	LAMP
C	Desert Clay	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	



SAMPLE COLOR AND FINISH COMBINATIONS



desert clay with polished nickel



*Mini Claremont Pendant
p. 93*

Sedgwick Pendant



clear with polished nickel

Vintage 1920s clear prismatic glass with cast metal fitter. Incandescent includes 120 volt 75 watt medium base, A19 lamp; compact fluorescent includes 120 volt 27 watt, GU24 base self-ballasted compact fluorescent lamp. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600SEDCPC	FINISH	LAMP
	Z Antique Bronze	Incandescent
	N Polished Nickel	-CF Compact Fluorescent
	S Satin Nickel	




SAMPLE COLOR AND FINISH COMBINATIONS



clear with satin nickel

clear with antique bronze



[circa 1930]




frost with antique bronze



Compatible with industrial hang straight p.131




frost with polished nickel



Dome-shaped three-part Holophane® prismatic glass diffuses light to reduce glare and enhance visual comfort. Provides general area light designed to evenly illuminate ceilings, walls, and floors. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 32 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 26 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600UNLS	LENGTH (A)	COLOR	FINISH	LAMP
	24 24"	F Frost	Z Antique Bronze	Incandescent
	36 36"		N Polished Nickel	-CF Compact Fluorescent
	48 48"		S Satin Nickel	





{circa 1930}



frost with polished nickel




Dome-shaped two-part Holophane® prismatic glass diffuses light to reduce glare and enhance visual comfort. Provides general area light designed to evenly illuminate ceilings, walls, and floors. Perfect for lighting an entire room. Incandescent includes 120 volt 60 watt mini-candelabra base lamp; fluorescent includes 13 watt GX24Q-1 base triple tube lamp and electronic ballast. Each includes six feet of field-cuttable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600UNSPF	FINISH	LAMP
Z	Antique Bronze	Incandescent
N	Polished Nickel	-CF Compact Fluorescent
S	Satin Nickel	



Wrightwood Pendant



clear with satin nickel

Globe-shaped prismatic glass diffuses light throughout the shade to reduce glare and enhance visual comfort; solid brass cap. Incandescent includes 120 volt 75 watt medium base, A19 clear lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600WRIPC	FINISH	LAMP
	Z Antique Bronze	Incandescent
	N Polished Nickel	-CF Compact Fluorescent
	S Satin Nickel	



SAMPLE COLOR AND FINISH COMBINATIONS




clear with polished nickel



clear with antique bronze



*Wrightwood Wall
p. 74*



{circa 1920}



clear with satin nickel



Acorn-shaped Holophane® prismatic glass diffuses light throughout the shade to reduce glare and enhance visual comfort; solid brass cap. Incandescent includes 120 volt 75 watt clear medium base, A19 lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Each includes six feet of field-cutable cable. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600VBNMPC	FINISH	LAMP
Z	Antique Bronze	Incandescent
N	Polished Nickel	-CF Compact Fluorescent
S	Satin Nickel	

ADDITIONAL COLORS AND FINISH OPTIONS



clear with polished nickel





clear with antique bronze



*Van Buren Wall / Van Buren Pendant
p. 75 and p. 100*

Cargo Solid Suspension



cargo solid telescoping with polished nickel



*Cargo LED Head /
Mini Cargo
Solid Pendant
p. 129 and p. 109*



*Compatible with
industrial hang
straight p.131*



*cargo solid telescoping
with antique brass*



*cargo solid fixed-length
with polished nickel*


Industrial-inspired dome-shaped metal shade with frosted, tempered glass diffuser. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 18 watt GX24Q-2 base, triple tube lamp and electronic ballast. Each includes a fixed-length or telescoping stem. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600CRGSS	LENGTH (A)	FINISH	LAMP
18	18"	B Antique Brass	Incandescent
24	24"	N Polished Nickel	-CF Compact Fluorescent
36	36"		
48	48"		
T1	18"-23" (Telescoping)		
T2	25"-37" (Telescoping)		

Cargo Solid Suspension, Polished Nickel / A19 Lamps



Admiral Classic Suspension



white with antique bronze

Nautical-inspired mariner light with white glass diffuser, classic cage and rain guard detail; solid brass construction. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Each includes a fixed-length stem. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600ADMCS	LENGTH (A)	COLOR	FINISH	LAMP
24	24"	W White	Z Antique Bronze	Incandescent
36	36"		N Polished Nickel	-CF Compact Fluorescent
48	48"			

SAMPLE COLOR AND FINISH COMBINATIONS




white with polished nickel



*Admiral Classic Wall / Mini
Admiral Classic Pendant
p. 70 and p. 106*

Admiral Simple Suspension



Compatible with industrial bang straight p.131



white with polished nickel

Nautical-inspired mariner light with white glass diffuser and classic cage detail; solid brass construction. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Each includes a fixed-length stem. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600ADMSS	LENGTH (A)	COLOR	FINISH	LAMP
24	24"	W White	Z Antique Bronze	Incandescent
36	36"		N Polished Nickel	-CF Compact Fluorescent
48	48"			

SAMPLE COLOR AND FINISH COMBINATIONS




white with antique bronze



Admiral Simple Wall / Mini
Admiral Simple Pendant
p. 72 and p. 108

Tavern Suspension



tavern telescoping with white and antique bronze



Mini Tavern Pendant / Tavern Ceiling p. 98 and p. 46



Compatible with industrial hang straight p.131



tavern telescoping with white and satin nickel



tavern fixed-length with latte and satin nickel

Traditional schoolhouse-style glass shade. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Each includes a fixed-length or telescoping stem. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.


600TVRS	LENGTH (A)	COLOR	FINISH	LAMP
24	24"	L Latte	Z Antique Bronze	Incandescent
36	36"	W White	N Polished Nickel	-CF Compact Fluorescent
48	48"		S Satin Nickel	
T1	21"-27" (Telescoping)			
T2	28"-40" (Telescoping)			

Tavern Suspension Telescoping White, Antique Bronze / Triple Tube Lamp




Location: Wilmette, IL

Monroe Suspension



fixed-length



telescoping



monroe telescoping with white and antique bronze



*Monroe Ceiling
p. 47*



*Compatible with
industrial hang
straight p.131*



*monroe telescoping with
latte and satin nickel*



*monroe fixed-length with
white and antique bronze*



*monroe fixed-length with
white and polished nickel*




Dome-shaped schoolhouse glass shade. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Each includes a fixed-length or telescoping stem. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600MNRS	LENGTH (A)	COLOR	FINISH	LAMP
24	24"	L Latte	Z Antique Bronze	Incandescent
36	36"	W White	N Polished Nickel	-CF Compact Fluorescent
48	48"		S Satin Nickel	
T1	18"-24" (Telescoping)			
T2	25"-38" (Telescoping)			

Monroe Suspension Telescoping White, Antique Bronze / A19 Lamps







white with polished nickel

Traditional schoolhouse-style glass shade. Incandescent includes 120 volt 100 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600TVRC	COLOR	FINISH	LAMP
L	Latte	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	



SAMPLE COLOR AND FINISH COMBINATIONS



white with antique bronze




latte with polished nickel



Mini Tavern Pendant / Tavern Suspension p. 98 and p. 42

Monroe Ceiling



white with antique bronze



Dome-shaped schoolhouse glass shade. Incandescent includes 120 volt 100 watt, A19 medium base lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600MNRC	COLOR	FINISH	LAMP
L	Latte	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	

SAMPLE COLOR AND FINISH COMBINATIONS



latte with antique bronze



white with polished nickel



*Monroe Suspension
p. 44*





WALL & BATH FIXTURES

Wall fixtures define the character of a space like no other type of lighting. They make the transition from room to room seamless in both architecture and ambience. To preserve and enhance the character of your environment, Wilmette Lighting Wall & Bath Fixtures have been designed to add classic detail — to bathrooms, corridors, entries and more.


Select from our wide assortment of outdoor fixtures to bring the same level of care to the exterior.

www.wilmettelighting.com



This icon indicates throughout the catalog which fixtures are suitable for outdoor or wet locations.

Linden Wall



*Linden Pendant /
Linden Bath
p. 24 and p. 52*



*frost with
antique bronze*



*frost with
polished nickel*



*white frit with
satin nickel*



white frit with antique bronze

← On/Off Switch


Nineteenth century, neoclassical-inspired cast metal base with elegant blown glass cylinder. Incandescent includes 120 volt 40 watt medium base, T10 lamp; fluorescent includes 18 watt 2G11 base, twin tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Both versions feature integrated on/off switch. Suitable for damp locations.

600LNDW	COLOR	FINISH	LAMP
F	Frost	Z	Incandescent
W	White Frit	N	-CF Compact Fluorescent
		S	

Linden Wall White Frit, Polished Nickel / T10 Lamps



Location: Lafayette Hill, PA Photographer: Baldo Photography - Don Baldo - Phoenixville, PA Designer: Interior Options - Joy Brokow - Philadelphia, PA



*Linden Wall /
Linden Pendant
p. 50 and p. 24*



*May be mounted
horizontally or vertically*

white frit with antique bronze



*white frit with
antique bronze*



*frost with
polished nickel*



Nineteenth century, neoclassical-inspired cast metal base with elegant blown glass cylinders. May be mounted horizontally or vertically. Incandescent includes two 120 volt 60 watt medium base, T10 lamps; compact fluorescent includes two 18 watt 2G11 base twin tube lamps and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600LNDB	COLOR	FINISH	LAMP
F	Frost	Z	Antique Bronze
W	White Frit	N	Polished Nickel
		S	Satin Nickel
			Incandescent
			-CF Compact Fluorescent



Linden Bath Frost, Antique Bronze / T10 Lamps





white with satin nickel

May be mounted horizontally or vertically



white with antique bronze



white with antique bronze




white with polished nickel

Art Deco styled metal cast end caps with white glass diffuser. May be mounted horizontally or vertically. Incandescent includes two 120 volt 60 watt medium base, BT15 halogen lamps; compact fluorescent includes one 36 watt 2G11 base twin tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations. ADA compliant.

600BELDB24	COLOR	FINISH	LAMP
W	White	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	





*Mini Victorian Pendant /
Victorian Pendant
p. 89 and p. 22*



frost with satin nickel




*frost with
antique bronze*




Decorative oak leaf brass cap recreated through a lost wax casting process; Victorian-inspired fluted glass with a soft frost finish to diffuse the light topped with metal band detail. Incandescent includes 120 volt 40 watt candelabra base, B10 lamp; compact fluorescent includes 13 watt 2GX7 base twin tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600VCTW	COLOR	FINISH	LAMP
F	Frost	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	

Victorian Wall Frost, Satin Nickel / Candelabra Base Lamp



Sutton Wall



linen with antique bronze




*white with
satin nickel*




*linen with
polished nickel*

Features a die-cast metal wall plate with architectural details and an elegant sweeping arm leading up to a delicate fabric shade. Beautiful illumination and scale. Incandescent includes 120 volt 60 watt medium base, A19 lamp; compact fluorescent includes 13 watt GX24Q-1 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600SUTW	COLOR	FINISH	LAMP
L	Linen	Z Antique Bronze	Incandescent
W	White	N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	





white with cage, polished nickel

Cast diamond shaped back plate with an elegant fabric shade; available with or without decorative metal cage. Includes 120 volt 60 watt G9 base, halogen lamp. Dimmable with standard incandescent dimmer. Suitable for damp locations.

600WEBW	COLOR	FINISH
	Without Cage	Z Antique Bronze
C	Desert Clay	N Polished Nickel
W	White	S Satin Nickel
	With Cage	
CC	Desert Clay	
WC	White	



SAMPLE COLOR AND FINISH COMBINATIONS



desert clay without cage, antique bronze




desert clay with cage, antique bronze



white without cage, polished nickel

Drake Simple Wall



On/Off Switch →

white glass with polished nickel

Die-cast metal base with a well-defined arm detail; offered with either Murano wave-patterned glass or fabric shade. Includes 120 volt 75 watt medium base, A19 lamp and integral on/off switch; dimmable with standard incandescent dimmer. Suitable for damp locations.

600DRKSW	COLOR	FINISH
Fabric Shade	Z	Antique Bronze
FL Linen	S	Satin Nickel
FW White	N	Polished Nickel
Glass Shade		
GL Latte		
GW White		



SAMPLE COLOR AND FINISH COMBINATIONS



latte glass with satin nickel


linen fabric with antique bronze

white fabric with antique bronze



Pleat Pendant / Drake Wall p. 92 and p. 62

Drake Wall



*Pleat Pendant /
Drake Simple Wall
p. 92 and p. 61*



white fabric with antique bronze



*white glass
with polished nickel*



*latte glass
with polished nickel*



*linen fabric
with satin nickel*



Die-cast metal base with a well-defined swing arm detail; offered with either Murano wave-patterned glass or fabric shade. Includes 120 volt 75 watt medium base, A19 lamp and integral on/off switch; dimmable with standard incandescent dimmer. Suitable for damp locations.


600DRKW

COLOR	FINISH
Fabric Shade	Z Antique Bronze
FL Linen	S Satin Nickel
FW White	N Polished Nickel
Glass Shade	
GL Latte	
GW White	

Drake Wall White Fabric, Polished Nickel / A19 Lamp



Bridgeport Wall



*Mini Bridgeport Pendant /
Bridgeport Pendant
p. 94 and p. 26*




white with antique bronze




*white with
satin nickel*

Carriage light inspired cylinder glass shade with elegant metal plate and hand-welded fitter detail. Incandescent includes 120 volt 60 watt G9 base, halogen lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for damp locations.

600BRGW	COLOR	FINISH	LAMP
W	White	Z Antique Bronze	Incandescent
N	Polished Nickel	N Polished Nickel	-CF Compact Fluorescent
S	Satin Nickel	S Satin Nickel	





clear / white with antique brass




havana brown with antique brass



white with antique brass



havana brown / white with polished nickel




Classically-styled solid brass wall sconce offered with a variety of glass shade combinations. Incandescent includes 120 volt 75 watt medium base lamp or 40 watt medium base Classic Edison Style Lamp (Havana Brown Outer Glass only); fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Both versions feature integrated on/off switch. Suitable for damp locations.

600LASW	COLOR	FINISH	LAMP
	Outer/Inner Glass	B Antique Brass	Incandescent
	CW Clear/White	N Polished Nickel	-CF Compact Fluorescent*
	BW Havana Brown/White		
	Outer Glass Only		
	BO Havana Brown*		
	WO White		

*CF not available in Havana Brown outer glass only option




Grove Wall



white with antique bronze




white with polished nickel




Glass reminiscent of a vintage sign luminaire supported by an adjustable arm. Incandescent includes 120 volt 100 watt medium base, A19 lamp; compact fluorescent includes 26 watt GX24Q-3 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600GRVW	COLOR	FINISH	LAMP
GW	White	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	



Admiral Classic Wall



*Mini Admiral Classic
Pendant / Admiral
Classic Suspension
p. 106 and p. 40*



white with antique bronze



*white with
polished nickel*




Nautical-inspired mariner light with white glass diffuser, classic cage and rain guard detail; solid brass construction. Incandescent includes 120 volt 100 watt medium base A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600ADMCW	COLOR	FINISH	LAMP
	W White	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent



Admiral Simple Wall



white with antique bronze



Nautical-inspired mariner light with white glass diffuser and classic cage detail; solid brass construction. Incandescent includes 120 volt 100 watt medium base A19 lamp; fluorescent includes 26 watt GX24Q-3 base, triple tube lamp and electronic ballast. Fluorescent may also be lamped with 32 watt GX24Q-3 base, triple tube lamp. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600ADMSW	COLOR	FINISH	LAMP
W	White	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent



SAMPLE COLOR AND FINISH COMBINATIONS




white with polished nickel



*Mini Admiral Simple Pendant / Admiral Simple Suspension
p. 108 and p. 41*

Acorn Wall



frost with polished nickel

Acorn-shaped glass shade with hand carved etching; solid brass construction. Incandescent includes 120 volt 75 watt medium base, A19 lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600ACRW	COLOR	FINISH	LAMP
F	Frost	Z Antique Bronze	Incandescent
		S Satin Nickel	-CF Compact Fluorescent
		N Polished Nickel	




SAMPLE COLORS AND FINISH OPTIONS



frost with antique bronze



*Mini Acorn Pendant
p. 99*



clear with polished nickel



Globe-shaped prismatic glass diffuses light throughout the shade to reduce glare and enhance visual comfort; solid brass construction. Incandescent includes 120 volt 75 watt clear medium base, A19 lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600WRIW	COLOR	FINISH	LAMP
	C Clear	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	




SAMPLE COLOR AND FINISH COMBINATIONS



clear with antique bronze



*Wrightwood Pendant
p. 36*



clear with antique bronze



Acorn-shaped Holophane® prismatic glass diffuses light throughout the shade to reduce glare and enhance visual comfort; solid brass construction. Incandescent includes 120 volt 75 watt clear medium base, A19 lamp; compact fluorescent includes 18 watt GX24Q-2 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600VBNW	COLOR	FINISH	LAMP
C	Clear	Z Antique Bronze	Incandescent
		N Polished Nickel	-CF Compact Fluorescent
		S Satin Nickel	




clear with polished nickel



*Van Buren Medium Pendant /
Van Buren Pendant
p. 37 and p. 100*

Montrose Visor Wall



frost with brass



Marine-inspired distressed solid die-cast brass body with antique finish, decorative visor, internally ice-etched glass diffuser, brass lock screws, and polymer gasket. Wall mount only. Incandescent includes 120 volt 75 watt medium base, A19 lamp; fluorescent includes 13 watt GX24Q-1 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.


600MTSVW

COLOR	FINISH	LAMP
F Frost	R Brass	Incandescent
	N Polished Nickel	-CF Compact Fluorescent

Montrose Visor Wall Frost, Brass / A19 Lamps



Montrose Guard Wall



frost with polished nickel

Marine-inspired. Solid distressed die-cast brass body with antique finish, internally sandblasted glass diffuser, protective guard, brass lock screws and polymergasket. Wall mount only. Incandescent includes 120 volt 75 watt medium base, A19 lamp; fluorescent includes 13 watt GX24Q-1 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600MTSGW	COLOR	FINISH	LAMP
F	Frost	R Brass	Incandescent
N	Polished Nickel	-CF	Compact Fluorescent




SAMPLE COLOR AND FINISH COMBINATIONS



frost with brass

Mariner Round Wall



frost with polished nickel

Marine-inspired. Solid distressed die-cast brass body with antique finish, internally sandblasted glass diffuser, protective guard, and wing nuts to secure guard and diffuser. Wall mount only. Small includes 120 volt 60 watt medium base, A19 lamp; Large includes 120 volt 75 watt medium base, A19 lamp. Dimmable with standard incandescent dimmer. Suitable for wet locations.

600MRNRW	SIZE	COLOR	FINISH
S	Small	F	Frost
L	Large	R	Brass
		N	Polished Nickel




SAMPLE COLOR AND FINISH COMBINATIONS



frost with brass

Mariner Oval Wall



frost with brass

Marine-inspired. Solid distressed die-cast brass body with antique finish, internally sandblasted glass diffuser, protective guard, and wing nuts to secure guard and diffuser. Wall mount only. Small includes 120 volt 40 watt medium base, A15 lamp; Medium includes 120 volt 60 watt medium base, A19 lamp; Large includes 120 volt 100 watt medium base, A19 lamp. Dimmable with standard incandescent dimmer. Suitable for wet locations.

600MRNOW	SIZE	COLOR	FINISH
S	Small	F Frost	R Brass
M	Medium	N Polished Nickel	
L	Large		




SAMPLE COLOR AND FINISH COMBINATIONS



frost with polished nickel

Belmont Guard Wall



frost with brass



Marine-inspired. Features distressed die-cast brass body with antique finish, internally ice-etched glass diffuser, brass lock screws, and polymer gasket. Wall mount only. Incandescent includes 120 volt 75 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600BMTGW	COLOR	FINISH	LAMP
	F Frost	R Brass	Incandescent
		N Polished Nickel	-CF Compact Fluorescent




SAMPLE COLOR AND FINISH COMBINATIONS



frost with polished nickel

Belmont Split Wall



frost with brass

Marine-inspired. Features distressed die-cast brass body with antique finish, internally ice-etched glass diffuser, brass lock screws, and polymer gasket. Wall mount only. Incandescent includes 120 volt 60 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600BMTSW	COLOR	FINISH	LAMP
	F Frost	R Brass	Incandescent
		N Polished Nickel	-CF Compact Fluorescent




SAMPLE COLOR AND FINISH COMBINATIONS



frost with polished nickel

Belmont Visor Wall



frost with polished nickel



Marine-inspired. Features distressed die-cast brass body with antique finish, internally ice-etched glass diffuser, brass lock screws, and polymer gasket. Wall mount only. Incandescent includes 120 volt 60 watt medium base, A19 lamp; fluorescent includes 26 watt GX24Q-3 base triple tube lamp and electronic ballast. Incandescent version dimmable with standard incandescent dimmer. Suitable for wet locations.

600BMTVW	COLOR	FINISH	LAMP
	F Frost	R Brass	Incandescent
		N Polished Nickel	-CF Compact Fluorescent



SAMPLE COLOR AND FINISH COMBINATIONS



frost with brass





LOW-VOLTAGE PENDANTS & HEADS


Wilmette Lighting Company offers a large collection of precision-crafted pendants and heads inspired by the timeless decorative detailing found in the finest homes of early 20th century America, but designed to provide maximum flexibility in today's home or commercial space.

www.wilmettelighting.com



This icon indicates throughout the catalog which fixtures are available in LED.

Buckingham Pendant



onyx with satin nickel



Elegant natural onyx shade that offers a warm glow with ornate solid brass detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	BKMO	FINISH	TYPE
	FJ FreeJack*	Z	Antique Bronze	Halogen
	MO MonoRail†	N	Polished Nickel	-LED LED
		S	Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.


SAMPLE COLOR AND FINISH COMBINATIONS




onyx with antique bronze



Randolph Pendant



onyx with polished nickel



Cylinder-shaped natural onyx with decorative metal cap. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	RNDO	FINISH	TYPE
FJ	FreeJack*	Z	Antique Bronze	Halogen
MO	MonoRail†	N	Polished Nickel	-LED LED
		S	Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




*onyx with
satin nickel*



*onyx with
antique bronze*

Mini Victorian Pendant



frost with satin nickel

Decorative oak leaf brass cap recreated through a lost wax casting process; Victorian-inspired fluted glass with a soft frost finish to diffuse light. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MVCT	COLOR	FINISH	TYPE
FJ	FreeJack*	F	Frost	Z Antique Bronze	Halogen
MO	MonoRail†			N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



frost with antique bronze




frost with polished nickel



Victorian Pendant / Victorian Wall p. 22 and p. 56

Mini Delaware Pendant



white with polished nickel



Octagonal flared glass shade ships with optional decorative metal detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MDLW	COLOR	FINISH	TYPE
FJ	FreeJack*		A Amber	Z Antique Bronze	Halogen
MO	MonoRail†		W White	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS



amber with antique bronze




amber with antique bronze without detail




white with satin nickel without detail

Mini Delaware Pendants Amber, Polished Nickel / FreeJack 4" Round Flush Canopies / Bi-Pin Lamps



Pleat Pendant



frost with satin nickel


A modern glass interpretation of a vintage pleated fabric shade mouth blown by world renowned Italian glass blowers, highlighted with three metal ball details. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	PLT	COLOR	FINISH	TYPE
	FJ FreeJack*		F Frost	Z Antique Bronze	Halogen
	MO MonoRail†		L Latte	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



latte with satin nickel




white with antique bronze



*Drake Simple Wall / Drake Wall
p. 61 and p. 62*

Mini Claremont Pendant



white with polished nickel

Elegant fabric shade supported by a hand-welded decorative metal detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutttable suspension cable.

600	SYSTEM	MCLR	COLOR	FINISH	TYPE
	FJ FreeJack*		C Desert Clay	Z Antique Bronze	Halogen
	MO MonoRail†		W White	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS





desert clay with antique bronze



*Claremont Pendant
p. 30*

Mini Bridgeport Pendant



white with antique bronze

Carriage light inspired hand-welded metal cap with cylindrical glass shade and metal ring detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	MBRG	COLOR	FINISH	TYPE	
FJ	FreeJack*	A	Amber	Z	Antique Bronze	Halogen
MO	MonoRail†	W	White	N	Polished Nickel	-LED LED
				S	Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



*amber with
satin nickel*




*Bridgeport Pendant /
Bridgeport Wall
p. 26 and p. 64*

Mini Bridgeport Pendants White, Polished Nickel / FreeJack 4" Round Flush Canopies / LED Lamp Modules



Mini Fulton Pendant



amber with polished nickel

Carriage light inspired hand-welded metal cap with rounded glass shade and metal ring detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable ssuspension cable.

600	SYSTEM	MFULT	COLOR	FINISH	TYPE
	FJ FreeJack*		A Amber	Z Antique Bronze	Halogen
	MO MonoRail†		W White	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



white with satin nickel




amber with antique bronze



Fulton Pendant p. 29

Mini Benton Pendant



white with polished nickel



Carriage light inspired hand-welded metal cap with tapered glass shade and metal ring detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MBEN	COLOR	FINISH	TYPE
FJ	FreeJack*	A	Amber	Z	Antique Bronze Halogen
MO	MonoRail†	W	White	N	Polished Nickel -LED LED
				S	Satin Nickel



LED

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




amber with antique bronze



*Benton Pendant
p. 28*

Mini Tavern Pendant



white with polished nickel

Traditional schoolhouse-shaped glass shade with engraved ornate cap. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MTVR	COLOR	FINISH	TYPE
	FJ FreeJack*		L Latte	Z Antique Bronze	Halogen
	MO MonoRail†		W White	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS




latte with antique bronze



*Tavern Ceiling / Tavern Suspension
p. 46 and p. 42*

Mini Acorn Pendant



frost with satin nickel

Acorn-shaped glass shade with hand-carved etching and ornate engraved cap. Includes low-voltage, 35 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MACR	COLOR	FINISH	TYPE
	FJ FreeJack*		F Frost	Z Antique Bronze	Halogen
	MO MonoRail†			N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.


SAMPLE COLOR AND FINISH COMBINATIONS



frost with antique bronze



*Acorn Wall
p. 73*



{circa 1920}

clear with polished nickel



Acorn-shaped Holophane® prismatic glass diffuses light throughout the pendant to reduce glare and enhance visual comfort. Directs majority of light downward. Also allows specifically controlled amount of light to pass through sides, increasing light levels in the space and reducing contrast between task and general lighting. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	VBNC	FINISH	TYPE
	FJ FreeJack*		Z Antique Bronze	Halogen
	MO MonoRail†		N Polished Nickel	-LED LED
			S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




clear with antique bronze




*Van Buren Medium Pendant /
Van Buren Wall
p. 37 and p. 75*

Printers Row Pendant



clear with polished nickel



Teardrop-shaped Holophane® prismatic glass diffuses light throughout the pendant to reduce glare and enhance visual comfort. Specifically designed for task illumination over a table or counter, highlights the horizontal surface. Also directs light upward providing even lighting on the ceiling. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	PROC	FINISH	TYPE
	FJ FreeJack*	Z	Antique Bronze	Halogen
	MO MonoRail†	N	Polished Nickel	-LED LED
		S	Satin Nickel	




*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS



clear with antique bronze



{circa 1920}

clear with polished nickel



Flared Holophane® prismatic glass diffuses light throughout the pendant to reduce glare and enhance visual comfort. Specifically designed for proximity to the task area, directs the majority of the light downward. Includes low-voltage, 50 watt halogen bi-pin lamp and six feet of field-cutable suspension cable.

600	SYSTEM	DBNC	FINISH
FJ	FreeJack*	Z	Antique Bronze
MO	MonoRail†	N	Polished Nickel
		S	Satin Nickel


*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




clear with antique bronze





{circa 1920}

clear with polished nickel



Globe-shaped Holophane® prismatic glass diffuses light throughout the pendant to reduce glare and enhance visual comfort. Specifically designed for task illumination over a table or counter, highlights the horizontal surface. Also directs light upward providing even lighting on the ceiling. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	CNGC	FINISH	TYPE
	FJ FreeJack*		Z Antique Bronze	Halogen
	MO MonoRail†		N Polished Nickel	-LED LED
			S Satin Nickel	



LED


*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS



clear with antique bronze

Mini Pullman Pendant



{circa 1930}

frost with polished nickel


Vintage Holophane® prismatic glass with rich oak leaf details diffuses light throughout the pendant to reduce glare and enhance visual comfort. Provides general area light designed to evenly illuminate ceilings, walls, and floors. Includes low-voltage, 35 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutttable suspension cable.

600	SYSTEM	MPMNF	FINISH	TYPE
	FJ	FreeJack*	Z Antique Bronze	Halogen
	MO	MonoRail†	N Polished Nickel	-LED LED
			S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS




clear with satin nickel



Pullman Suspension p. 20

Mini Admiral Classic Pendant



white with polished nickel


Nautical-inspired mariner light with white glass diffuser, classic cage and rain guard detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	MADMC	COLOR	FINISH	TYPE
	FJ FreeJack*		W White	Z Antique Bronze	Halogen
	MO MonoRail†			N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



white with antique bronze



white with satin nickel




Admiral Classic Suspension / Admiral Classic Wall p. 40 and p. 70

Mini Admiral Classic Pendant White, Satin Nickel / FreeJack 4" Round Flush Canopy / Bi-Pin Lamp



Location: Chicago, IL Interior Designer: Natalie Efland

Mini Admiral Simple Pendant



white with antique bronze



Nautical-inspired mariner light with white glass diffuser and classic cage detail. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	MADMS	COLOR	FINISH	TYPE
	FJ FreeJack*		W White	Z Antique Bronze	Halogen
	MO MonoRail†			N Polished Nickel	-LED LED
				S Satin Nickel	



LED
 *FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




*white with
satin nickel*



*Admiral Simple Suspension /
Admiral Classic Wall
p. 41 and p. 72*

Mini Cargo Solid Pendant



antique bronze

Industrial-inspired dome-shaped metal shade. Includes low-voltage, 50 watt MR16 flood lamp and six feet of field-cutable suspension cable.

600	SYSTEM	MCRGS	FINISH
FJ	FreeJack*	Z	Antique Bronze
MO	MonoRail†	N	Polished Nickel

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS




satin nickel



*Cargo LED Head /
 Cargo Solid Suspension
 p. 129 and p. 38*

Mini Halsted Pendant



clear prismatic with polished nickel

A true replica of historic street light designed with functional metal clips to hold acorn-shaped glass diffuser in place. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	MHALS	COLOR	FINISH	TYPE
FJ	FreeJack*	C	Clear	Z	Antique Bronze Halogen
MO	MonoRail†		Prismatic	N	Polished Nickel -LED LED
		F	Frost	S	Satin Nickel



LED


*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS



frost with antique bronze

Mini Clybourn Pendant



frost with antique bronze

A true replica of historic street light designed with working metal clips to hold glass diffuser in place. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutttable suspension cable.

600	SYSTEM	MCLYB	COLOR	FINISH	TYPE
	FJ FreeJack*		C Clear	Z Antique Bronze	Halogen
	MO MonoRail†		Prismatic	N Polished Nickel	-LED LED
			F Frost	S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.




SAMPLE COLOR AND FINISH COMBINATIONS



clear prismatic with polished nickel

Mini Kettle Pendant




antique bronze

Metal dome shade. Includes low-voltage, 50 watt MR16 flood lamp and six feet of field-cutable suspension cable.

600	SYSTEM	MKTL	FINISH
FJ	FreeJack*	Z	Antique Bronze
MO	MonoRail†	N	Polished Nickel
		S	Satin Nickel

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS




satin nickel

Prism Pendant



clear with antique bronze



Clear ribbed glass dome. Includes low-voltage, 50 watt halogen MR16 flood lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	PRIS	COLOR	FINISH	TYPE
	FJ FreeJack*	A	Amber	Z Antique Bronze	Halogen
	MO MonoRail†	C	Clear	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




amber with antique bronze



clear with polished nickel

Mini Mission Pendant



amber with antique bronze



Mission-inspired pressed glass shade. Includes low-voltage, 35 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutable suspension cable.

600	SYSTEM	MMSN	COLOR	FINISH	TYPE
	FJ FreeJack*		A Amber	Z Antique Bronze	Halogen
	MO MonoRail†		F Frost	N Polished Nickel	-LED LED
				S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




frost with polished nickel

Mini Mission Pendant Amber, Antique Bronze / FreeJack 4" Round Flush Canopy / Bi-Pin Lamp



Location: Wilmetts, IL Designer: Jennifer Feiock

Mission Oak Pendant



white with antique bronze

Hexagonal metal frame shade with art glass panels. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cutttable suspension cable.

600	SYSTEM	MISO	COLOR	FINISH	TYPE
	FJ	FreeJack*	A Amber	Z Antique Bronze	Halogen
	MO	MonoRail†	G Antique Green	N Polished Nickel	-LED LED
			W White	S Satin Nickel	



LED

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE COLOR AND FINISH COMBINATIONS



amber with antique bronze



antique green with satin nickel

Parker Pendant



caramel with antique bronze



Five-sided glass shade in black metal frame. Rich with color and character. Includes low-voltage, 50 watt halogen bi-pin lamp or 6 watt replaceable LED module and six feet of field-cuttable suspension cable.

600	SYSTEM	PRK	COLOR	FINISH	TYPE
	FJ FreeJack*	A Amber	Z Antique Bronze		Halogen
	MO MonoRail†	C Caramel	N Polished Nickel		-LED LED
		W White	S Satin Nickel		



LED

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS




white with satin nickel




amber with antique bronze

Oak Park Pendant



clear with antique bronze

Craftsman-style four-sided seeded glass shade with black metal frame. White inner shade diffuses lamp. Includes low-voltage, 50 watt halogen bi-pin lamp and six feet of field-cutable suspension cable.



600	SYSTEM	OAKB	COLOR	FINISH
	FJ FreeJack*	A	Amber	Z Antique Bronze
	MO MonoRail†	N	Brown	N Polished Nickel
		W	Clear	S Satin Nickel

*FreeJack canopies sold separately. See page 152.
 †For MonoRail systems reference pages 132-147.

SAMPLE COLOR AND FINISH COMBINATIONS



amber with antique bronze




brown with satin nickel

Oak Park Pendants Amber, Antique Bronze / FreeJack 4" Round Flush Canopies / Bi-Pin Lamps



Adler Pendant



Adler Head
p. 126



adler with blossom glass shield accessory



Warehouse-inspired metal detail that can be customized with multiple accessory options (required, sold separately). Low-voltage, MR16 lamp up to 50 watts (not included). Includes six feet of field-cuttable suspension cable.

600 SYSTEM **ADLP** FINISH

FJ FreeJack*	Z Antique Bronze
MO MonoRail†	N Polished Nickel

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*Freejack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE ACCESSORIES



*with cargo
ribbed shield
accessory*



*with cargo
solid shield
accessory*



*with flute
glass shield
accessory*



*with hurricane
glass shield
accessory*



*with little pleat
glass shield
accessory*



*with mission
glass shield
accessory*



*with prism
glass shield
accessory*




*with tapered
glass shield
accessory*

Adler Pendants, Antique Bronze / Blossom Glass Shield Accessories Amber / FreeJack 4" Round Flush Canopies / MR16 Lamps



Foster Pendant



Foster Head
p. 127



foster with blossom glass shield accessory

Inspired by a classic lamp socket, this can be customized with multiple accessory options (required, sold separately). Low-voltage, MR16 lamp up to 50 watts not included.

600	SYSTEM	FSTP	FINISH
	FJ FreeJack*	Z	Antique Bronze
	MO MonoRail†	N	Polished Nickel
		S	Satin Nickel

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE ACCESSORIES



*with cargo
ribbed shield
accessory*

*with cargo
solid shield
accessory*

*with flute
glass shield
accessory*

*with hurricane
glass shield
accessory*


*with little pleat
glass shield
accessory*

*with mission
glass shield
accessory*

*with prism
glass shield
accessory*

*with tapered
glass shield
accessory*

Sullivan Pendant



Sullivan Head
p. 128



sullivan with prism glass shield accessory



Mission-inspired stylish metal detail that can be customized with multiple accessory options (required, sold separately). Low-voltage, MR16 lamp up to 50 watts (not included). Includes six feet of field-cuttable suspension cable.

600	SYSTEM	SVNP	FINISH
FJ	FreeJack*	Z	Antique Bronze
MO	MonoRail†	N	Polished Nickel
		S	Satin Nickel

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE ACCESSORIES



with blossom glass shield accessory

with cargo ribbed shield accessory

with cargo solid shield accessory

with flute glass shield accessory

with hurricane glass shield accessory

with little pleat glass shield accessory


with mission glass shield accessory

with tapered glass shield accessory





Adler Head



Adler Pendant
p. 120



adler with little pleat glass shield accessory



Warehouse-inspired adjustable head that can be customized with multiple accessory options (required, sold separately); rotates 360°, pivots 90°. Low-voltage, MR16 lamp up to 50 watts (not included).

600	SYSTEM	ADL	LENGTH (A)	FINISH
	FJ	FreeJack*	03 3"	Z Antique Bronze
	MO	MonoRail†	06 6"	N Polished Nickel
			12 12"	S Satin Nickel
			18 18"	

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE ACCESSORIES



with blossom glass shield accessory

with cargo ribbed shield accessory

with cargo solid shield accessory

with flute glass shield accessory


with hurricane glass shield accessory

with mission glass shield accessory

with prism glass shield accessory

with tapered glass shield accessory

Foster Head



Foster Pendant
p. 122



foster with flute glass shield accessory



Inspired by a classic lamp socket, this adjustable head can be customized with multiple accessory options (required, sold separately); rotates 360°, pivots 90°. Low-voltage, MR16 lamp up to 50 watts not included.

600	SYSTEM	FST	LENGTH (A)	FINISH
FJ	FreeJack*	03	3"	Z Antique Bronze
MO	MonoRail†	06	6"	N Polished Nickel
		12	12"	S Satin Nickel

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE ACCESSORIES



with blossom glass shield accessory

with cargo ribbed shield accessory

with cargo solid shield accessory

with hurricane glass shield accessory


with little pleat glass shield accessory

with mission glass shield accessory

with prism glass shield accessory

with tapered glass shield accessory


Sullivan Head



Sullivan Pendant
p. 123



sullivan with flute glass shield accessory



Adjustable Mission-inspired head to customize with multiple accessory options (required, sold separately); rotates 360°, pivots 90°. Low-voltage, MR16 lamp up to 50 watts (not included).

600	SYSTEM	SVN	LENGTH (A)	FINISH
	FJ FreeJack*		03 3"	Z Antique Bronze
	MO MonoRail†		06 6"	N Polished Nickel
			12 12"	S Satin Nickel

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.

SAMPLE ACCESSORIES



with blossom glass shield accessory

with cargo ribbed shield accessory

with cargo solid shield accessory

with hurricane glass shield accessory


with little pleat glass shield accessory

with mission glass shield accessory

with prism glass shield accessory

with tapered glass shield accessory

Cargo LED Head



*Cargo Solid
Suspension / Mini
Cargo Solid Pendant
p. 38 and p. 109*



cargo with little pleat glass shield accessory



Industrial-inspired head with proprietary 6 watt LED module. It is easily field upgradeable and replaceable similar to a medium-base socket, though it utilizes a dedicated base. The heat sink remains with the fixture minimizing any waste at the end of life. Rotates 360°, pivots 90°.

600	SYSTEM	CRG	BEAM SPREAD	LENGTH (A)	FINISH	-LED	
FJ	FreeJack*	25	25°	03	3"	Z	Antique Bronze
MO	MonoRail†	40	40°	06	6"	N	Polished Nickel
				12	12"	S	Satin Nickel
				18	18"		

Accessory required. Compatible accessories and optical controls (sold separately pp. 130-131): Blossom Glass Shield, Cargo Ribbed Shield, Cargo Solid Shield, Flute Glass Shield, Hurricane Glass Shield, Little Pleat Glass Shield, Mission Glass Shield, Prism Glass Shield, and Tapered Glass Shield. Optical controls may not be used with Cargo LED Head.

*FreeJack canopies sold separately. See page 152.
†For MonoRail systems reference pages 132-147.



SAMPLE ACCESSORIES



*with blossom
glass shield
accessory*



*with cargo
ribbed shield
accessory*



*with cargo
solid shield
accessory*



*with hurricane
glass shield
accessory*



*with flute
glass shield
accessory*



*with mission
glass shield
accessory*



*with prism
glass shield
accessory*




*with tapered
glass shield
accessory*



BLOSSOM GLASS SHIELD

Backlight shield of organically-shaped glass with crisp prism detail. Includes Snap Louver Lens Holder.* Low-voltage MR16 lamp up to 50 watts (not included).



600MR16BLS	COLOR	FINISH
	A Amber	N Nickel
	C Clear	Z Antique Bronze



FLUTE GLASS SHIELD

Backlight shield of frosted glass. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).



600MR16FLT	COLOR
	A Amber
	F Frost



MISSION GLASS SHIELD

Backlight shield of Mission-inspired pressed glass. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).


600MR16MSN	COLOR
	A Amber
	F Frost



CARGO RIBBED SHIELD

Ribbed dome-shaped metal shade with plated finish. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).


600MR16CGR	FINISH
	Z Antique Bronze
	N Polished Nickel
	S Satin Nickel



HURRICANE GLASS SHIELD

Backlight shield of flared frosted glass. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* MR16 lamp of up to 50 watts (not included).



600MR16HUR	COLOR
	A Amber
	F Frost



PRISM GLASS SHIELD

Backlight shield of ribbed glass. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).


600PRISM	COLOR
	AS Amber
	CS Clear



CARGO SOLID SHIELD

Dome-shaped metal shade with plated finish. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).

600MR16CGS	FINISH
	Z Antique Bronze
	N Polished Nickel
	S Satin Nickel



LITTLE PLEAT GLASS SHIELD

Backlight shield of wave-patterned glass. Includes Snap Louver Lens Holder. Can hold a single lens or a louver.* Low-voltage MR16 lamp up to 50 watts (not included).


600LIPLT	COLOR
	A Amber
	F Frost



TAPERED GLASS SHIELD

Backlight shield of colored frosted glass. Includes Snap Louver Lens Holder. Can hold a single lens or louver.* Low-voltage MR16 lamp up to 50 watts (not included).

600MR16TAP	COLOR
	A Amber
	F Frost



* All Wilmette accessories ship standard with snap louver lens holder which can hold a single MR16 sized optical control. To use a lens or louver with the Cargo LED Head order the LED Louver Lens Holder p. 131 and an MR11 sized optical control p. 131.

Optical Controls



COLORED & DICHOIC LENSES

Colored lenses wash the light with color; dichroic lenses filter for a pure effect.

MR16

140	TYPE	COLOR
	FIL Colored Lens	RED Red
	DIC Dichroic Lens	BLU Blue
		YEL Yellow
		GRN Green



MR11



140	TYPE	COLOR
	FIL11 Colored Lens	RED Red
		BLU Blue
		YEL Yellow
		GRN Green



SNAP LOUVER LENS HOLDER

Snaps on front of MR16 lamp to hold a single lens or louver.

600A06-CH



DIFFUSER, SPREAD & SOFT FOCUS LENSES

Diffuser lenses diffuse the beam; linear spread lenses elongate it; soft focus lenses reduce lamp glare.


140	SIZE	TYPE
	MR11 MR11	DF Diffuser
	MR16 MR16	LL Linear Spread
		SF Solite™ Soft Focus



EGGCRATE LOUVER

Honeycomb louver cuts glare from lamp.

600	TYPE
	A03-BK MR11
	A02-BK MR16




A	
MR11	1.4" (35 mm)
MR16	2.0" (51 mm)



UV FILTER

UV filter efficiently blocks UV radiation while transmitting high-quality visible light.

140UVMR16



Other



INDUSTRIAL HANG STRAIGHT

Industrial-inspired sloped ceiling adapter. For use with Admiral Simple Suspension, Cargo Solid Suspension, Monroe Suspension, Pullman Suspension, Tavern Suspension, and Union Large Suspension. 45° maximum slope. Not compatible with fixtures that hang from cable.

600HNGST	FINISH	TYPE
	B Antique Brass	Incandescent
	Z Antique Bronze	-CF Compact Fluorescent
	N Polished Nickel	
	S Satin Nickel	



A close-up photograph of a dark, hand-bendable lighting rail. The rail is shown in a curved position, with a connector fitting into a slot on a vertical section of the rail. The rail has a smooth, slightly reflective finish. The background is a plain, light color.

MONORAIL

Wilmette Lighting Company's low-voltage MonoRail system combines the best of period lighting with 21st century technology. The addition of LED fixtures allows for a more energy efficient alternative with the same low-voltage, minimalist approach. The hand-bendable rail allows you to create the ideal configuration and illumination for any space, be it traditional or contemporary. The choice of finishes (rich antique bronze, polished nickel and satin nickel) provides just the right design nuance.

STEP ONE

DESIGN YOUR MONORAIL SYSTEM



PENDANT

The first step in designing your MonoRail system is to determine what it is you are trying to light. You will need to decide where the heads or pendants should be installed to put light where you want it. See p. 137 for thumbnails of all available compatible elements. Refer to the indicated pages for detailed specifications. Choose your heads/pendants then add accessories if desired. We offer a broad range of decorative accessories and functional optical controls (pp. 130-131).



MONORAIL

Draw in your MonoRail run. Remember, MonoRail can be shaped by hand to follow architectural details or to create an organic shape. Factory pre-bent shapes are also offered in several configurations. Your MonoRail run must be placed so it runs directly beneath the junction box with surface transformer or power feed canopy and intersects the locations of all the heads/pendants. Determine how many pieces of rail you will need (p. 140). Add a pair of end caps to each end of the run for an elegant finishing touch (p. 141).


STEP TWO

ADD POWER AND HARDWARE TO COMPLETE THE SYSTEM




REMOTE TRANSFORMER

Add up the wattages of the lamps you will be using on the system; this will help you select a transformer. A remote transformer with power feed canopy provides the cleanest look, but the remote transformer must be installed in an accessible, remote location. A surface transformer simply mounts to an existing junction box. Use the information on p. 154 to help you choose the right transformer for your installation; see pp. 142-143 for MonoRail transformer and power feed options. If you are using LED heads or pendants be sure to choose a transformer that is compatible with LED fixtures. See p. 12 for a list of compatible LED transformers.



POWER FEED CANOPY AND POWER EXTENDER

Determine how far from the ceiling you want the system to drop. Power feed canopies place the rail two inches from the ceiling; surface transformers drop it from two to five inches, depending on the type of transformer. If this drop is shorter than you require, you will need to add a power extender (p. 142) to your canopy or surface transformer. The maximum standard drop for MonoRail is eight feet.




STANDOFFS


Next, add standoffs that match the drop of your power feed to support the system (p. 141). Adjustable standoffs provide a clean, elegant look. Rigid standoffs are recommended for curvy runs. You will need one standoff for every three feet of MonoRail. The power feed counts as a support, so begin adding standoffs three feet from the power feed. Note: Power extenders and standoffs are field-cuttable, so it is easy to achieve a custom drop length.

Be Creative

MonoRail can do almost anything. For other MonoRail system options, such as mounting to a vaulted or T-bar ceiling see pp. 144-145.

END CAPS





For design harmony, all the power, standoff, and head/pendant connections to the MonoRail are identically shaped.

Note that standoffs and heads/pendants can be positioned to cover locations where two rails join to maintain a seamless line.

MonoRail Kits
 To simplify ordering, we offer several convenient MonoRail kits. (pp. 146-147)



COMPATIBLE ELEMENTS

HOLOPHANE PENDANTS



PENDANTS



HEADS



LED HEAD



 This icon indicates throughout the catalog which fixtures are available in LED.

*Shown accessorized. See pp. 130-131 for accessories and optical controls.






Location: Donald Residence - Tucson, AZ. Builder/Designer: Eren Design & Remodel - Kelly Potter. Lighting Designer: Light Composers, Inc. Photographer: Robin Sandcliff Photography

MONORAIL


MONORAIL

Hand-bendable, field-cuttable MonoRail is rated for 300 watts at 12 volts. Each piece of rail is shipped with conductive connectors to join rail pieces end to end. Order additional connectors (p. 141) if cutting and rejoining rails.


600MOA	LENGTH	FINISH
24	24" (.61 m)	Z Antique Bronze
48	48" (1.2 m)	N Polished Nickel
96	96" (2.4 m)	S Satin Nickel



antique bronze



polished nickel



satin nickel

SHOWN ACTUAL SIZE




Standard MonoRail bends horizontally to a radius as small as 6" and vertically to a radius as small as 24". For custom factory bends, provide degree and radius of curve.

TIP: To calculate the amount of rail you will need for an organic shape, draw the MonoRail run to scale (for example, 1/4"=1'). Use a piece of string to "trace" the drawing. Measure the length of string, then convert from your scale.

PRE-BENT S CURVE MONORAIL

MonoRail pre-bent into a horizontal S curve. Consult the drawing for approximate dimensions.


600MOBHSC60	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



PRE-BENT 90° CURVE MONORAIL

Horizontal 90° curves are sold by radius, or the distance from the center of the circle to the outside edge. Join four 90° curves to create a circle with a diameter (overall width) equal to twice the specified radius.

600MOBH90	RADIUS	FINISH
12	12"	Z Antique Bronze
18	18"	N Polished Nickel
24	24"	S Satin Nickel
36	36"	
48	48"	
60	60"	



CONNECTORS

END CAPS



Decorative end caps fit into ends of MonoRail run for a finished look. Pair; order one pair for each end.

600MOCCAP	FINISH
	Z Antique Bronze
	N Polished Nickel
	S Satin Nickel



FLEXIBLE CONNECTORS




These conductive connectors join sections of rail together end to end at desired sharp horizontal angle. Pair.




600MOCFXH	FINISH
	Z Antique Bronze
	N Polished Nickel
	S Satin Nickel

ISOLATING CONNECTORS



Isolating connectors join sections of rail and isolate power feeds from each other. All dual-feed canopies are shipped with isolating connectors; order additional if required by layout. Pair.



CONDUCTIVE CONNECTORS



Conductive connectors join sections of rail end to end and are included with all MonoRail pieces. Order separately if cutting and rejoining rails. Pair.



600MOCINC

600MOCCN	FINISH
	Z Antique Bronze
	N Polished Nickel
	S Satin Nickel

STANDOFFS

RIGID STANDOFF

The field-cutable rigid standoff is recommended for curvy runs or runs with heavier heads/pendants. Rigid standoffs are compatible with various power feed options. Use the chart below to determine the appropriate standoff for your run.

To determine the shortest compatible standoff for any power feed option see pp. 142-143.



ADJUSTABLE STANDOFF

The adjustable standoff's cable virtually disappears for a clean and elegant look. It is best used on fairly straight runs with a drop greater than 6". A wire grip allows you to easily shorten or lengthen the cable to size it for use. Standard with 12' of field-cutable suspension cable; may also be specified with 30' of cable.



LENGTH	STANDOFF	FINISH
2" (1.9")*	600MOS02	(Z, N, or S)

3" (3.6")*	600MOS03	(Z, N, or S)
------------	-----------------	--------------

4" (4.8")*	600MOS04	(Z, N, or S)
------------	-----------------	--------------

5" (5.8")*	600MOS05	(Z, N, or S)
------------	-----------------	--------------

6"*	600MOS06	(Z, N, or S)
-----	-----------------	--------------

12"*	600MOS12	(Z, N, or S)
------	-----------------	--------------

24"*	600MOS24	(Z, N, or S)
------	-----------------	--------------

36"*	600MOS36	(Z, N, or S)
------	-----------------	--------------

48"*	600MOS48	(Z, N, or S)
------	-----------------	--------------

96"*	600MOS96	(Z, N, or S)
------	-----------------	--------------

*actual length from ceiling to top of rail

600MOSADJ	LENGTH	FINISH
	12' of cable	Z Antique Bronze
3	30' of cable	N Polished Nickel
		S Satin Nickel

Use standoff supports every three feet of MonoRail run and at corners. Standoffs can be positioned to cover points where rails are joined.

TIP: For best appearance, place the last standoff 4-6" from the end of the rail, and place standoffs symmetrically.

REMOTE TRANSFORMERS

Remote transformers install in an accessible location behind the ceiling or wall. For technical information on remote transformers, see p. 155. Requires canopy (below) or special power feed (p. 145).



REMOTE TRANSFORMER

Input Voltage Output Voltage Wattage Type	Item Number	Compatible Dimmer Type	Compatible Dimming Coil	Plug-In Transformer Option (Includes 16' cord)
--	-------------	------------------------------	-------------------------------	---

SINGLE-FEED OPTIONS

	1 x 120v 12v 1 x 75 watts Magnetic	600AT075T	low-voltage magnetic 600 watts	—	add plug option (below)
	1 x 120v 12v 1 x 150 watts Magnetic	600AT150T	low-voltage magnetic 600 watts	600DIM150 (p. 155)	add plug option (below)
	1 x 120v 12v 1 x 300 watts Magnetic	600AT300T	low-voltage magnetic 600 watts	600DIM300 (p. 155)	add plug option (below)
	1 x 120v 12v 1 x 300 watts Electronic	600AT300EL	low-voltage electronic 600 watts	—	add plug option (below)

DUAL-FEED OPTIONS

	1 x 120v 12v 2 x 300 watts Magnetic	600AT600T	low-voltage magnetic 1000 watts	600DIM600 (p. 155)	add plug option (below)
--	--	-----------	---------------------------------------	-----------------------	----------------------------

Indicates which transformers are compatible with LED Elements

POWER FEED CANOPIES

Item Number	Mounts To	Shortest Compatible Rigid Standoff	To Drop From Ceiling Greater than Shortest Compatible Rigid Standoff
-------------	-----------	---------------------------------------	--

SINGLE-FEED OPTIONS

	Bronze: 600MOP4C02Z Polished Nickel: 600MOP4C02N Satin Nickel: 600MOP4C02S	standard 4" junction box with round plaster ring (provided by electrician)	2" (p. 141)	add one power extender (below)
--	--	--	----------------	--------------------------------------

DUAL-FEED OPTIONS

	Bronze: 600MOP4C402Z Polished Nickel: 600MOP4C402N Satin Nickel: 600MOP4C402S	standard 4" junction box with round plaster ring (provided by electrician)	2" (p. 141)	add two power extenders (below)
--	---	--	----------------	---------------------------------------

PLUG OPTION

16' cord and plug for standard power outlets. Hardware included. Used to power a surface mount or remote transformer from a 120v electrical outlet.

600A1-	COLOR
BLK	Black
WHT	White



POWER EXTENDER

Add to power feed canopy or surface transformer to drop power from ceiling. For dual-feed canopies and transformers, order two. Field-cuttable.









600MOP	LENGTH	FINISH
03	3"	Z Antique Bronze
06	6"	N Polished Nickel
12	12"	S Satin Nickel
24	24"	
36	36"	
48	48"	
96	96"	

SURFACE TRANSFORMERS


All surface transformers mount to an existing junction box. For technical information on surface transformers, see p. 154.


Input Voltage Output Voltage Wattage Type	Item Number	Compatible Dimmer Type	Compatible Dimming Coil	Shortest Compatible Rigid Standoff	To Drop From Ceiling Greater than Shortest Compatible Rigid Standoff	To Plug In
--	-------------	------------------------------	-------------------------------	---	--	---------------

SINGLE-FEED OPTIONS

 <p>4.6" (117 mm) 1.5" (38 mm)</p>	<p>1 x 120v 12v 1 x 60 watts Electronic</p>	<p>Bronze: 600MOFRT60EZ-LED Polished Nickel: 600MOFRT60EN-LED Satin Nickel: 600MOFRT60ES-LED</p>	<p>low-voltage electronic 600 watts</p>	—	<p>2" (p. 141)</p>	<p>add one power extender (p. 142)</p>	—
 <p>5.5" (140 mm) 3.6" (91 mm)</p>	<p>1 x 120v 12v 1 x 60 watts Electronic</p>	<p>Bronze: 600MOSRT60EZ-LED Polished Nickel: 600MOSRT60EN-LED Satin Nickel: 600MOSRT60ES-LED</p>	<p>low-voltage electronic 600 watts</p>	—	<p>3" (p. 141)</p>	<p>add one power extender (p. 142)</p>	—
 <p>5.5" (140 mm) 3.6" (91 mm)</p>	<p>1 x 120v 12v 1 x 75 watts Magnetic</p>	<p>Bronze: 600MOSRT75DZ Polished Nickel: 600MOSRT75DN Satin Nickel: 600MOSRT75DS</p>	<p>low-voltage magnetic 600 watts</p>	—	<p>3" (p. 141)</p>	<p>add one power extender (p. 142)</p>	—
 <p>7" (178 mm) 3.6" (91 mm)</p>	<p>1 x 120v 12v 1 x 100 watts Electronic</p>	<p>Bronze: 600MOSRT100EZ-LED Polished Nickel: 600MOSRT100EN-LED Satin Nickel: 600MOSRT100ES-LED</p>	<p>low-voltage electronic 600 watts</p>	—	<p>3" (p. 141)</p>	<p>add one power extender (p. 142)</p>	<p>add plug option (p. 142)</p>
 <p>7" (178 mm) 3.6" (91 mm)</p>	<p>1 x 120v 12v 1 x 150 watts Magnetic</p>	<p>Bronze: 600MOSRT15DZ Polished Nickel: 600MOSRT15DN Satin Nickel: 600MOSRT15DS</p>	<p>low-voltage magnetic 600 watts</p>	included	<p>3" (p. 141)</p>	<p>add one power extender (p. 142)</p>	<p>add plug option (p. 142)</p>
 <p>7" (178 mm) 3.6" (91 mm)</p>	<p>1 x 120v 12v 1 x 150 watts Electronic</p>	<p>Bronze: 600MOSRT15EZ Polished Nickel: 600MOSRT15EN Satin Nickel: 600MOSRT15ES</p>	<p>low-voltage electronic 600 watts</p>	—	<p>3" (p. 141)</p>	<p>add one power extender (p. 142)</p>	<p>add plug option (p. 142)</p>
 <p>9" (229 mm) 4.8" (123 mm)</p>	<p>1 x 120v 12v 1 x 300 watts Magnetic</p>	<p>Bronze: 600MOSRT30DZ Polished Nickel: 600MOSRT30DN Satin Nickel: 600MOSRT30DS</p>	<p>low-voltage magnetic 600 watts</p>	included	<p>4" (p. 141)</p>	<p>add one power extender (p. 142)</p>	<p>add plug option (p. 142)</p>
 <p>9" (229 mm) 4.8" (123 mm)</p>	<p>1 x 120v 12v 1 x 300 watts Electronic</p>	<p>Bronze: 600MOSRT30EZ Polished Nickel: 600MOSRT30EN Satin Nickel: 600MOSRT30ES</p>	<p>low-voltage electronic 600 watts</p>	—	<p>4" (p. 141)</p>	<p>add one power extender (p. 142)</p>	<p>add plug option (p. 142)</p>

DUAL-FEED OPTIONS

 <p>9" (229 mm) 5.8" (147 mm)</p>	<p>1 x 120v 12v 2 x 300 watts Magnetic</p>	<p>Bronze: 600MOSRT60DZ Polished Nickel: 600MOSRT60DN Satin Nickel: 600MOSRT60DS</p>	<p>low-voltage magnetic 1000 watts</p>	included	<p>5" (p. 141)</p>	<p>add two power extenders (p. 142)</p>	<p>add plug option (p. 142)</p>
--	--	--	--	----------	------------------------	---	---

 Indicates which transformers are compatible with LED Elements

INSTALLING MONORAIL TO A VAULTED CEILING

To install a MonoRail system to a vaulted ceiling, add a power vault adapter to each power feed and add a standoff vault adapter to each standoff.

POWER VAULT ADAPTER



Installs to the power feed (sold separately) and adjusts to any angle to position rail parallel to the floor. When using a dual-feed canopy or surface transformer order two.

600MOPVLT	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



STANDOFF VAULT ADAPTER



Installs between the rigid or adjustable standoff (sold separately) and the ceiling to position rail parallel to the floor. Includes several rod lengths to achieve the proper pitch when used with a surface transformer.

600MOSVLT	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



INSTALLING MONORAIL TO A T-BAR DROP CEILING

To install a MonoRail system to a T-bar drop ceiling, add a T-bar connector to every standoff (sold separately). The T-bar clip twists into the slat. Use only if local electrical codes allow.

T-BAR CONNECTOR



Specify 15/16" or 9/16" slat.

600MOTBAR	SLAT	FINISH
C	15/16"	B Black
9C	9/16"	W White




USING A "T" CONNECTOR

Use the special "T" connector to make a clean splice into a straight horizontal rail run. This connector is conductive, so you can power the system from any of the runs.

"T" CONNECTOR

The "T" connector joins three pieces of MonoRail. To form a "T" at least one standoff must be located near the connector.

600MOCTT	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



USING A DIRECT-END POWER FEED

These direct-end power feeds bring power from a remote transformer to the rail at an end of the run and mount to a wall perpendicular to the run. Use with a single-feed remote transformer (p. 142).

4" ROUND DIRECT-END POWER FEED

Mounts to an existing junction box.

600MOP4CD	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



USING END AND CENTER POWER FEEDS

End and center power feeds are generally used to bring power to a MonoRail system when the transformer cannot be located directly above the run. The power feed can be mounted to an existing junction box or directly to a remote transformer.

END POWER FEED

End power feed pushes into an end of the MonoRail and includes a removable 4" round canopy and 12' field-cutable softwire leads.

600MOPEND	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel



CENTER POWER FEED

The center power feed can be used anywhere within the run and includes a removable 4" round canopy and 12' field-cutable softwire leads. Specify dual-feed when using a dual-feed transformer. Dual-feed canopy includes isolating connectors.

600MOPCEN	TYPE	FINISH
	Single-Feed	Z Antique Bronze
4	Dual-Feed	N Polished Nickel
		S Satin Nickel



MONORAIL KITS

Kits are the easiest way to order MonoRail. Each kit comes with all the power and hardware you need for most basic installations.

ALL MONORAIL KITS INCLUDE:


8' long hand-bendable MonoRail in antique bronze, polished nickel, or satin nickel



antique bronze




polished nickel



satin nickel

SHOWN ACTUAL SIZE

Two sets of decorative end caps



Two rigid standoff supports



12 volt 150 or 300 watt transformer with power feed



surface transformers



remote transformer

Location: Donald Residence - Tucson, Ar. Builder/Designer: Eren Design & Remodel - Kelly Potter. Photographer: Robin Stancliff Photography. Lighting Designer: Light Composers, Inc.



Picking a kit is easy. Below are three simple steps to walk you through choosing your Monorail Kit

ONE: CHOOSE A KIT

You may select a 12-volt 150-watt surface transformer, 300 watt surface transformer or 300-watt remote transformer kit.

TWO: SELECT YOUR ELEMENTS (PP. 84-129)

Choose from over 35 pendants and heads to complete your system.

SURFACE TRANSFORMER KITS

150 WATT KIT

Kit includes everything required for an 8' MonoRail run, except for heads or pendants. Surface Transformer mounts to an existing junction box, rail drops 3.6" from ceiling. Add up to three 50 watt elements or up to four 35 or 37 watt elements.

600MOKTS150 FINISH
Z Antique Bronze
N Polished Nickel
S Satin Nickel




300 WATT KIT

Kit includes everything required for an 8' MonoRail run, except for heads or pendants. Surface Transformer mounts to an existing junction box, rail drops 4.8" from ceiling. Add up to six 50 watt elements or up to eight 35 or 37 watt elements.

600MOKTS300 FINISH
Z Antique Bronze
N Polished Nickel
S Satin Nickel



REMOTE TRANSFORMER KIT



300 WATT KIT

Remote Transformer installs in an accessible location behind the ceiling or wall. Kit includes everything required for an 8' MonoRail run, except for heads or pendants. Canopy mounts to an existing junction box, rail drops 2" from ceiling. Add up to six 50 watt elements or up to eight 35 or 37 watt elements.

600MOKTA300 FINISH
Z Antique Bronze
N Polished Nickel
S Satin Nickel








FREEJACK

From a single monopoint source, a multiplicity of options. Wilmette Lighting Company's versatile FreeJack system provides clean, simple solutions for mounting our vintage-styled, low-voltage pendants and heads under one masterfully crafted canopy. For example, a grouping of three FreeJack pendants takes the place of a traditional chandelier. The same three pendants can also be aligned over a dining room table or kitchen island for both accent and charm.

www.wilmettelighting.com



COMPATIBLE ELEMENTS

HOLOPHANE PENDANTS



PENDANTS




HEADS



LED HEAD



 This icon indicates throughout the catalog which fixtures are available in LED.

*Shown accessorized. See pp. 130-131 for accessories and optical controls.


SINGLE PORT CANOPIES



4" ROUND FLUSH CANOPY

4" Round Flush Canopy with one FreeJack port. Mounts to an existing junction box. Use in conjunction with any FreeJack head/pendant (up to its specified wattage) to create a decorative ceiling fixture. Halogen version includes 12 volt, 75 watt electronic transformer; dimmable with standard incandescent dimmer. LED version includes 12 volt, 10 watt electronic transformer; dimmable with low-voltage electronic dimmer.


600FJ4RF	FINISH	TYPE
Z	Antique Bronze	Halogen
N	Polished Nickel	-LED LED
S	Satin Nickel	



SURFACE CANOPY

Surface Canopy with one FreeJack port. Mounts to an existing junction box. Use in conjunction with any FreeJack head/pendant (up to its specified wattage) to create a decorative ceiling fixture. Halogen version includes 12 volt, 75 watt electronic transformer; dimmable with standard incandescent dimmer. LED version includes 12 volt, 10 watt electronic transformer; dimmable with low-voltage electronic dimmer.

600FJSF4	FINISH	TYPE
Z	Antique Bronze	Halogen
N	Polished Nickel	-LED LED
S	Satin Nickel	



2" SQUARE FLUSH CANOPY

2" Square Flush Canopy with one FreeJack port. Mounts to a 2" square, 6" deep junction box (included). Use in conjunction with any FreeJack head/pendant (up to its specified wattage) to create a decorative ceiling fixture. Halogen version includes 12 volt, 75 watt electronic transformer; dimmable with standard incandescent dimmer. LED version includes 12 volt, 10 watt electronic transformer; dimmable with low-voltage electronic dimmer.


600FJ2SQ67	FINISH	TYPE
Z	Antique Bronze	Halogen
N	Polished Nickel	-LED LED
S	Satin Nickel	



MONORAIL FREEJACK CONNECTOR

Adapts any FreeJack head/pendant to Wilmette MonoRail system (included with all MonoRail pendants and heads).

600MOCHED	FINISH
Z	Antique Bronze
N	Polished Nickel
S	Satin Nickel





TRANSFORMER INFORMATION

SELECTING A TRANSFORMER

The transformer is the key to a low-voltage system. It reduces standard line-voltage to 12 volts, which is safe to the touch. The total output wattage of the transformer determines the total wattage of the heads or pendants that can be used on the system. For example, a 300 watt transformer can power up to six 50 watt heads ($6 \times 50 = 300$).

There are several transformer options from which to choose. Knowing the advantages of each will help you to select the best transformer for your application.

REMOTE

Remote transformers are preferred for their clean look and range of power feed options. They are mounted in accessible locations, but out of view. Power is brought to the MonoRail system through an low-profile power feed canopy or other power feed option (sold separately).



VS

SURFACE

Surface transformers are decorative and visible in the room. They are best suited for applications where there is an existing junction box in a finished ceiling. The surface transformer has an integral power feed; there is no need for a separate power feed; however, the surface transformer must be placed directly above the MonoRail run.



MAGNETIC

Magnetic transformers have historically been the choice of lighting professionals due to their reliability and can be used to power both halogen and LED elements. We offer a wide range of output wattages for magnetic transformers. When dimming a magnetic transformer, it is important to use a low-voltage magnetic dimmer.

VS

ELECTRONIC

Electronic transformers are much smaller and lighter than their magnetic counterparts and have the advantage of being resettable at the wall switch in the event of a system short circuit. We offer 12 volt electronic remote and surface transformers in a variety of output options. Not all electronic transformers can be used to power LED elements. Any electronic transformer ending in -LED is compatible with our LED elements. When dimming an electronic transformer, it is important to use a low-voltage electronic dimmer.

ABOUT SURFACE TRANSFORMERS

Surface transformers mount to an existing junction box and are best suited for applications where there is an existing junction box. The magnetic transformer is concealed inside a decorative housing with an integral power feed; there is no need to purchase a separate power feed. The surface transformer for MonoRail must be placed directly above the system. Surface transformers have a specific minimum drop depending on the wattage of the transformer; this dimension must be considered in determining how far the run will drop from the ceiling. Longer drops can be achieved by adding a power extender for MonoRail.

Wilmette Lighting's magnetic surface transformers come standard with a debuzzing dimming coil to reduce noise when using a low-voltage magnetic dimmer.

All of our transformers comply with guidelines established by the Electrical Code, with a maximum wattage on a 12 volt system at 300 watts per feed.

ABOUT REMOTE TRANSFORMERS

Remote transformers provide a clean, minimal look because the transformer is installed in a remote, accessible location (such as above the ceiling or in a closet) out of view. Power is brought to the system with a system-compatible power feed canopy or other power feed option (sold separately).

It is recommended that the remote transformer be anchored to the wall or ceiling with screws or toggle bolts and installed no more than twenty feet from the power feed. It is important that the electrician supply the correct gauge of THHN wire from the transformer to the junction box to prevent voltage drop, which can cause fixtures to appear dim. See the chart below for proper wire gauge.

Power Taps

Magnetic remote transformers have multiple secondary power taps to compensate for variations in voltage. An input voltage exceeding 120 volts may result in more than 12 volts on the system, which can shorten lamp life. Follow the installation instructions packaged with the transformer to determine which power tap to use.

Voltages

Wilmette Lighting's transformers are standard for 120 volt input. Other input voltages are available upon request.

LOW-VOLTAGE WIRE SIZE TABLE

Use to determine the correct THHN wire size for a recommended maximum 3 percent drop in voltage at the specified wattage. The length shown is the length of wire from the transformer to the power feed.

12 VOLT	5 ft.	6-15 ft.	16-20 ft.	21-40 ft.	41-60 ft.	61-90 ft.
150 watt	#12 GA	#8 GA	#6 GA	#4 GA	#2 GA	#1 GA
300 watt	#10 GA	#6 GA	#4 GA	#1 GA	1/O	3/O

DIMMING

All Wilmette Lighting's transformers may be dimmed with the appropriate dimmer: a low-voltage magnetic dimmer for a magnetic transformer; or a standard incandescent dimmer where indicated. The dimmer is placed on the line-voltage side of the input line. Consult the transformer charts in each system section of the catalog for the compatible dimmer type. **It is very important to use the compatible dimmer type: failure to do so can substantially shorten the useful life of the transformer.**

Remote transformers are generally placed outside the room, so any buzzing that may be caused by dimming is not noticeable. If using a remote magnetic transformer and a buzzing noise is apparent, a debuzzing dimming coil may be wired in series on one of the 120 volt input lines. Select the correct dimming coil (see below) based on the wattage of your transformer.



DEBUZZING DIMMING COIL ALONE

	WATTAGE	DIAMETER	DEPTH
600DIM150	150 Watts	1.75"	.75"
600DIM300	300 Watts	2.25"	1"
600DIM600	600 Watts	2.50"	1"

LAMPING

COMPUTER #

DESCRIPTION

VOLTS

WATTS

LAMP SHAPE

BASE TYPE

BEAM SPREAD

COLOR TEMP (K)

CRI


CENTER BEAM
CANDLE POWER

INITIAL LUMENS


RATED AVG LIFE

12 VOLT INCANDESCENT LAMPS


12 Volt Halogen Bi-Pin

	300BLV026	12v Hal T4 GY6.35 35w Bi-pin Cl.	12	35	T4	GY6.35	na	3000	100	na	600	4,000
	300BLV035	12v Hal T4 GY6.35 50w Bi-pin Cl.	12	50	T4	GY6.35	na	3000	100	na	930	2,000
	300BLV037	12v Hal T4 GY6.35 50w Bi-pin Fr.	12	50	T4	GY6.35	na	3000	100	na	930	2,000


12 Volt MR-16

	300BLV129	12v HAL MR16 GU5.3 12° 20w	12	20	MR16	GU5.3	12	2950	100	3,500	na	5,000
	300BLV128	12v HAL MR16 GU5.3 36° 20w	12	20	MR16	GU5.3	36	2950	100	600	na	5,000
	300BLV102	12v HAL MR16 GU5.3 24° 35w	12	35	MR16	GU5.3	24	2950	100	2,300	na	5,000
	300BLV105	12v HAL MR16 GU5.3 36° 35w	12	50	MR16	GU5.3	36	2950	100	900	na	5,000
	300BLV132	12v HAL MR16 GU5.3 12° 50w	12	50	MR16	GU5.3	12	3000	100	11,000	na	5,000
	300BLV133	12v HAL MR16 GU5.3 24° 50w	12	50	MR16	GU5.3	24	3000	100	3,600	na	5,000
	300BLV131	12v HAL MR16 GU5.3 36° 50w	12	50	MR16	GU5.3	36	3000	100	2,000	na	5,000
	300BLV110	12v HAL MR16 GU5.3 60° 50w	12	50	MR16	GU5.3	60	3000	100	850	na	5,000


12 Volt MR-16 GE Constant Color

	300BLV130	12v GE CC HAL MR16 GU5.3 15° 20w	12	20	MR16	GU5.3	15	2900	100	3,150	na	5,000
	300BLV127	12v GE CC HAL MR16 GU5.3 40° 20w	12	20	MR16	GU5.3	40	2900	100	475	na	5,000
	300BLV124	12v GE CC HAL MR16 GU5.3 20° 35w	12	35	MR16	GU5.3	20	3000	100	3,200	na	5,000
	300BLV126	12v GE CC HAL MR16 GU5.3 40° 35w	12	35	MR16	GU5.3	40	3000	100	900	na	5,000
	300BLV141	12v GE CC HAL MR16 GU5.3 15° 50w	12	50	MR16	GU5.3	15	3050	100	8,400	na	6,000
	300BLV138	12v GE CC HAL MR16 GU5.3 25° 50w	12	50	MR16	GU5.3	25	3050	100	2,900	na	6,000
	300BLV139	12v GE CC HAL MR16 GU5.3 40° 50w	12	50	MR16	GU5.3	40	3050	100	1,500	na	6,000
	300BLV136	12v GE CC HAL MR16 GU5.3 55° 50w	12	50	MR16	GU5.3	55	3050	100	850	na	6,000


12 Volt IR MR-16

	300BLV254	12v IR MR16 GU5.3 10° 37w	12	37	MR16	GU5.3	10	3000	100	12,500	na	4,000
	300BLV255	12v IR MR16 GU5.3 25° 37w	12	37	MR16	GU5.3	25	3000	100	4,400	na	4,000
	300BLV256	12v IR MR16 GU5.3 35° 37w	12	37	MR16	GU5.3	40	3000	100	2,200	na	4,000


12 Volt MR-16 10,000 Hour

	300BLV411	12v 10K HOUR MR16 GU5.3 24° 50w	12	50	MR16	GU5.3	24	3100	100	2,700	na	10,000
	300BLV410	12v 10K HOUR MR16 GU5.3 36° 50w	12	50	MR16	GU5.3	36	3100	100	1,500	na	10,000


12 Volt MR-16 Aluminized Reflector

	300BLV412	12v SLD BK MR16 GU5.3 12° 50w ALU	12	50	MR16	GU5.3	12	3000	100	11,000	na	3,500
	300BLV413	12v SLD BK MR16 GU5.3 24° 50w ALU	12	50	MR16	GU5.3	24	3000	100	2,600	na	3,500
	300BLV414	12v SLD BK MR16 GU5.3 39° 50w ALU	12	50	MR16	GU5.3	39	3000	100	2,000	na	3,500

12 Volt MR-16 Solid Back


	300BLV144	12v SLD BK MR16 GU5.3 24° 50w BLK	12	50	MR16	GU5.3	24	3000	100	3,000	na	3,500
	300BLV145	12v SLD BK MR16 GU5.3 36° 50w BLK	12	50	MR16	GU5.3	36	3000	100	1,580	na	3,500
	300BLV146	12v SLD BK MR16 GU5.3 24° 50w SIL	12	50	MR16	GU5.3	24	3000	100	3,000	na	3,500
	300BLV147	12v SLD BK MR16 GU5.3 36° 50w SIL	12	50	MR16	GU5.3	36	3000	100	1,580	na	3,500

12 Volt MR-16 Frost Line

	300BLV415	12v FROSTLINE MR16 GU5.3 20w	12	20	A19	GU5.3	na	2900	100	na	na	4,000
---	------------------	------------------------------	----	----	-----	-------	----	------	-----	----	----	-------

LINE-VOLTAGE INCANDESCENT LAMPS

A-Lamp

	300BHV456	120v A15 E26 MED 40w WH	120	40	A19	E26 MED	na	2700	100	na	505	1,000
	300BHV108	120v A19 E26 MED 60w WH	120	60	A19	E26 MED	na	2700	100	na	805	1,000
	300BHV457	120v A19 E26 MED 75w CL	120	75	A19	E26 MED	na	2700	100	na	1080	1,500
	300BHV109	120v A19 E26 MED 75w WH	120	75	A19	E26 MED	na	2700	100	na	1190	750
	300BHV111	120v A19 E26 MED 100w WH	120	100	A19	E26 MED	na	2700	100	na	1710	750


BT15 Lamp

	300BHV114	120v BT15 E26 MED 60w WH	120	60	BT15	E26 MED	na	2800	100	na	760	3,000
---	------------------	--------------------------	-----	----	------	---------	----	------	-----	----	-----	-------


Candelabra Base Lamp

	300BHV103	120v B10 E12 Cand 40w FR	120	40	B10	E12 Cand.	na	2700	100	na	350	1,500
---	------------------	--------------------------	-----	----	-----	-----------	----	------	-----	----	-----	-------


Classic Edison Style A-Lamp

	300BHV389	120v EDISON A19 E26 MED 40w CL	120	40	A19 EDISON	E26 MED	na	2700	na	na	118	3,000
---	------------------	--------------------------------	-----	----	------------	---------	----	------	----	----	-----	-------

G9 Bi-Pin

	300BHV361	120v Hal G9 Bi-Pin T4 40w FR	120	40	T4	G9 Bi-Pin	na	2900	100	na	480	2,000
	300BHV364	120v Hal G9 Bi-Pin T4 60w FR	120	60	T4	G9 Bi-Pin	na	2900	100	na	790	2,000

Mini-Candelabra Krypton/Halogen


	300BHV153	120v T3 E11 Mini-can. 40w Cl. Kry	120	40	T3	E11 Mini-Cand.	na	2800	100	na	560	2,000
	300BHV439	120v T4 E11 Mini-can. 60w Cl. Kry	120	60	T4	E11 Mini-Cand.	na	2800	100	na	960	2,000
	300BHV150	120v T4 E11 Mini-can. 75w Cl. Hal	120	75	T4	E11 Mini-Cand.	na	2850	100	na	1,125	1,000
	300BHV151	120v T4 E11 Mini-can. 100w Cl. Hal	120	100	T4	E11 Mini-Cand.	na	2850	100	na	1,600	1,000

Medium T10

	300BHV127	120v T10 Med 40 watt Fr.	120	40	T10	E26 Med	na	2850	100	na	415	1,000
	300BHV128	120v T10 Med 60 watt Fr.	120	46	T10	E26 Med	na	2850	100	na	660	1,000

FLUORESCENT LAMPS

Compact Fluorescent Triple Tube

	300BHV370	FLR GX24Q-1 TRIPLE 13w	13	CFL TRIPLE	GX24Q-1	na	2700	82	na	900	12,000
	300BHV371	FLR GX24Q-2 TRIPLE 18w	18	CFL TRIPLE	GX24Q-2	na	2700	82	na	1,200	12,000
	300BHV378	FLR GX24Q-3 TRIPLE 26w	26	CFL TRIPLE	GX24Q-3	na	2700	82	na	1,800	12,000
	300BHV386	FLR GX24Q-3 TRIPLE 32w	32	CFL TRIPLE	GX24Q-3	na	2700	82	na	2,400	12,000

Compact Fluorescent Twin Tube

	300BHV367	FLR 2G7 TWIN 13w	13	CFL TWIN	2GX7	na	2700	82	na	800	10,000
	300BHV387	FLR 2G11 TWIN 18w	18	CFL TWIN	2G11	na	3000	82	na	1,250	20,000
	300BHV381	FLR 2G11 TWIN 36w	36	CFL TWIN	2G11	na	3000	82	na	2,900	12,000

Compact Fluorescent GU24 Self-Ballasted

	300BHV450	120v Flr Self-Ballasted GU24 Spiral 13w	120	13	CFL Spiral	GU24	na	2700	82	na	900	10,000
	300BHV451	120v Flr Self-Ballasted GU24 Spiral 18w	120	18	CFL Spiral	GU24	na	2700	82	na	1,200	10,000
	300BHV452	120v Flr Self-Ballasted GU24 Spiral 27w	120	27	CFL Spiral	GU24	na	2700	82	na	1,800	10,000

Looking for a more modern style?

Browse Tech Lighting, located at the back of this catalog. Modern pendants, sconces, ceiling fixtures and low-voltage systems available in a wide array of sizes, colors, and finishes.

- Leader in innovative contemporary and transitional lighting
- Best-in-industry, low-voltage lighting systems with hundreds of pendants and architectural heads
- Wide assortment of LED and compact fluorescent products
- Extensive offering of line-voltage pendants
- Vast offering of complementary wall, bath and ceiling fixtures
- Display and exhibit lighting





TECH LIGHTING®

Tech Lighting started small – by manufacturing Kable Lite back in 1988. Since then, we’ve added eleven complete systems and launched several new brands to help service your lighting needs. The goal – build a company offering products and services based on timeless design, precision engineering and trust. This is where function and beauty intersect to produce lighting of undeniable attraction.

Looking for something more? These other Tech Lighting Brands offer thousands of additional choices and everything else you would expect from Tech Lighting:

T~TRAK



- First ever hand-bendable line-voltage track
- Winner of Lightfair Design Excellence Award
- Vast assortment of line-voltage directional heads and pendants with many energy efficient lamping options
- Incandescent PAR, CMH, CFL lamping & full offering of Tech Lighting’s low-voltage heads and pendants



www.ttraklighting.com

ELEMENT

- Sets the standard in downlighting with an architectural appearance
- Small aperture, fully adjustable and lockable fixture with minimalist look and many modern finish options
- Ever expanding line including wall wash and 6" aperture for a seamless take on general illumination downlights



www.element-lighting.com

tiella

- A great alternative when price may be the primary driver
- Flexible low-voltage rail and monopoint systems with many pendant and directional heads
- Complementary and affordable sconce and ceiling offering
- “Easy Kits” contain a complete lighting system making it even easier to order



www.tiella.com