



Contemporary Lighting™



Contemporary Lighting™

W E L C O M E

COLLECTIONS AND MORE

- Anglex | 74
- Bangle | 13
- Beam II | 93
- Bijou | 19
- Brilliant | 23
- Edinburgh I | 65
- Edinburgh II | 66
- Elements | 75
- Ellipse | 1
- Fizz | 44
- Flux | 57
- Gem | 55
- Hydrox | 64
- Inca | 29
- Jetson | 52
- Lattice | 51
- Linea | 62
- Mesh | 11
- Minx | 67
- Pearl | 59
- Percussion | 89
- Salzburg | 61
- Sense | 41
- Spiral | 47
- Starburst | 35
- Under Cabinet ET-LED-C Series | 98
- StarStrand Color Flex 24 | 95
- StarStrand Rainbow Dial RGB Controller System | 97
- StarStrand Starter Kits | 99
- Twist | 53
- Vortex | 5
- Vox | 63
- Zenith II | 91



LEGEND



HCO | Height from Center of Outlet
OA | Overall Height
Incl | Bulb(s) Included

ELLIPSE

Ultra modern design featuring oval shape cast heads finished in your choice of Satin Nickel or Polished Chrome. Contoured Frost glass adorns the top for up-lighting and a Frost glass disc in the bottom allows for ambient down-lighting. Powerful xenon lamps make this fixture as functional as it is beautiful.

E21138-11PC, SN*	
8-Light Pendant	
Finish: See Image	Glass: Frosted
Min OA: 18" Max OA: 120"	
	
8 x Max 75W G9 Xenon (Incl)	
	<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 10400 Lumens

2.75"

28"




* Ships with 120" of wire



SN Satin Nickel



PC Polished Chrome

E21139-11PC, SN	
8-Light Pendant	
Finish: See Image Glass: Frosted	
Min OA: 14" Max OA: 46"	
	
8 x Max 75W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 10400 Lumens 	

* Two 6" stems and six 12" stems included.

* Additional stems available: 6" ESTR06206PC, SN and 12" ESTR06212PC, SN

E21131-11PC, SN 1-Light Wall Mount	
Finish: See Image Glass: Frosted	
HCO: 2.25"	
1 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1300 Lumens 	



SN Satin Nickel



PC Polished Chrome

E21132-11PC, SN 2-Light Wall Mount	
Finish: See Image Glass: Frosted	
HCO: 2.25"	
ADA 2 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 2600 Lumens 	



SN Satin Nickel

E21133-11PC, SN 3-Light Wall Mount	
Finish: See Image Glass: Frosted	
HCO: 2.25"	
ADA 3 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 3900 Lumens 	



PC Polished Chrome



E21134-11PC, SN	
4-Light Wall Mount	
Finish: See Image Glass: Frosted	
HCO: 2.25"	
4 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 5200 Lumens 	




SN Satin Nickel

E21136-11PC, SN	
6-Light Wall Mount	
Finish: See Image Glass: Frosted	
HCO: 2.25"	
6 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 7800 Lumens 	

A strong elliptical structure formed from rectangular metal tubing creates the Vortex Collection, finished in a choice of Oil Rubbed Bronze or a mirror-like Polished Chrome. Frosted glass shades gently diffuse the powerful light created from xenon lamps. The large-scale pendants make a statement in a variety of rooms.

E22807-0901, PC*	
8-Light Pendant	
Finish: See Image	
Glass: Frost	
Min OA: 39"	
Max OA: 75"	
	
8 x Max 40W G9	
Xenon (Incl)	
	<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 4000 Lumens



* One 6" stems and three 12" stems included.

* Additional stems available: 6" ESTR0620601, PC and 12" ESTR0621201, PC



PC Polished Chrome

E22805-090I, PC*	
5-Light Pendant	
Finish: See Image Glass: Frost	
Min OA: 28" Max OA: 64"	
5 x Max 75W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 6500 Lumens 	

* One 6" stems and three 12" stems included.



* Additional stems available: 6" ESTR062060I, PC and 12" ESTR062120I, PC



PC Polished Chrome






01 Oil Rubbed Bronze

<p>E22806-0901, PC*</p>	
<p>8-Light Pendant</p>	
<p>Finish: See Image Glass: Frost</p>	
<p>Min OA: 29" Max OA: 65"</p>	
<p></p>	
<p>8 x Max 75W G9 Xenon (Incl)</p>	
<p> <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 10400 Lumens </p>	

* One 6" stems and three 12" stems included.

* Additional stems available: 6" ESTR062060I, PC and 12" ESTR062120I, PC

E22808-0901, PC*	
9-Light Pendant	
Finish: See Image	
Glass: Frost	
Min OA: 62"	
Max OA: 98"	
	
9 x Max 40W G9	
Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 4500 Lumens 	




* One 6" stems and three 12" stems included.

* Additional stems available: 6" ESTR0620601, PC and 12" ESTR0621201, PC



01 Oil Rubbed Bronze



E22803-090I, PC 1-Light Wall Mount
Finish: See Image Glass: Frost
HCO: 4"
1 x Max 75W G9 Xenon (Incl)
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1300 Lumens



PC Polished Chrome





OI Oil Rubbed Bronze

E22811-090I, PC 1-Light Bath Vanity	
Finish: See Image Glass: Frost	
HCO: 2.4"	
1 x Max 40W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 500 Lumens 	





OI Oil Rubbed Bronze

E22812-090I, PC 2-Light Bath Vanity	
Finish: See Image Glass: Frost	
HCO: 2.4"	
2 x Max 40W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1000 Lumens 	






PC Polished Chrome

E22813-090I, PC 3-Light Bath Vanity
Finish: See Image Glass: Frost
HCO: 2.4"
3 x Max 40W G9 Xenon (Incl)
 <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1500 Lumens






OI Oil Rubbed Bronze

E22814-090I, PC 4-Light Bath Vanity	
Finish: See Image Glass: Frost	
HCO: 2.4"	
4 x Max 40W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 2000 Lumens 	



PC Polished Chrome

E22815-090I, PC 5-Light Bath Vanity	
Finish: See Image Glass: Frost	
HCO: 2.4"	
5 x Max 40W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 2500 Lumens 	

The Mesh collection starts with an industrial look, then takes it to another level with unmistakable touches of class and sophistication. Stout cylinders of clean, white glass and a textural layer of silver mesh mount onto a slice of reflective mirror to double their presence. Sleek disks of gleaming chrome form the cap and base for each cylinder, which house a crystal clear, xenon bulb for the ultimate in aesthetics and function.

E22341-10PC	
1-Light Bath Vanity	
Finish: Chrome Glass: White	
HCO: 2.25"	
1 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 500 Lumens 	






E22342-10PC	
2-Light Bath Vanity	
Finish: Chrome Glass: White	
HCO: 2.25"	
2 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1000 Lumens 	





E22343-10PC	
3-Light Bath Vanity	
Finish: Chrome Glass: White	
HCO: 2.25"	
3 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1500 Lumens 	



E22344-10PC	
4-Light Bath Vanity	
Finish: Chrome Glass: White	
HCO: 2.25"	
4 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2000 Lumens 	
 <p>5.5"</p>	 <p>4.75"</p> <p>27.5"</p>











E22345-10PC	
5-Light Bath Vanity	
Finish: Chrome Glass: White	
HCO: 2.25"	
5 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2500 Lumens 	
 <p>5.5"</p>	 <p>4.75"</p> <p>35.5"</p>

BANGLE

Shimmering like fine jewelry, the Bangle Collection combines strands of square-cut crystal supported by Polished Chrome frames. The clear natural light of xenon lamps enhances the sparkle.



E23240-20PC	
1-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
	
1 x Max 20W G4 T3 Xenon (Incl)	
 <ul style="list-style-type: none"> • Clear • 12V • 320 Lumens 	
11"	


E23244-20PC*	
8-Light Flush Mount	
Finish: Chrome Accent: Clear	
  	
8 x Max 20W G4 T3 Xenon (Incl)	
 <ul style="list-style-type: none"> • Clear • 12V • 2560 Lumens 	
134"	

* Ships with 130" of wire







E23241-20PC*	
1-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 18" Max OA: 133"	
1 x Max 20W G4 T3 Xenon (Incl) <ul style="list-style-type: none"> • Clear • 12V • 320 Lumens 	



* Ships with 130" of wire





E23242-20PC	
5-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 18" Max OA: 133"	
5 x Max 20W G4 T3 Xenon (Incl) <ul style="list-style-type: none"> • Clear • 12V • 1600 Lumens 	





* Ships with 130" of wire





E23259-20PC 28-Light Flush Mount	
Finish: Chrome Accent: Clear	
28 x Max 25W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 6720 Lumens 	











E23257-20PC	
12-Light Flush Mount	
Finish: Chrome Accent: Clear	
12 x Max 25W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2880 Lumens 	








E23258-20PC	
20-Light Flush Mount	
Finish: Chrome Accent: Clear	
20 x Max 25W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4800 Lumens 	



E23251-20PC 1-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
	
1 x Max 50W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 750 Lumens 	


E23252-20PC 2-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
	
2 x Max 50W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1500 Lumens 	



E23253-20PC 3-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
	
3 x Max 50W G9 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2250 Lumens 	





E23254-20PC	
4-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
4 x Max 50W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	




E23255-20PC	
5-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
5 x Max 50W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3750 Lumens 	

Bejeweled in thousands of crystals over gleaming K9 crystals, Bijou glitters with the unmistakable radiance of rare diamonds. Encasing warm, soft glow within, the smooth orbs of chrome come to life as light shimmers and dances off the crystal-encrusted surface. Whether pendant, sconce, or flush mount, Bijou adorns the room in beauty and richness.


E21804-20PC*	
8-Light Pendant	
Finish: Chrome Accent: Clear Crystal	
Min OA: 18" Max OA: 120"	
	
8 x Max 40W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4000 Lumens 	



5.25"




21" Dia

*Ships with 130" of wire
*Includes frosted white glass diffuser



E21803-20PC*	
3-Light Pendant	
Finish: Chrome Accent: Clear Crystal	
Min OA: 18" Max OA: 120"	
	
3 x Max 40W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1500 Lumens 	

5.25"



9.5" Dia

*Ships with 130" of wire
*Includes frosted white glass diffuser



E21805-20PC*	
10-Light Pendant	
Finish: Chrome Accent: Clear Crystal	
Min OA: 18" Max OA: 120"	
10 x Max 40W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 5000 Lumens 	

*Ships with 130" of wire
 *Includes frosted white glass diffuser



E21806-20PC*	
3-Light Wall Mount	
Finish: Chrome Accent: Clear Crystal	
HCO: 1.45"	
3 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1500 Lumens 	
	<p>7"</p>
	<p>5.25"</p> <p>13"</p>



*Includes frosted white glass diffuser



E21802-20PC*	
9-Light Flush Mount	
Finish: Chrome Accent: Clear Crystal	
9 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4500 Lumens 	
	<p>6.25"</p> <p>21" Dia</p>



*Includes frosted white glass diffuser



E21800-20PC*	
4-Light Flush Mount	
Finish: Chrome Accent: Clear Crystal	
4 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2000 Lumens 	
	

*Includes frosted white glass diffuser



E21801-20PC*	
6-Light Flush Mount	
Finish: Chrome Accent: Clear Crystal	
6 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	
	



*Includes frosted white glass diffuser


The Brilliant Collection starts with formed metal spheres of Polished Chrome, and then frames multifaceted crystal jewelry to add contemporary elegance to even the largest rooms. The brilliance of xenon lamps reflects through the crystal creating a spectrum of color.

E24018-20PC*	
15-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 40" Max OA: 156"	
 15 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 7500 Lumens 	


* Ships with 120" of wire and 6' of chain






E24016-20PC*
8-Light Pendant
Finish: Chrome Accent: Clear
Min OA: 20" Max OA: 136"

8 x Max 60W G9 T4 Xenon (Incl)
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 6400 Lumens





* Ships with 120" of wire and 6' of chain




E24017-20PC*
12-Light Pendant
Finish: Chrome Accent: Clear
Min OA: 28" Max OA: 144"

12 x Max 60W G9 T4 Xenon (Incl)
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 9600 Lumens



* Ships with 120" of wire and 6' of chain

E24013-20PC*
12-Light Pendant
Finish: Chrome Accent: Clear
Min OA: 18" Max OA: 132"

12 x Max 60W G9 T4 Xenon (Incl)
 <ul style="list-style-type: none">• Looped pin base• Clear• 120V• 9600 Lumens



* Ships with 120" of wire and 6' of chain



E24011-20PC*	
6-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 18" Max OA: 130"	
 6 x Max 60W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4800 Lumens 	

* Ships with 120" of wire and 6' of chain



E24012-20PC*	
8-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 18" Max OA: 130"	
 8 x Max 60W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 6400 Lumens 	

* Ships with 120" of wire and 6' chain





E24007-20PC	
2-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 2.5"	
2 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1000 Lumens 	





E24002-20PC	
29-Light Flush Mount	
Finish: Chrome Accent: Clear	
29 x Max 25W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 6960 Lumens 	





E24000-20PC	
16-Light Flush Mount	
Finish: Chrome Accent: Clear	
16 x Max 25W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3840 Lumens 	
	
	




E24001-20PC	
24-Light Flush Mount	
Finish: Chrome Accent: Clear	
24 x Max 25W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 5760 Lumens 	
	
	


Legendary Incan tears of the sun encrust the clearest crystal cylinder producing a radiant glimmer of ancient riches. A gold glow of Xenon sparkles through a laser-cut metal sheath with precision, perfectly illuminating the treasures that adorn its outer transparent layer.


E21304-10PC*
3-Light Pendant
Finish: Chrome Shade: Steel Web
Max OA: 120"

3 x Max 75W G9 T4 Xenon (Incl)
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3900 Lumens




*Ventilated steel shade
*Includes crystal accents
*Ships with 130" of wire




E21303-10PC*
3-Light Pendant
Finish: Chrome Shade: Steel Web
Max OA: 120"

3 x Max 75W G9 T4 Xenon (Incl)
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3900 Lumens



*Ventilated steel shade
*Includes crystal accents
*Ships with 130" of wire






E21306-10PC*	
1-Light Pendant	
Finish: Chrome Shade: Steel Web	
Max OA: 120"	
1 x Max 75W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1300 Lumens 	



*Ventilated steel shade
*Includes crystal accents
*Ships with 130" of wire

E21310-10PC*	
7-Light Pendant	
Finish: Chrome Shade: Steel Web	
Max OA: 120"	
7 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3500 Lumens 	



*Ventilated steel shade
*Includes crystal accents
*Ships with 120" of wire






E21301-10PC*	
9-Light Flush Mount	
Finish: Chrome Shade: Steel Web	
9 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4500 Lumens 	
	
	



*Ventilated steel shade
*Includes crystal accents

E21308-10PC*	
9-Light Pendant	
Finish: Chrome Shade: Steel Web	
Min OA: 18" Max OA: 120"	
	
9 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4500 Lumens 	
	

*Ventilated steel shade
*Includes crystal accents
*Ships with 130" of wire








E21300-10PC*	
7-Light Flush Mount	
Finish: Chrome Shade: Steel Web	
7 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3500 Lumens 	
	

*Ventilated steel shade
*Includes crystal accents




E21309-10PC*	
7-Light Pendant	
Finish: Chrome Shade: Steel Web	
Min OA: 18" Max OA: 120"	
	
7 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3500 Lumens 	
	

*Ventilated steel shade
*Includes crystal accents
*Ships with 130" of wire





E21302-10PC*	
1-Light Wall Mount	
Finish: Chrome Shade: Steel Web	
HCO: 2.75"	
1 x Max 40W G9 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 120V • 500 Lumens 	



*Ventilated steel shade
*Includes crystal accents






E21311-10PC*	
2-Light Wall Mount	
Finish: Chrome Shade: Steel Web	
HCO: 2.6"	
	
2 x Max 75W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1800 Lumens 	






*Ventilated steel shade
*Includes crystal accents



E21312-10PC	
3-Light Wall Mount	
Finish: Chrome Shade: Steel Web	
HCO: 2.6"	
	
3 x Max 75W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2700 Lumens 	

*Ventilated steel shade
*Includes crystal accents



E21313-10PC	
4-Light Wall Mount	
Finish: Chrome Shade: Steel Web	
HCO: 2.6"	
	
4 x Max 75W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3600 Lumens 	

*Ventilated steel shade
*Includes crystal accents

STARBURST


It was Shakespeare that said, "The stars above us, govern our conditions." And so it is with this amazing multi-light pendant series. Each unique glass cover supports handmade glass starbursts- Chrome hardware and a satin nickel- finish canopy complete each structure, and every little piece is adjustable to enhance your galaxy in a variety of different ways



E20112-78,79,81	
37 -Light Pendant	
Finish: Satin Nickel Glass: See Image	
Min OA: 42" MaxOA: 72"	
37 x Max 10W G4 T3 Xenon (Incl)	
<ul style="list-style-type: none"> • Clear • 12V • 4440 Lumens 	

6"

33" Dia.




78 Mesh



81 Mirror Chrome



E20113-78,79,81	
19 - Light Pendant	
Finish: Satin Nickel Glass: See Image	
Min OA: 24" Max OA: 53"	
 	
19 x Max 10W G4 T3 Xenon (Incl)	
	<ul style="list-style-type: none"> • Clear • 12V • 2280 Lumens






E20114-78,79,81	
7-Light Pendant	
Finish: Satin Nickel Glass: See Image	
Min OA: 24" Max OA: 54"	
7 x Max 20W G4 T3 Xenon (Incl)	
	<ul style="list-style-type: none"> • Clear • 12V • 2240 Lumens

79 Threaded Glass




E20108-78,79,81	
1-Light Pendant	
Finish: Satin Nickel Glass: See Image	
Min OA: 18" Max OA: 120"	
	
1x Max 20W G4 T3 Xenon (Incl)	
	<ul style="list-style-type: none"> • Clear • 12V • 320 Lumens




81 Mirror Chrome






81 Mirror Chrome



E20107-78,79,81	
8-Light Pendant	
Finish: Satin Nickel	
Glass: See Image	
Min OA: 18"	
Max OA: 96"	
 	
8 x Max 20W G4 T3	
Xenon (Incl)	
	<ul style="list-style-type: none"> • Clear • 12V • 2560 Lumens

6"








E20106-78,79,81	
9-Light Pendant	
Finish: Satin Nickel	
Glass: See Image	
Min OA: 18"	
Max OA: 96"	
 	
9 x Max 20W G4 T3	
Xenon (Incl)	
	<ul style="list-style-type: none"> • Clear • 12V • 2880 Lumens



78 Mesh



Biology meets technology in the Sense life source. Chrome mirrored glass envelops a sphere of Xenon and seems to emanate the heart and soul of the space it inhabits. The clean, simple orb hovers closely or falls gracefully from the ceiling on its gently swirling lifeline.


E21205-10PC*	
5-Light Pendant	
Finish: Chrome Glass: Mirror Chrome	
Min OA: 18" Max OA: 120"	
	
5 x Max 40W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2500 Lumens 	



*Ships with 130" of wire
*Includes crystal drops




E21206-10PC*	
6-Light Pendant	
Finish: Chrome Glass: Mirror Chrome	
Min OA: 18" Max OA: 120"	
	
6 x Max 40W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	



*Ships with 130" of wire
*Includes crystal drops

E21201-10PC*	
6-Light Flush Mount	
Finish: Chrome Glass: Mirror Chrome	
6 x Max 40W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	



*Includes crystal drops



E21203-10PC*	
3-Light Pendant	
Finish: Chrome Glass: Mirror Chrome	
Min OA: 18" Max OA: 120"	
3 x Max 75W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3900 Lumens 	




*Ships with 130" of wire
*Includes crystal drops



E21200-10PC*	
5-Light Flush Mount	
Finish: Chrome Glass: Mirror Chrome	
5 x Max 40W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2500 Lumens 	
	
	

*Includes crystal drops






E21204-10PC*	
3-Light Pendant	
Finish: Chrome Glass: Mirror Chrome	
Min OA: 18" Max OA: 120"	
	
3 x Max 75W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3900 Lumens 	
	
	

*Ships with 130" of wire
*Includes crystal drops






The Fizz Collection's effervescent bubbles encased in rectangular glass cubes come to life when illuminated by halogen reflector lamps. The etched lines add linear detail as they extend from the Polished Chrome fitters.






E22729-89PC*	
9-Light Flush Mount	
Finish: Chrome Glass: Etched/Bubble	
	
9 x Max 35W MR11 Halogen (Incl)	
<ul style="list-style-type: none"> • G24 Base • Clear • 12V • 11700 Cander Power 	
	
	

* Ships with 120" of wire

E22720-89PC	
1-Light Wall Mount	
Finish: Chrome	
Glass: Etched/Bubble	
HCO: 6"	
	
1 x Max 35W MR11	
Halogen (Incl)	
<ul style="list-style-type: none"> • G24 Base • Clear • 12V • 1300 Cander Power 	
	



E22725-89PC*	
5-Light Flush Mount	
Finish: Chrome	
Glass: Etched/Bubble	
	
5 x Max 35W MR11	
Halogen (Incl)	
<ul style="list-style-type: none"> • G24 Base • Clear • 12V • 6500 Cander Power 	
	



* Ships with 120" of wire

E22723-89PC*	
3-Light Pendant	
Finish: Chrome Glass: Etched/Bubble	
Min OA: 18" Max OA: 134"	
3 x Max 35W MR11 Halogen (Incl) <ul style="list-style-type: none"> • GZ4 Base • Clear • 12V • 3900 Cander Power 	

* Ships with 120" of wire







E22721-89PC*	
1-Light Pendant	
Finish: Chrome Glass: Etched/Bubble	
Min OA: 18" Max OA: 134"	
1 x Max 35W MR11 Halogen (Incl) <ul style="list-style-type: none"> • GZ4 Base • Clear • 12V • 1300 Cander Power 	

* Ships with 120" of wire

SPIRAL




The Spiral Collection's twisted metal tubing sparkles like diamonds in the sun. Strands of high quality K9 crystal beads add to the impact making this fixture look as brilliant on as it does off.


E23137-10PC*	
10-Light Pendant	
Finish: Chrome Shade: Aluminum	
Min OA: 30" Max OA: 130"	
 	
10 x Max 40W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 5000 Lumens 	






* Ships with 130" of wire




E23135-10PC*	
7-Light Pendant	
Finish: Chrome Shade: Aluminum	
Min OA: 30" Max OA: 130"	
 	
7 x Max 40W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3500 Lumens 	







* Ships with 130" of wire


E23138-10PC*	
3-Light Pendant	
Finish: Chrome Shade: Aluminum	
Min OA: 26" Max OA: 126"	
 	
3 x Max 60W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2400 Lumens 	



* Ships with 130" of wire



E23139-10PC*	
3-Light Pendant	
Finish: Chrome Shade: Aluminum	
Min OA: 26" Max OA: 126"	
 	
3 x Max 60W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 2400 Lumens 	




* Ships with 130" of wire







E23133-10PC	
7-Light Flush Mount	
Finish: Chrome Shade: Aluminum	
7 x Max 40W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3500 Lumens 	





E23140-10PC*	
1-Light Pendant	
Finish: Chrome Shade: Aluminum	
Min OA: 30" Max OA: 130"	
1 x Max 60W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 800 Lumens 	

* Ships with 130" of wire

E23131-10PC	
2-Light Wall Mount	
Finish: Chrome Shade: Aluminum	
HCO: 6"	
	
2 x Max 60W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1600 Lumens 	
	



E23130-10PC	
1-Light Wall Mount	
Finish: Chrome Shade: Aluminum	
HCO: 3.25"	
	
1 x Max 60W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 800 Lumens 	
	

LATTICE

Intricate laser-cuts transform thin sheets of chrome into artistic works of lace and lattice. Gentle incandescent light peeks through the negative space, illuminating a filigree of form and function. Draped from its lower edge, delicate crystals catch and cast the dancing light.

E21701-69PC*	
1-Light Pendant	
Finish: Chrome Shade: Perforated Steel	
Min OA: 24" Max OA: 120"	
 1 x Max 100W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Clear • 1150 Lumens 	

*Ships with 130" of wire





E21700-69PC*	
1-Light Table Lamp	
Finish: Chrome Shade: Perforated Steel	
 1 x Max 100W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Clear • 1150 Lumens 	

*96" power cord with inline switch

*Includes CFL for California Title 20 compliance



Jetson launches lighting into a whole new dimension. Gleaming chrome layers seem to defy gravity, hovering over one another in perfect symmetry and balance. Diffused white light seeps through the tiers, refracting off mirrored surfaces for a cosmic show of shine and shimmer.



E21600-69PC*	
1-Light Table Lamp	
Finish: Chrome Shade: Perferated Steel	
	
1 x Max 75W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Clear • 1150 Lumens 	
	

*96" power cord with inline switch
 *Includes CFL for California Title 20 compliance



E21601-69PC*	
1-Light Pendant	
Finish: Chrome Shade: Perferated Steel	
Min OA: 18" Max OA: 120"	
	
1 x Max 75W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Clear • 1150 Lumens 	
	

*Ships with 130" of wire

The Twist Collection's whimsical design includes a twirled crystal frame of intertwined Polished Chrome metal in an abstract pattern. Crystal strings float gracefully in the middle and finish with round crystal pendants.


E21255-20PC*	
9-Light Pendant/Flush Mount	
Finish: Chrome Accent: Clear	
Min OA: 22" Max OA: 140"	
9 x Max 60W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 7200 Lumens 	

* Ships with 120" of wire

***Convertible**






***Convertible**





E21254-20PC*	
6-Light Pendant/Flush Mount	
Finish: Chrome Accent: Clear	
Min OA: 22" Max OA: 140"	
6 x Max 60W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 4800 Lumens 	


* Ships with 120" of wire

E21253-20PC*	
1-Light Pendant	
Finish: Chrome Accent: Clear	
Min OA: 18" Max OA: 134"	
	
1 x Max 60W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 800 Lumens 	







* Ships with 120" of wire



E21252-20PC	
2-Light Wall Mount	
Finish: Chrome Accent: Clear	
HCO: 6"	
2 x Max 40W G9 T4 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 1000 Lumens 	


The Gem Collection's clear, square-glass cubes float on a Polished Chrome metal frame. Suspended inside the cubes, woven metal cubes sparkle with a crystal gem embedded on the side. The xenon lamps beam crystal clear light to bring the gem to life.




E22837-18PC*	
6-Light Pendant	
Finish: Chrome Glass: Clear	
Min OA: 18" Max OA: 120"	
	
6 x Max 40W G9 Xenon (Incl)	
 <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	
	

* Ships with 130" of wire

E22830-18PC	
1-Light Wall Mount	
Finish: Chrome Glass: Clear	
HCO: 2"	
1 x Max 40W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 500 Lumens 	







E22836-18PC	
6-Light Flush Mount	
Finish: Chrome Glass: Clear	
6 x Max 40W G9 Xenon (Incl) <ul style="list-style-type: none"> • Looped pin base • Clear • 120V • 3000 Lumens 	




The Flux Collection starts with strong steel bases finished in Polished Chrome. Extra-thick, clear glass coated White on the inside allows for excellent light diffusion.







E21039-01PC	
2-Light Flush Mount	
Finish: Chrome Glass: White	
  	
2 x 18W G24q-2 Quad T4 CFL	
Flourescent (Incl)	
 <ul style="list-style-type: none"> • 3000 K • 2500 Lumens • 10,000 Hours 	


3"





E21038-01PC	
2-Light Flush Mount	
Finish: Chrome Glass: White	
  	
2 x 13W G24q-1 Quad T4 CFL	
Flourescent (Incl)	
 <ul style="list-style-type: none"> • 3000 K • 1560 Lumens • 10,000 Hours 	

3"





E21035-01PC	
2-Light Flush Mount	
Finish: Chrome Glass: White	
2 x 13W G24q-1 Quad T4 CFL Flourescent (Incl)	
<ul style="list-style-type: none"> • 3000 K • 1560 Lumens • 10,000 Hours 	



E21036-01PC	
2-Light Flush Mount	
Finish: Chrome Glass: White	
2 x 18W G24q-2 Quad T4 CFL Flourescent (Incl)	
<ul style="list-style-type: none"> • 3000 K • 2500 Lumens • 10,000 Hours 	


A study in scale and symmetry, large clear beveled plates and smaller delicate frosted wafers encase multiple LED lights. The ingenious design causes diffused light to dance across the countless angles of chrome and glass, culminating in a pearlescent glow that highlights its geometric precision.



E20920-10	<p style="text-align: center;">SQUARE</p> <p style="text-align: center;">8" 2.5"</p>
6-Light LED Wall Mount	
Finish: Chrome Glass: Clear/Frost	
HCO: 4"	
6 x 1W LED LED(Incl) • 3500 K • 50,000 Hours • 524 Lumens • 72 CRI	

E20926-10PC*	<p style="text-align: center;">20" 31.5"</p> <p style="text-align: center;">2"</p>
30-Light LED Pendant	
Finish: Chrome Glass: Clear/Frost	
Min OA: 33.5" Max OA: 154.5"	
30 x 1W LED LED(Incl) • 3500 K • 50,000 Hours • 2,670 Lumens • 72 CRI	

*Ships with 144" of wire





E20925-10*	
20-Light LED Pendant	
Finish: Chrome Glass: Clear/Frost	
Min OA: 18.5" Max OA: 124.5"	
20 x 1W LED LED(Incl) • 3500 K • 50,000 Hours • 1,748 Lumens • 72 CRI	

*Ships with 144" of wire

E20921-10*	
5-Light LED Pendant	
Finish: Chrome Glass: Clear/Frost	
Min OA: 18" Max OA: 122"	
5 x 1W LED LED(Incl) • 3500 K • 50,000 Hours • 437 Lumens • 72 CRI	

*Ships with 144" of wire




E20924-10*	
20-Light LED Pendant	
Finish: Chrome Glass: Clear/Frost	
Min OA: 33.5" Max OA: 122"	
20 x 1W LED LED(Incl) • 3500 K • 50,000 Hours • 1,748 Lumens • 72 CRI	

*Ships with 144" of wire




SALZBURG

With classy, understated elegance, Salzburg illuminates a room without calling attention to itself. Its sleek silhouette and mirrored chrome finish appeal to a contemporary sensibility, while its simplicity makes it at home among a vast array of décor styles. The versatile Novara pendant comes in either a single or triple LED configuration.




E22211-10PC*	
1-Light LED Pendant	
Finish: Chrome Glass: Clear	
Min OA: 18" Max OA: 120"	
1 x 3W LED LED (Incl) • 3500 K • 246 Lumens • 50,000 Hours • 76 CRI	



*Ships with 130" of wire



E22213-10PC	
3-Light LED Pendant	
Finish: Chrome Glass: Clear	
Min OA: 18" Max OA: 120"	
3 x 3W LED LED (Incl) • 3500 K • 738 Lumens • 50,000 Hours • 76 CRI	




*Ships with 130" of wire

Masterful minimalism. The simplicity of Linea's sconce and pendant creates the ideal stage to showcase hidden double LEDs. The diffused light emanates from a sleek bar of satin nickel for a stunning effect.




E20963-10 4-Light Wall Mount	
Finish: Satin Nickel Glass: Frost	
HCO: 3.1"	
4 x 1W LED LED(Incl) <ul style="list-style-type: none"> • 3500 K • 50,000 Hours • 350 Lumens • 73 CRI 	



E20965-10SN* 10-Light Pendant	
Finish: Satin Nickel	
Min OA: 18" Max OA: 120"	
10 x 1W LED LED(Incl) <ul style="list-style-type: none"> • 3500 K • 50,000 Hours • 875 Lumens • 73 CRI 	

*Ships with 130" of wire

Streamlined and sensual the perfect descriptor for Vox, whose metal matte finish steel shade immediately sets it apart from the every day lighting fixture. while its glass diffuser provides ample light output.



E20468-09BK 8-Light Flush Mount	SQUARE
Finish: Black / Chrome Glass: Frosted	
8 x Max 25W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1920 Lumens 	



E20461-09BK 2-Light Flush Mount	SQUARE
Finish: Black / Chrome Glass: Frosted	
2 x Max 40W G9 T4 Xenon (Incl)	
<ul style="list-style-type: none"> • Looped pin base • Frost • 120V • 1000 Lumens 	






E20465-09BK 3-Light Flush Mount	SQUARE
Finish: Black / Chrome Glass: Frosted	
3 x Max 60W MB Incandescent (Not Incl)	
<ul style="list-style-type: none"> • A19 • Frost • 2016 Lumens 	




In a ballet of fluid grace, Hydrox drips from a spiraling pendant and pools into a transparent teardrop of soft light. A frosted glass core encases the gentle incandescent source for a sheer glow that dances and sways like the natural ebb and flow of the ocean



BK Black

E21501-09BK,WT*	
1-Light Pendant	
Finish: See Image Glass: Frost	
Min OA: 30" Max OA: 120"	
	
1 x Max 100W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Frost • 1150 Lumens 	
	
18.75"	
12.5"	

*Ships with 130" of wire
 *Steel lacquered frame
 *Polished chrome accents and canopy

E21502-09BK,WT*	
1-Light Pendant	
Finish: See Image Glass: Frost	
Min OA: 36" Max OA: 120"	
	
1 x Max 150W MB Incandescent (Not Incl) <ul style="list-style-type: none"> • A19 • Frost • 1400 Lumens 	
	
23.75"	
17.75"	

*Ships with 130" of wire
 *Steel lacquered frame
 *Polished chrome accents and canopy



WT White

The art of geometry finds a perfect outlet in Edinburgh I's bold sconces. Sharp angles finished in satin nickel support simply shaped linen shades for a smart minimalist look. Energy-saving fluorescent light glows warmly from within adding heart and soul to the angular structure.



E21092-01SN*	
1-Light Wall Mount	
Finish: Satin Nickel Shade: White	
HCO: 6.75"	
1 x Max 26W GU24 Fluorescent (Incl) <ul style="list-style-type: none"> • Squat CFL • 10,000 Hours • 1680 Lumens • 2700 K 	

*Enclosed on top



E21090-01SN*	
1-Light Wall Mount	
Finish: Satin Nickel Shade: White	
HCO: 5"	
1 x Max 26W GU24 Fluorescent (Incl) <ul style="list-style-type: none"> • Squat CFL • 10,000 Hours • 1680 Lumens • 2700 K 	

*Enclosed on top







E21091-01SN*	
2-Light Wall Mount	
Finish: Satin Nickel Shade: White	
HCO: 5.75"	
2 x Max 26W GU24 Fluorescent (Incl) <ul style="list-style-type: none"> • Squat CFL • 10,000 Hours • 3360 Lumens • 2700 K 	

*Enclosed on top

The art of geometry finds a perfect outlet in Edinburgh II's bold sconces. Sharp angles finished in satin nickel support simply shaped linen shades for a smart minimalist look. Energy-saving fluorescent light glows warmly from within adding heart and soul to the angular structure.







E21093-01SN*
1-Light Wall Mount
Finish: Satin Nickel Shade: White
HCO: 5"
  
1 x 18W G24q-2 Quad T4 Fluorescent (Incl)
<ul style="list-style-type: none"> • 2700 K • 900 Lumens • 10,000 Rated Hours






*Enclosed on top



E21094-01SN*
2-Light Wall Mount
Finish: Satin Nickel Shade: White
HCO: 5.75"
  
2 x 18W G24q-2 Quad T4 Fluorescent (Incl)
<ul style="list-style-type: none"> • 2700 K • 1800 Lumens • 10,000 Rated Hours



*Enclosed on top

E21095-01SN*	
1-Light Wall Mount	
Finish: Satin Nickel Shade: White	
HCO: 6.75"	
  	
1 x 18W G24q-2 Quad T4 Fluorescent (Incl)	
<ul style="list-style-type: none"> • 2700 K • 900 Lumens • 10,000 Rated Hours 	

*Enclosed on top



Minx embodies a collection of show-stopping, conversation-starting pendants that range from simple to chic. Featuring RapidJack, no wire, no hassle installation, available with single, triple, or quadruple Xenon light sources, these Minx pendants boast a variety of finishes, shapes, and functions that suit most any room.

EP96003-10SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Snow White	
Min OA: 13" Max OA: 82"	
 1 x Max 20W G4 T3 Xenon (Incl) <ul style="list-style-type: none"> • Clear • 12V • 320 Lumens 	

*Ships with 130" of wire
*Includes RapidJack fitting
*Enclosed bottom



EP96003-10SN

EP96006-10SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Opal White	
Min OA: 11.25" Max OA: 81.5"	
 1 x Max 20W G4 T3 Xenon (Incl) <ul style="list-style-type: none"> • Clear • 12V • 320 Lumens 	

*Ships with 130" of wire
*Includes RapidJack fitting



EP96006-10SN




EP96015-56SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: Chocolate Mousse	
Min OA: 13.5" Max OA: 82.75"	
 1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	

*Ships with 130" of wire
*Includes RapidJack fitting






EP96015-56SN






EP96005-20SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Speckled Frost	
Min OA: 14.5" Max OA: 82.75"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	
	
	

*Ships with 130" of wire
*Includes RapidJack fitting

EP96011-54SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Frosted Translucent	
Min OA: 14.25" Max OA: 83.5"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	
	
	

*Ships with 130" of wire
*Includes RapidJack fitting



EP96004-51SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Chocolate Swirl	
Min OA: 16.25" Max OA: 82.75"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	
	
	

*Ships with 130" of wire
*Includes RapidJack fitting

EP96010-18SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Glass: Clear	
Min OA: 14.25" Max OA: 83.5"	
 1 x Max 20W G4 T3 Xenon (Incl) <ul style="list-style-type: none"> • Clear • 12V • 320 Lumens 	

*Ships with 130" of wire
*Includes RapidJack fitting



100SN Woven White



101SN Grass Cloth



102SN White Pleat



105SN Crimson

E95052-100SN, 101SN, 102SN, 105SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: See Image	
Min OA: 19" Max OA: 80"	
 1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	

*Includes RapidJack fitting and bulb
*Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.



101SN Grass Cloth



100SN Woven White



102SN White Pleat





105SN Crimson

E95050-100SN, 101SN, 102SN, 105SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: See Image	
Min OA: 16" Max OA: 77"	
 1 x Max 50W GY6.35 T4 Xenon (Incl) <ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens 	



*Includes RapidJack fitting and bulb
*Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.





EP96008-09SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: Brushed Aluminum	
Min OA: 11.25" Max OA: 81.25"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl)	
	<ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens

*Ships with 130" of wire
*Includes RapidJack fitting
*Includes frosted glass diffuser



EP96002-20SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: Polished Chrome	
Min OA: 14.25" Max OA: 83.5"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl)	
	<ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens

*Ships with 130" of wire
*Includes RapidJack fitting
*Laser etched

EP96007-69SN*	
1-Light RapidJack Pendant	
Finish: Satin Nickel Shade: Polished Chrome	
Min OA: 14.25" Max OA: 83.75"	
	
1 x Max 50W GY6.35 T4 Xenon (Incl)	
	<ul style="list-style-type: none"> • Hallow Bi-Pin • Clear • 12V • 750 Lumens

*Ships with 130" of wire
*Includes RapidJack fitting
*Laser etched





EP96001-20SN*
1-Light RapidJack Pendant


Finish: **Satin Nickel**
 Glass: **Mirror Chrome**

Min OA: **13.5"**
 Max OA: **83.5"**



1 x Max 50W GY6.35 T4
 Xenon (Incl)

- Hallow Bi-Pin
- Clear
- 12V
- 750 Lumens



*Ships with 130" of wire
 *Includes RapidJack fitting



EP96013-56SN*
1-Light RapidJack Pendant

Finish: **Satin Nickel**
 Glass: **Mirror Chrome**

Min OA: **12.5"**
 Max OA: **82.75"**



1 x Max 50W GY6.35 T4
 Xenon (Incl)

- Hallow Bi-Pin
- Clear
- 12V
- 750 Lumens



*Ships with 130" of wire
 *Includes RapidJack fitting



EP96012-55SN*
1-Light RapidJack Pendant


Finish: **Satin Nickel**
 Glass: **Mirror Chrome**

Min OA: **11.25"**
 Max OA: **81.5"**



1 x Max 50W GY6.35 T4
 Xenon (Incl)

- Hallow Bi-Pin
- Clear
- 12V
- 750 Lumens




*Ships with 130" of wire
 *Includes RapidJack fitting



EC95001-SN*	
1-Light Canopy	
Finish: Satin Nickel	



*Built in 60w Electronic Transformer



EC95003-SN*	
3-Light Canopy	
Finish: Satin Nickel	



*Built in 150w Electronic Transformer



EC95004-SN*	SQUARE 
4-Light Canopy	
Finish: Satin Nickel	
	



*Built in 230w Electronic Transformer



EC95013-SN*	
3-Light Canopy	
Finish: Satin Nickel	
	

*Built in 150w Electronic Transformer



EC95014-SN*	
4-Light Canopy	
Finish: Satin Nickel	
	

*Built in 230w Electronic Transformer

Softly glowing from within a circle of frosted acrylic glass strategically set into a chrome and matte white tile, Anglex elevates the proverbial round peg in a square hole to a new level. The sleek, contemporary slab of luminescence inconspicuously hugs the ceiling while casting cool light throughout the room.





E21010-10WT	
2-Light Flush Mount	
Finish: Matte White Glass: White Acrylic	
1 x Max 22W 1 x Max 55W 2GX13 T5 Circuline Fluorescent (Incl) <ul style="list-style-type: none"> • 5000 Lumens • 10,000 Rated Hours • 3000 K 	




E21011-10WT	
2-Light Flush Mount	
Finish: Matte White Glass: White Acrylic	
1 x Max 22W 1 x Max 55W 2GX13 T5 Circuline Fluorescent (Incl) <ul style="list-style-type: none"> • 5000 Lumens • 10,000 Rated Hours • 3000 K 	

Woven White

The Elements collection offers the freedom of choice in lighting design. Start with the style selection—pendant, mini pendant, or wall sconce—then choose the right shape, square or circular, for the space. Wrap the lamp in one of four fabrics that will make just the right statement: Grass Cloth, White Weave, White Pleat, or Crimson. Finally, choose the perfect light source for the task. Whether fluorescent, xenon, or incandescent, this collection brings together all the right elements.



	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95065-100OI	E95065-100SN
^{4,3,1} Fluorescent	4 x 26W GU24	E95165-100OI	E95165-100SN




	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95060-100OI	E95060-100SN
^{4,3,1} Fluorescent	4 x 26W GU24	E95160-100OI	E95160-100SN




All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN


1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95308-100OI	E95308-100SN
4.2.1 Fluorescent	4 x 26W GU24	E95408-100OI	E95408-100SN




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95348-100OI	E95348-100SN
4.3.1 Fluorescent	4 x 26W GU24	E95448-100OI	E95448-100SN




	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95305-100OI	E95305-100SN
4.3.1 Fluorescent	3 x 18W GU24	E95405-100OI	E95405-100SN



	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95345-100OI	E95345-100SN
4.3.1 Fluorescent	3 x 18W GU24	E95445-100OI	E95445-100SN



	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95300-100OI	E95300-100SN
4.3.1 Fluorescent	3 x 18W GU24	E95400-100OI	E95400-100SN




	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95340-100OI	E95340-100SN
4.3.1 Fluorescent	3 x 18W GU24	E95440-100OI	E95440-100SN


All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN

1. Bulbs included
 2. Bulbs not included
 3. Includes tempered glass diffuser
 4. Also available in special order Quad PL version

Woven White




Cord




Stem

- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95040-100OI	E95040-100SN
Stem	E95042-100OI	E95042-100SN
Cord	E95140-100OI	E95140-100SN
Stem	E95144-100OI	E95144-100SN




Cord




Stem

- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95030-100OI	E95030-100SN
Stem	E95032-100OI	E95032-100SN
Cord	E95130-100OI	E95130-100SN
Stem	E95134-100OI	E95134-100SN



Cord




Stem

- 3.2 Incandescent 1 x 60W MB
- 3.2 Incandescent 1 x 60W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95020-100OI	E95020-100SN
Stem	E95022-100OI	E95022-100SN
Cord	E95120-100OI	E95120-100SN
Stem	E95124-100OI	E95124-100SN

All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN


1. Bulb included
2. Bulb not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version



1-Light RapidJack Pendant*

Lamping SN
 1 x 50W GY6.35 T4 E95052-100SN

*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.





1-Light RapidJack Pendant*


Lamping SN
 1 x 50W GY6.35 T4 E95050-100SN

*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.



Woven White




	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95004-100OI	E95004-100SN
4.3.1 Fluorescent	3 x 18W GU24	E95104-100OI	E95104-100SN




	Lamping	OI	SN
3.2 Incandescent	2 x 60W MB	E95002-100OI	E95002-100SN
4.3.1 Fluorescent	3 x 13W GU24	E95102-100OI	E95102-100SN




	Lamping	OI	SN
3.2 Incandescent	2 x 40W MB	E95000-100OI	E95000-100SN
4.3.1 Fluorescent	2 x 13W GU24	E95100-100OI	E95100-100SN



	Lamping	OI	SN
3.2 Incandescent	2 x 60W T10	E95088-100OI	E95088-100SN
5.4.3.1 Fluorescent	2 x 13W GU24	E95188-100OI	E95188-100SN




	Lamping	OI	SN
3.2 Incandescent	1 x 60W T10	E95084-100OI	E95084-100SN
5.4.3.1 Fluorescent	1 x 18W GU24	E95184-100OI	E95184-100SN




	Lamping	OI	SN
5.3.1 Xenon	1 x 60W G9	E95080-100OI	E95080-100SN

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant

White Pleat



	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95065-102OI	E95065-102SN
4.3.1 Fluorescent	4 x 26W GU24	E95165-102OI	E95165-102SN




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95060-102OI	E95060-102SN
4.3.1 Fluorescent	4 x 26W GU24	E95160-102OI	E95160-102SN

All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN



- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version

White Pleat





- Lamping
- 3,2 Incandescent 1 x 75W MB
 - 3,2 Incandescent 1 x 75W MB
 - 4,3,1 Fluorescent 1 x 13W GU24
 - 4,3,1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95040-102OI	E95040-102SN
Stem	E95042-102OI	E95042-102SN
Cord	E95140-102OI	E95140-102SN
Stem	E95144-102OI	E95144-102SN



- Lamping
- 3,2 Incandescent 1 x 75W MB
 - 3,2 Incandescent 1 x 75W MB
 - 4,3,1 Fluorescent 1 x 13W GU24
 - 4,3,1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95030-102OI	E95030-102SN
Stem	E95032-102OI	E95032-102SN
Cord	E95130-102OI	E95130-102SN
Stem	E95134-102OI	E95134-102SN




- Lamping
- 3,2 Incandescent 1 x 60W MB
 - 3,2 Incandescent 1 x 60W MB
 - 4,3,1 Fluorescent 1 x 13W GU24
 - 4,3,1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95020-102OI	E95020-102SN
Stem	E95022-102OI	E95022-102SN
Cord	E95120-102OI	E95120-102SN
Stem	E95124-102OI	E95124-102SN


- 1. Bulb included
- 2. Bulb not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version

All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN



1-Light RapidJack Pendant*
 Lamping SN
 1 x 50W GY6.35 T4 [E95050-102SN]


*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.




1-Light RapidJack Pendant*
 Lamping SN
 1 x 50W GY6.35 T4 [E95052-102SN]

*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.


White Pleat




4.3.1 Fluorescent Lamping 3 x 18W GU24 OI SN
 E95104-102OI E95104-102SN





4.3.1 Fluorescent Lamping 3 x 13W GU24 OI SN
 E95102-102OI E95102-102SN




4.3.1 Fluorescent Lamping 2 x 13W GU24 OI SN
 E95100-102OI E95100-102SN



5.4.3.1 Fluorescent Lamping 2 x 13W GU24 OI SN
 E95188-102OI E95188-102SN




5.4.3.1 Fluorescent Lamping 1 x 18W GU24 OI SN
 E95184-102OI E95184-102SN




5.3.1 Xenon Lamping 1 x 60W G9 OI SN
 E95080-100OI E95080-100SN


- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95308-105OI	E95308-105SN
4.2.1 Fluorescent	4 x 26W GU24	E95408-105OI	E95408-105SN




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95348-105OI	E95348-105SN
4.3.1 Fluorescent	4 x 26W GU24	E95448-105OI	E95448-105SN




	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95305-105OI	E95305-105SN
4.3.1 Fluorescent	3 x 18W GU24	E95405-105OI	E95405-105SN



	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95345-105OI	E95345-105SN
4.3.1 Fluorescent	3 x 18W GU24	E95445-105OI	E95445-105SN



	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95300-105OI	E95300-105SN
4.3.1 Fluorescent	3 x 18W GU24	E95400-105OI	E95400-105SN



	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95340-105OI	E95340-105SN
4.3.1 Fluorescent	3 x 18W GU24	E95440-105OI	E95440-105SN


All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN

1. Bulbs included
 2. Bulbs not included
 3. Includes tempered glass diffuser
 4. Also available in special order Quad PL version


Crimson

- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95040-105OI	E95040-105SN
Stem	E95042-105OI	E95042-105SN
Cord	E95140-105OI	E95140-105SN
Stem	E95144-105OI	E95144-105SN



Stem




Cord




- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95030-105OI	E95030-105SN
Stem	E95032-105OI	E95032-105SN
Cord	E95130-105OI	E95130-105SN
Stem	E95134-105OI	E95134-105SN



Stem




Cord




- 3.2 Incandescent 1 x 60W MB
- 3.2 Incandescent 1 x 60W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95020-105OI	E95020-105SN
Stem	E95022-105OI	E95022-105SN
Cord	E95120-105OI	E95120-105SN
Stem	E95124-105OI	E95124-105SN



Stem




Cord



1. Bulb included
 2. Bulb not included
 3. Includes tempered glass diffuser
 4. Also available in special order Quad PL version


All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN



1-Light RapidJack Pendant*

Lamping SN
1 x 50W GY6.35 T4 E95050-105SN



*Includes RapidJack hardware and bulb
*Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.



1-Light RapidJack Pendant*


Lamping SN
1 x 50W GY6.35 T4 E95052-105SN

*Includes RapidJack hardware and bulb
*Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.




Lamping
3,2 Incandescent 1 x 60W T10
5,4,3,1 Fluorescent 1 x 18W GU24

OI	SN
E95084-105OI	E95084-105SN
E95184-105OI	E95184-105SN



Lamping
3,2 Incandescent 2 x 60W T10
5,4,3,1 Fluorescent 2 x 13W GU24

OI	SN
E95088-105OI	E95088-105SN
E95188-105OI	E95188-105SN





Lamping
5,3,1 Xenon 1 x 60W G9

OI	SN
E95080-101OI	E95080-101SN


- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant

Grass Cloth



Lamping
 3,2 Incandescent 3 x 100W MB
 4,3,1 Fluorescent 4 x 26W GU24

	OI	SN
	E95065-101OI	E95065-101SN
	E95165-101OI	E95165-101SN



Lamping
 3,2 Incandescent 3 x 100W MB
 4,3,1 Fluorescent 4 x 26W GU24


	OI	SN
	E95060-101OI	E95060-101SN
	E95160-101OI	E95160-101SN

All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN


- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version




Grass Cloth




ELEMENTS




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95308-101OI	E95308-101SN
4.2.1 Fluorescent	4 x 26W GU24	E95408-101OI	E95408-101SN




	Lamping	OI	SN
3.2 Incandescent	3 x 100W MB	E95348-101OI	E95348-101SN
4.3.1 Fluorescent	4 x 26W GU24	E95448-101OI	E95448-101SN




	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95305-101OI	E95305-101SN
4.3.1 Fluorescent	3 x 18W GU24	E95405-101OI	E95405-101SN



	Lamping	OI	SN
3.2 Incandescent	3 x 60W MB	E95345-101OI	E95345-101SN
4.3.1 Fluorescent	3 x 18W GU24	E95445-101OI	E95445-101SN



	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95300-101OI	E95300-101SN
4.3.1 Fluorescent	3 x 18W GU24	E95400-101OI	E95400-101SN





	Lamping	OI	SN
3.2 Incandescent	2 x 100W MB	E95340-101OI	E95340-101SN
4.3.1 Fluorescent	3 x 18W GU24	E95440-101OI	E95440-101SN

All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version



Grass Cloth





- 3,2 Incandescent 1 x 75W MB
- 3,2 Incandescent 1 x 75W MB
- 4,3,1 Fluorescent 1 x 13W GU24
- 4,3,1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95040-101OI	E95040-101SN
Stem	E95042-101OI	E95042-101SN
Cord	E95140-101OI	E95140-101SN
Stem	E95144-101OI	E95144-101SN

Stem

Cord





- 3,2 Incandescent 1 x 75W MB
- 3,2 Incandescent 1 x 75W MB
- 4,3,1 Fluorescent 1 x 13W GU24
- 4,3,1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95030-101OI	E95030-101SN
Stem	E95032-101OI	E95032-101SN
Cord	E95130-101OI	E95130-101SN
Stem	E95134-101OI	E95134-101SN

Stem

Cord



- 3,2 Incandescent 1 x 60W MB
- 3,2 Incandescent 1 x 60W MB
- 4,3,1 Fluorescent 1 x 13W GU24
- 4,3,1 Fluorescent 1 x 26W GU24


	OI	SN
Cord	E95020-101OI	E95020-101SN
Stem	E95022-101OI	E95022-101SN
Cord	E95120-101OI	E95120-101SN
Stem	E95124-101OI	E95124-101SN

Stem

Cord

1. Bulb included
2. Bulb not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version


All stem hang pendants includes:
 1 x 4" Stem ESTR062303-OI, SN
 2 x 6" Stem ESTR062306-OI, SN
 3 x 12" Stem ESTR062312-OI, SN



1-Light RapidJack Pendant*

Lamping SN
 1 x 50W GY6.35 T4 [E95050-101SN]

*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.





1-Light RapidJack Pendant*

Lamping SN
 1 x 50W GY6.35 T4 [E95052-101SN]


*Includes RapidJack fitting and bulb
 *Canopy not included. Compatible with the Minx RapidJack canopies found on page 72 or with other manufacturer's universal or quick jack systems.

Grass Cloth




3.2 4.3.1	Incandescent Fluorescent	Lamping 3 x 60W MB 3 x 18W GU24	OI	SN
			E95004-101OI	E95004-101SN
			E95104-101OI	E95104-101SN



3.2 4.3.1	Incandescent Fluorescent	Lamping 2 x 60W MB 3 x 13W GU24	OI	SN
			E95002-101OI	E95002-101SN
			E95102-101OI	E95102-101SN



3.2 4.3.1	Incandescent Fluorescent	Lamping 2 x 40W MB 2 x 13W GU24	OI	SN
			E95000-101OI	E95000-101SN
			E95100-101OI	E95100-101SN



5.3.2 5.4.3.1	Incandescent Fluorescent	Lamping 2 x 60W T10 2 x 13W GU24	OI	SN
			E95088-101OI	E95088-101SN
			E95188-101OI	E95188-101SN






5.3.2 5.4.3.1	Incandescent Fluorescent	Lamping 1 x 60W T10 1 x 18W GU24	OI	SN
			E95084-101OI	E95084-101SN
			E95184-101OI	E95184-101SN

5.3.1	Xenon	Lamping 1 x 60W G9	OI	SN
			E95080-101OI	E95080-101SN




- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant

Drums of brushed aluminum or fabric affixed with chrome make a simple, yet bold statement in any room. Elevating the industrial look to an art form, these minimalist cylinders balance the masculine qualities of texture and scale with stylish lines and soft that resonate in any decor.




E22709-77*	
3-Light Floor Lamp	
Finish: Chrome Shade: Aluminum	
	
3 x Max 100W MB Incandescent (Not Incl)  <ul style="list-style-type: none"> • A19 • Frost • 3450 Lumens 	
70.5"	
	28.25"




*Item# EB94903-PC for base, Item# ESH94802 for aluminum shade.
 *96" power cord with inline switch
 *Includes CFL for California Title 20 compliance




E95389*	
3-Light Floor Lamp	
Finish: Chrome Shade: Fabric	
	
3 x Max 100W MB Incandescent (Not Incl)  <ul style="list-style-type: none"> • A19 • Frost • 3450 Lumens 	
68.5"	
	28.25"

*Item# EB94903-PC for base, Item# ESH94803 for fabric shade.
 *96" power cord with inline switch
 *Includes CFL for California Title 20 compliance







E95388*	
3-Light Floor Lamp	
Finish: Chrome Shade: Fabric	
	
3 x Max 100W MB Incandescent (Not Incl)  <ul style="list-style-type: none"> • A19 • Frost • 3450 Lumens 	
	32"

E22708-77*	
3-Light Floor Lamp	
Finish: Chrome Shade: Aluminum	
	
3 x Max 100W MB Incandescent (Not Incl)  <ul style="list-style-type: none"> • A19 • Frost • 3450 Lumens 	
	32"


*Item# EB94902-PC for base, Item# ESH94803 for fabric shade.
 *96" power cord with inline switch
 *Includes CFL for California Title 20 compliance

*Item# EB94902-PC for base, Item# ESH94802 for aluminum shade.
 *96" power cord with inline switch
 *Includes CFL for California Title 20 compliance

These contemporary, European-designed fluorescent outdoor fixtures are a perfect combination of energy efficiency and durability. The Zenith II Collection features die-cast metal frames painted with a polyurethane powder coat, finished in Platinum or Dark Gray. The durable white acrylic lens diffuses the light nicely. The fluorescent light source gives the ultimate in energy saving and long life.

E21052-61DG,PL*	
2-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6.75"	
	
2 x 13W 2GX7 Twin T4 CFL Flourescent (Incl)	
 <ul style="list-style-type: none"> • 2700 K • 1680 Lumens • 10,000 Hours 	



13.5"




*Made of die cast aluminum



PL Platinum

E21051-61DG,PL*	
2-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6.75"	
	
2 x 13W 2GX7 Twin T4 CFL Flourescent (Incl)	
 <ul style="list-style-type: none"> • 2700 K • 1680 Lumens • 10,000 Hours 	

13.5"





*Made of die cast aluminum




PL Platinum



DG Dark Gray

E21053-61DG,PL*	
2-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6.75"	
	
2 x 13W 2GX7 Twin T4 CFL Flourescent (Incl)	
 <ul style="list-style-type: none"> • 2700 K • 1680 Lumens • 10,000 Hours 	

13.75"



*Made of die cast aluminum



DG Dark Gray

E21055-61DG,PL*	
2-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6"	
2 x 13W 2GX7 Twin T4 CFL Flourescent (Incl) <ul style="list-style-type: none"> • 2700 K • 1680 Lumens • 10,000 Hours 	
12"	7" 5"

*Made of die cast aluminum



PL Platinum

E21050-61DG,PL*	
1-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6"	
1 x 18W G24q-2 Quad T4 CFL Flourescent (Incl) <ul style="list-style-type: none"> • 2700 K • 1250 Lumens • 10,000 Hours 	
12" Dia	3.5"

*Made of die cast aluminum



PL Platinum

E21054-61DG,PL*	
1-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6.75"	
1 x 18W G24q-2 Quad T4 CFL Flourescent (Incl) <ul style="list-style-type: none"> • 2700 K • 1250 Lumens • 10,000 Hours 	
13.75"	4.75" 4.25"

*Made of die cast aluminum






DG Dark Gray

E21056-61DG,PL*	
2-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6"	
2 x 13W 2GX7 Twin T4 CFL Flourescent (Incl) <ul style="list-style-type: none"> • 2700 K • 1680 Lumens • 10,000 Hours 	
12"	12" 3.5"

*Made of die cast aluminum

The Beam II Collection features low-profile wall lighting designed with versatility and energy saving technology. Fixtures are constructed of stainless steel to allow for outdoor installation, and with the low-profile design, the Beam Collection can also be used interior for corridors and hallways with ADA compliance. The fluorescent light source saves energy and allow for maintenance-free operation. The White acrylic lens is durable and strong. The metal is finished in either Stainless Steel or Oil Rubbed Bronze.

E54340-610I,SST* 1-Light Wall Mount Finish: See Image Glass: White Acrylic HCO: 6"  1 x 13W 2GX7 Twin T4 CFL Fluorescent (Incl)  <ul style="list-style-type: none"> • 2700 K • 840 Lumens • 10,000 Hours 	
---	---




*Made of stainless steel



SST Stainless Steel



OI Oil Rubbed Bronze


E54341-610I,SST* 1-Light Wall Mount Finish: See Image Glass: White Acrylic HCO: 8"  1 x 18W 2G11 Twin T5 CFL Fluorescent (Incl)  <ul style="list-style-type: none"> • 2700 K • 1250 Lumens • 10,000 Hours 	
--	---

*Made of stainless steel




OI Oil Rubbed Bronze

E54345-610I, SST*	
1-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 6"	
1 x 13W 2GX7 Twin T4 CFL Fluorescent (Incl)	
<ul style="list-style-type: none"> • 2700 K • 840 Lumens • 10,000 Hours 	



*Made of stainless steel

E54346-610I, SST*	
1-Light Wall Mount	
Finish: See Image Glass: White Acrylic	
HCO: 8"	
1 x 18W 2G11 Twin T5 CFL Fluorescent (Incl)	
<ul style="list-style-type: none"> • 2700 K • 1250 Lumens • 10,000 Hours 	



*Made of stainless steel



SST Stainless Steel


Color Flex 24

Features

- Adjustable color temperature from 2900K to 5000K
- Plastic covered to reduce static failure
- Multiples lengths with soldered connectors for trouble free installation
- Suitable for damp locations
- Highly flexible material that is backed with 3M tape for easy installation

Applications

- Cove and toe kick accent lighting
- Outdoor covered porch and patio
- Under cabinet lighting
- Display case
- Restaurants and lounges
- Bathroom lighting



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53550	4"	6	0.96	15-16.5	2900-5000 K	70-75	White	120°	24V	40mA
E53551	1'	18	2.88	45-50	2900-5000 K	70-75	White	120°	24V	120mA
E53552	5'	90	14.4	225-250	2900-5000 K	70-75	White	120°	24V	600mA
E53553	10'	180	28.8	450-500	2900-5000 K	70-75	White	120°	24V	12A
E53554	20'	360	57.6	900-1000	2900-5000 K	70-75	White	120°	24V	24A

Model Number	Wattage	Maximum Run
E53303	30W	10'
E53313	60W	20'
E53318	60W	20'
E53320	75W	20'

Color Flex 24

24V 60w Class II Plug-In Driver



- E53313**
- Electronic plug-in driver
 - 120V-240V input
 - 24V, 2.5A output
 - Short circuit protection, overload protection, over voltage protection
 - Operating temperature: 32°F to 104°F
 - Includes 72" 6-Pin output cord
 - Class II

24V 30w Class II Driver



- E53303**
- 5.7"L x 1.9"W x 1.2"H
- Electronic direct wire driver
 - 120V-264V input
 - 24V, 1.25A output
 - Short circuit protection, overload protection, over voltage protection
 - Constant current
 - Operating temperature: -4°F to 140°F
 - IP64 rated
 - Includes 72" 6-Pin output cord
 - Class II UL 1310, UL-RU certified

Color Flex Controller



- E53398**
- Required to control Color Flex Tape
 - Adjusts color from 2900K to 5500K
 - 3 Preset modes 2900K-3500K-5000K
 - 6 DIY modes for customized settings
 - Controls up to 20' of Color Flex
 - Use 53386 amplifiers for additional 20' runs
 - Up to 12 amplifiers can be used with one controller

4-Pin Connecting Cords



- E53265 3"**
E53266 7"
E53267 13"
E53268 73"
- Extend distance between driver & tape
 - Connect sections of tape together

Mounting Clip



- E53272**
- Use on irregular surfaces when 3M tape is not sufficient
 - Package of 20

36" Aluminum Channel



- E53254**
- Creates valance to conceal tape
 - Irregular surfaces installation
 - Includes screws for installation

Heat Shrink Wrap



- E53256**
- Secure connections when in walls
 - Waterproof in damp location installations
 - Heat gun required for installation
 - Package of 10

24V 75w Class II Plug-In Driver



- E53320**
- Electronic plug-in driver
 - 120V-264V input
 - 24V, 3A output
 - Short circuit protection, overload protection, over voltage protection
 - Operating temperature: 32°F to 104°F
 - Includes 72" 6-Pin output cord
 - Class II

24V 60w Class II Driver



- E53318**
- 7.1"L x 2.4"W x 1.4"H
- Electronic direct wire driver
 - 120V-264V input
 - 24V, 2.5A output
 - Short circuit protection, overload protection, over voltage protection
 - Constant current
 - Operating temperature: -4°F to 140°F
 - IP64 rated
 - Includes 72" 6-Pin output cord
 - Class II UL 1310, UL-RU certified

24V Amplifier



- E53386**
- Used to synchronize multiple runs to one controller
 - Requires additional driver
 - Controls 20' of tape

4-Pin 4-Way Connector



- E53263**
- Allows for L, T & X installations
 - A power block for branching
 - Includes two E53264 and one E53262

Plastic Wire Clip



- E53255**
- Used to secure connecting cords & driver output cords to surface
 - Backed with 3M adhesive tape
 - Package of 10

Male/Male Adapter



- E53262**
- Changes female end to male
 - Package of 10

Rainbow Dial RGB Controller System

Rainbow Dial is a new user friendly way to control Rainbow Star tape. With this new remote you simply dial the color you wish to have. The color is displayed in the center of the dial so the remote does not have to be located in view of the tape. The Rainbow Dial controller has 16 pre-positioned changing patterns that are touch controlled. One remote can control up to 3 separate channels with additional E53601 controllers. Remote control can be wall mounted with bracket included. Remote is powered with a rechargeable battery (charger included)



E53600
Rainbow Dial Controller System
 Includes:
 • Rainbow Dial touch remote control
 • Wall mount bracket
 • Battery charger
 • Rainbow Dial controller



E53601
Additional Rainbow Dial controller
 • 16 color patterns
 • Dimmable while on static colors
 • Pause functions while doing skipping or gradual change
 • 50 levels for brightness adjustment
 • 50 levels for speed adjustment

Color Patterns


1. Static Red
2. Static Green
3. Static Blue
4. Static Yellow
5. Static Purple
6. Static Cyan
7. Static White
8. Colors Quickly Change
9. Red Fades
10. Green Fades
11. Blue Fades
12. Yellow Fades
13. Purple Fades
14. Cyan Fades
15. White Fades
16. Colors Gradually Change

ET-LED-C Series

With a sleek profile and direct wiring, this fully dimmable state-of-the-art LED under cabinet light easily installs under the cabinet and emits a crisp white light which illuminates without shadows. The hinged top gives easy access for installation and wiring. Cabinets stay cool and safe with LED light output.

Features

- Warm white 3500 K light
- Cool to touch
- CRI 70-75, 120 beam spread
- 50,000 life hours
- Multiple, full size knock outs
- Dimmable using a standard wall dimmer
- Linkable with or without cord using MXInterLink4



White



Satin Nickel



Metallic Bronze

OPTIONAL COMPONENTS

7" 2-Light LED
E57962-WT White
E57962-MB Metallic Bronze
E57962-SN Satin Nickel
7"L x 5"W x 1.25"H
2 x 2W

13" 4-Light LED
E57963-WT White
E57963-MB Metallic Bronze
E57963-SN Satin Nickel
12.875"L x 5"W x 1.25"H
4 x 2W

InterLink4 Connector Cord
24" E57878-WT White
24" E57878-BK Black
18" E57877-WT White
18" E57877-BK Black
9" E57876-WT White
9" E57876-BK Black



21" 6-Light LED
E57964-WT White
E57964-MB Metallic Bronze
E57964-SN Satin Nickel
21"L x 5"W x 1.25"H
6 x 2W

30" 8-Light LED
E57966-WT White
E57966-MB Metallic Bronze
E57966-SN Satin Nickel
30"L x 5"W x 1.25"H
8 x 2W

InterLink4 Power Cord
E57880-WT White
E57880-BK Black
72"L



InterLink4 Direct Wire Box
E57885-WT White
E57885-BK Black
2.25"L x 5"W x 1"H



Starter Kits



E53400
StarStrand Channel 24 Starter Kit
 7.5" W x 11.75"L x 2.5" H
 Includes:
 Two 6" Channel 24 3500 K, one on/of switch
 and on 60w 24V Plug-In Driver















E53401
StarStrand Elite 24 Starter Kit
 5.25" W x 10.25"L x 2.5" H
 Includes:
 Two 4" Elite 24 and
 one 60w 24V Plug-In Driver



E53402
StarStrand Ultima 24 Starter Kit
 5.25" W x 10.25"L x 2.5" H
 Includes:
 Two 4" Ultima 24 and
 one 60w 24V Plug-In Driver

E20106.....	40	E21136.....	4	E22213.....	61
E20107.....	39	E21138.....	1	E22341.....	11
E20108.....	38	E21139.....	2	E22342.....	11
E20112.....	35	E21200.....	43	E22343.....	11
E20113.....	36	E21201.....	42	E22344.....	12
E20114.....	37	E21203.....	42	E22345.....	12
E20461.....	63	E21204.....	43	E22708.....	90
E20465.....	63	E21205.....	41	E22709.....	89
E20468.....	63	E21206.....	41	E22720.....	45
E20920.....	59	E21252.....	54	E22721.....	46
E20921.....	60	E21253.....	54	E22723.....	46
E20924.....	60	E21254.....	53	E22725.....	45
E20925.....	60	E21255.....	53	E22729.....	44
E20926.....	59	E21300.....	32	E22803.....	9
E20963.....	62	E21301.....	31	E22805.....	6
E20965.....	62	E21302.....	33	E22806.....	7
E21010.....	74	E21303.....	29	E22807.....	5
E21011.....	74	E21304.....	29	E22808.....	8
E21035.....	58	E21306.....	30	E22811.....	9
E21036.....	58	E21308.....	31	E22812.....	9
E21038.....	57	E21309.....	32	E22813.....	10
E21039.....	57	E21310.....	30	E22814.....	10
E21050.....	92	E21311.....	33	E22815.....	10
E21051.....	91	E21312.....	34	E22830.....	56
E21052.....	91	E21313.....	34	E22836.....	56
E21053.....	91	E21501.....	64	E22837.....	55
E21054.....	92	E21502.....	64	E23130.....	50
E21055.....	92	E21600.....	52	E23131.....	50
E21056.....	92	E21601.....	52	E23133.....	49
E21090.....	65	E21700.....	51	E23135.....	47
E21091.....	65	E21701.....	51	E23137.....	47
E21092.....	65	E21800.....	22	E23138.....	48
E21093.....	66	E21801.....	22	E23139.....	48
E21094.....	66	E21802.....	21	E23140.....	49
E21095.....	66	E21803.....	19	E23240.....	13
E21131.....	3	E21804.....	19	E23241.....	14
E21132.....	3	E21805.....	20	E23242.....	14
E21133.....	3	E21806.....	21	E23244.....	13
E21134.....	4	E22211.....	61	E23251.....	17

E23252.....	17	E53553.....	95	E95134.....	77,80,83,87
E23253.....	17	E53554.....	95	E95140.....	77,80,83,87
E23254.....	18	E53600.....	97	E95144.....	77,80,83,87
E23255.....	18	E53601.....	97	E95160.....	75,79,85
E23257.....	16	E54340.....	93	E95165.....	75,79,85
E23258.....	16	E54341.....	93	E95184.....	78,81,84,88
E23259.....	15	E54345.....	94	E95188.....	78,81,84,88
E24000.....	28	E54346.....	94	E95300.....	76,82,86
E24001.....	28	E57876.....	98	E95305.....	76,82,86
E24002.....	27	E57877.....	98	E95308.....	76,82,86
E24007.....	27	E57878.....	98	E95340.....	76,82,86
E24011.....	26	E57880.....	98	E95345.....	76,82,86
E24012.....	26	E57885.....	98	E95348.....	76,82,86
E24013.....	25	E57962.....	98	E95388.....	90
E24016.....	24	E57963.....	98	E95389.....	89
E24017.....	24	E57964.....	98	E95400.....	76,82,86
E24018.....	23	E57965.....	98	E95405.....	76,82,86
E53254.....	96	E95000.....	78,88	E95408.....	76,82,86
E53255.....	96	E95002.....	78,88	E95440.....	76,82,86
E53256.....	96	E95004.....	78,88	E95445.....	76,82,86
E53262.....	96	E95020.....	77,80,83,87	E95448.....	76,82,86
E53263.....	96	E95022.....	77,80,83,87	EC95001.....	72
E53265.....	96	E95030.....	77,80,83,87	EC95003.....	72
E53266.....	96	E95032.....	77,80,83,87	EC95004.....	73
E53267.....	96	E95040.....	77,80,83,87	EC95013.....	73
E53268.....	96	E95042.....	77,80,83,87	EC95014.....	73
E53272.....	96	E95050.....	69,77,80,84,87	EP96001.....	71
E53303.....	96	E95052.....	69,77,80,84,87	EP96002.....	70
E53313.....	96	E95060.....	75,79,85	EP96003.....	67
E53318.....	96	E95065.....	75,79,85	EP96004.....	68
E53320.....	96	E95080.....	78,81,84,88	EP96005.....	68
E53386.....	96	E95084.....	78,84,88	EP96006.....	67
E53398.....	96	E95088.....	78,84,88	EP96007.....	70
E53400.....	99	E95100.....	78,81,88	EP96008.....	70
E53401.....	99	E95102.....	78,81,88	EP96010.....	69
E53402.....	99	E95104.....	78,81,88	EP96011.....	68
E53550.....	95	E95120.....	77,80,83,87	EP96012.....	71
E53551.....	95	E95124.....	77,80,83,87	EP96013.....	71
E53552.....	95	E95130.....	77,80,83,87	EP96015.....	67

	Code	Description	Type
	MB	Medium Base	Incandescent
	MBT10	T Shape Medium Base 1.25"W	Incandescent
	G4	T Shape Clear a G4 Base .375"W	Xenon
	G9	T Shape Clear or Frosted Looped Pin G9 Base .5"W	Xenon
	GY6.35	T Shape Clear Bi-Pin GY6.35 Base .5"W	Xenon
	MR11	Multifaceted Reflector Bi-Pin GZ4 Base 1.375"W	Halogen
	2GX7	Twin Tube 4 Pin 2GX7 Base 6.2" MOL	Fluorescent
	2G11	Twin Tube 4 Pin 2G11 Base 16.313" MOL	Fluorescent
	2GX13 T5	Tubular Circline 2GX13 Base .625"W	Fluorescent
	G24q-1	Quad Tube 4 Pin G24q-1 Base 4.625" MOL	Fluorescent
	G24q-2	Quad Tube 4 Pin G24q-2 Base 5.75" MOL	Fluorescent
	GU24	CFL Bi-Pin GU24 Base	Fluorescent

Item	Type	Code/Note	Watts
EBU00097	Fluorescent	G24q-1	13
EBU00098	Fluorescent	G24q-2	18
EBU00060	Fluorescent	2G11	18
EBU00096	Fluorescent	2GX7	13
EBU00099	Fluorescent	2GX13 T5	22
EBU00101	Fluorescent	2GX13 T5	55
EBU00070	Fluorescent	GU24	13
EBU00103	Fluorescent	GU24	18
EBU00104	Fluorescent	GU24	26
EBU00102	Incandescent	MBT10	60
EBU00001	Xenon	G4	10
EBU00003	Xenon	G4	20
EBU00010	Xenon	G9 Clear	25
EBU00011	Xenon	G9 Frosted	25
EBU00014	Xenon	G9 Clear	40
EBU00015	Xenon	G9 Frosted	40
EBU00093	Xenon	G9 Clear	50
EBU00094	Xenon	G9 Clear	60
EBU00091	Xenon	G9 Clear	75
EBU00092	Xenon	G9 Frosted	75
EBU00095	Xenon	GY6.35	50

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL, ETL and/or CSA certified. All electrical products are certified and listed to UL/CSA Standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc. StarStrand is a registered trademark of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2011 ET2 Contemporary Lighting. All Rights Reserved.



Contemporary Lighting™

LETCAT1101

\$5.00



ET2 Contemporary Lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4235

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com

ET2 Contemporary Lighting and all designs, logos
and images © 2011 ET2 Contemporary Lighting.
All Rights Reserved.